





Ergebnis: 563 (588.5)
Serien: 95 92 96 94 95 91
Zähler: 28 27 5 0 0 0 0 0 0 0
Innenzehner: 14
weiteste: 2227 (11), 2057 (60), 1979 (15)
beste Teiler 235.2 (9.) 243.8 (5.) 277.4 (42.)
Trefferlage 0.57 mm rechts, 0.39 mm hoch
Streuwert 7.50, horizontal: 5.51, vertikal: 9.06




Serie 1:
 10.5 * 9.8 ↑ 9.7 ↓ 10.5 * 10.6 *
 9.9 ← 10.4 * 9.6 ↘ 10.7 * 9.2 ↓
beste Teiler 235.2 (9.) 243.8 (5.) 344.5 (4.)
Trefferlage 1.83 mm links, 0.94 mm tief
Streuwert 5.73, horizontal: 4.33, vertikal: 6.84




Serie 2:
 8.2 ↗ 9.3 ↓ 9.2 ↘ 10.1 ↑ 8.5 ↑
 9.0 ↓ 10.2 ↘ 9.0 ↓ 10.6 * 10.3 ←
beste Teiler 311.3 (19.) 486.0 (20.) 609.6 (17.)
Trefferlage 2.00 mm rechts, 0.57 mm tief
Streuwert 10.10, horizontal: 5.63, vertikal: 13.12




Serie 3:
 9.8 ↗ 8.7 → 10.5 * 10.2 ↘ 10.3 →
 10.3 ↓ 10.0 → 10.2 ↓ 9.1 ↓ 10.6 *
beste Teiler 304.7 (30.) 374.0 (23.) 542.4 (26.)
Trefferlage 2.75 mm rechts, 1.15 mm tief
Streuwert 6.56, horizontal: 6.55, vertikal: 6.56



Serie 4:
 9.9 ↘ 9.5 ↗ 9.3 ↑ 9.8 ↑ 9.3 ↑
 10.4 * 10.1 ↓ 10.3 ↘ 10.6 * 9.6 ↓
beste Teiler 282.8 (39.) 451.8 (36.) 497.8 (38.)
Trefferlage 2.93 mm rechts, 1.65 mm hoch
Streuwert 6.42, horizontal: 3.80, vertikal: 8.24



Serie 5:
 10.3 ↓ 10.6 * 9.1 ↘ 10.0 ↑ 9.9 ↑
 9.2 ↑ 9.7 ↓ 10.5 * 9.7 ↓ 10.5 *
beste Teiler 277.4 (42.) 376.1 (48.) 399.8 (50.)
Trefferlage 1.59 mm links, 0.92 mm hoch
Streuwert 6.56, horizontal: 4.86, vertikal: 7.90



Serie 6:
 10.0 ↘ 9.0 ↓ 10.6 * 9.7 ↓ 10.3 ↘
 9.8 ↓ 9.3 ↑ 8.6 ↑ 9.5 → 8.4 ↑
beste Teiler 305.0 (53.) 506.4 (55.) 729.1 (51.)
Trefferlage 0.77 mm links, 2.48 mm hoch
Streuwert 9.30, horizontal: 6.33, vertikal: 11.53

LP 60 – Wertung – **Männer**

StandNr: 106

Kral, Daniel #86

StartNr: 9



4. Januar 2020 15:37

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 568 (593.4)
Serien: 94 93 94 96 95 96
Zähler: 30 28 2 0 0 0 0 0 0 0
Innenzehner: 13
weiteste: 1646 (20), 1605 (29), 1527 (7)
beste Teiler 237.2 (21.) 244.0 (17.) 246.3 (60.)
Trefferlage 1.94 mm links, 1.59 mm tief
Streuwert 6.35, horizontal: 6.04, vertikal: 6.65




Serie 1:
 9.3 ↙ 10.1 ↘ 9.7 ↗ 9.3 ← 10.2 ↘
 10.0 ↑ 9.0 ↙ 9.6 ↙ 9.6 ← 10.5 *
beste Teiler 347.5 (10.) 576.4 (5.) 707.5 (2.)
Trefferlage 5.68 mm links, 3.38 mm tief
Streuwert 5.85, horizontal: 5.45, vertikal: 6.22




Serie 2:
 9.3 ↑ 9.9 ↗ 10.3 → 9.9 ↓ 10.1 ↘
 9.8 ↓ 10.6 * 9.4 ↑ 10.0 ← 8.9 ↓
beste Teiler 244.0 (17.) 487.1 (13.) 691.6 (15.)
Trefferlage 0.05 mm links, 0.06 mm tief
Streuwert 7.35, horizontal: 4.81, vertikal: 9.22



Serie 3:
 10.7 * 9.4 ← 10.0 ↘ 9.1 ↗ 10.4 *
 10.4 * 10.0 ↘ 9.7 ↗ 8.9 ↓ 9.3 ↑
beste Teiler 237.2 (21.) 474.0 (25.) 474.0 (26.)
Trefferlage 3.61 mm links, 3.44 mm tief
Streuwert 6.77, horizontal: 5.93, vertikal: 7.52



Serie 4:
 10.2 ↓ 10.2 ↙ 10.4 * 10.1 → 9.7 →
 9.3 ↙ 9.7 ↘ 9.5 ↘ 10.0 ← 10.5 *
beste Teiler 322.5 (40.) 418.5 (33.) 608.9 (32.)
Trefferlage 2.08 mm links, 0.72 mm tief
Streuwert 6.08, horizontal: 7.13, vertikal: 4.80



Serie 5:
 9.3 ↙ 9.5 ↘ 10.5 * 9.6 ↗ 10.2 ↗
 9.6 ↙ 9.7 ↗ 10.6 * 10.4 * 10.2 ↙
beste Teiler 278.5 (48.) 377.5 (43.) 451.1 (49.)
Trefferlage 0.84 mm links, 3.21 mm tief
Streuwert 5.92, horizontal: 6.75, vertikal: 4.94



Serie 6:
 10.5 * 10.2 ↘ 10.6 * 10.0 → 9.6 ↘
 9.4 ↑ 9.9 ↓ 9.8 ↘ 10.2 ↑ 10.6 *
beste Teiler 246.3 (60.) 301.6 (53.) 359.9 (51.)
Trefferlage 0.59 mm rechts, 1.26 mm hoch
Streuwert 5.63, horizontal: 4.87, vertikal: 6.29

LP 60 – Wertung – **Männer**

StandNr: 103

Zechmeister, Richard #125

StartNr: 10



4. Januar 2020 15:30

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **562** (588.0)
 Serien: 94 97 93 92 91 95
 Zähler: 26 30 4 0 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2261 (9), 2180 (49), 1922 (47)
 beste Teiler 166.3 (19.) 196.6 (60.) 278.7 (53.)
 Trefferlage 0.52 mm links, 0.36 mm hoch
 Streuwert 7.33, horizontal: 7.05, vertikal: 7.59




Serie 1:
 10.3 ← 9.7 ↗ 10.2 ↑ 10.5 * 10.4 *
 9.4 ↗ 10.5 * 9.8 ↘ 8.1 ↓ 9.3 ↑
 beste Teiler 345.4 (4.) 389.5 (7.) 418.0 (5.)
 Trefferlage 0.89 mm rechts, 1.26 mm hoch
 Streuwert 7.85, horizontal: 5.25, vertikal: 9.79




Serie 2:
 10.0 → 10.4 * 9.1 ↗ 10.3 ↘ 10.4 *
 10.2 → 10.0 ↘ 9.5 ↓ 10.7 * 9.4 ←
 beste Teiler 166.3 (19.) 420.1 (15.) 458.1 (12.)
 Trefferlage 2.50 mm links, 1.02 mm tief
 Streuwert 5.94, horizontal: 6.02, vertikal: 5.87




Serie 3:
 9.9 ← 9.5 ↑ 10.6 * 9.6 ↗ 10.1 ↘
 9.6 ↓ 9.8 ↘ 9.3 ↖ 9.5 ↑ 10.3 ↘
 beste Teiler 317.4 (23.) 560.0 (30.) 699.6 (25.)
 Trefferlage 0.04 mm rechts, 1.13 mm hoch
 Streuwert 7.12, horizontal: 6.14, vertikal: 7.98



Serie 4:
 9.4 ↗ 9.7 → 9.9 ↖ 10.0 ↓ 8.6 ↑
 10.3 ↗ 9.9 ↖ 9.0 ← 9.9 ↓ 10.0 ↘
 beste Teiler 491.2 (36.) 759.7 (34.) 784.9 (40.)
 Trefferlage 2.20 mm links, 0.91 mm tief
 Streuwert 7.98, horizontal: 7.36, vertikal: 8.55



Serie 5:
 10.1 ← 9.9 ↑ 9.4 ↖ 9.7 ← 9.8 ↗
 9.3 ↑ 8.5 ↗ 10.1 ↖ 8.2 → 10.0 ↓
 beste Teiler 682.2 (48.) 694.0 (41.) 791.5 (50.)
 Trefferlage 0.32 mm rechts, 3.47 mm hoch
 Streuwert 9.03, horizontal: 10.37, vertikal: 7.46



Serie 6:
 9.7 ↗ 9.3 ↓ 10.6 * 10.5 * 9.9 ←
 9.2 → 10.4 * 9.3 ↗ 10.3 ← 10.7 *
 beste Teiler 196.6 (60.) 278.7 (53.) 386.9 (54.)
 Trefferlage 0.28 mm rechts, 1.77 mm tief
 Streuwert 6.52, horizontal: 7.15, vertikal: 5.84

LP 60 – Wertung – **Männer**

StandNr: 107

Wankmüller, René #51

StartNr: 11



4. Januar 2020 15:21

ST– Eisenerzer SV


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **559** (583.3)
 Serien: 94 94 92 91 93 95
 Zähler: 26 27 7 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2341 (14), 2251 (39), 2062 (9)
 beste Teiler 246.8 (53.) 281.4 (56.) 340.9 (22.)
 Trefferlage 0.52 mm rechts, 3.11 mm tief
 Streuwert 7.46, horizontal: 8.07, vertikal: 6.79




Serie 1:
 9.3 ↓ 10.1 ↖ 9.0 ↖ 9.2 ↓ 10.3 ↗
 10.2 ↗ 10.2 ↘ 9.6 ↗ 8.4 ↖ 10.0 ↘
 beste Teiler 502.0 (5.) 582.8 (7.) 606.3 (6.)
 Trefferlage 1.23 mm links, 2.37 mm tief
 Streuwert 8.50, horizontal: 9.20, vertikal: 7.74




Serie 2:
 9.7 ↓ 10.4 * 9.7 ↓ 8.0 → 9.1 ↓
 9.7 ↖ 10.2 ↖ 10.0 ↖ 10.3 ↖ 10.2 →
 beste Teiler 423.0 (12.) 536.8 (19.) 610.0 (17.)
 Trefferlage 0.63 mm links, 2.56 mm tief
 Streuwert 8.03, horizontal: 9.27, vertikal: 6.56




Serie 3:
 9.9 ↘ 10.5 * 10.1 ↖ 9.3 ↑ 8.8 ↗
 8.9 → 9.6 → 10.4 * 10.0 ↘ 9.7 ↖
 beste Teiler 340.9 (22.) 423.8 (28.) 664.9 (23.)
 Trefferlage 1.31 mm rechts, 1.13 mm tief
 Streuwert 7.83, horizontal: 8.50, vertikal: 7.10



Serie 4:
 9.8 ↗ 10.1 ↗ 10.3 → 9.5 ↘ 8.8 ↘
 10.3 ↗ 9.9 ↓ 9.2 ↘ 8.1 ↖ 9.7 →
 beste Teiler 524.4 (33.) 530.6 (36.) 662.0 (32.)
 Trefferlage 2.89 mm rechts, 3.46 mm tief
 Streuwert 8.42, horizontal: 10.04, vertikal: 6.41



Serie 5:
 10.1 ↓ 9.2 ↓ 10.1 ↓ 9.8 ↗ 10.3 ↘
 8.4 ↓ 9.6 ↗ 9.9 ↘ 9.7 ↓ 10.4 *
 beste Teiler 450.9 (50.) 486.2 (45.) 670.9 (41.)
 Trefferlage 1.37 mm rechts, 6.11 mm tief
 Streuwert 6.30, horizontal: 4.14, vertikal: 7.88



Serie 6:
 9.4 ↗ 10.5 * 10.6 * 9.5 ↖ 9.6 ↓
 10.6 * 10.0 → 10.5 * 9.1 ↖ 9.5 ↓
 beste Teiler 246.8 (53.) 281.4 (56.) 348.3 (58.)
 Trefferlage 0.58 mm links, 3.06 mm tief
 Streuwert 6.42, horizontal: 7.22, vertikal: 5.49

LP 60 – Wertung – **Männer**

StandNr: 105

Grandits, Michael #157

StartNr: 12



4. Januar 2020 15:28

AUT

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **544** (572.2)
 Serien: 95 88 89 93 88 91
 Zähler: 17 34 5 4 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2986 (20), 2911 (44), 2502 (57)
 beste Teiler 171.8 (51.) 296.5 (8.) 354.8 (31.)
 Trefferlage 0.13 mm links, 0.14 mm hoch
 Streuwert 9.14, horizontal: 8.57, vertikal: 9.67



Serie 1:

9.9 ↑ 10.2 ← 10.2 → 9.0 ↓ 10.2 ↘
 10.4 ↗ 8.7 ↗ 10.6 * 10.4 * 9.4 ↗


beste Teiler 296.5 (8.) 412.4 (9.) 476.8 (6.)
 Trefferlage 2.87 mm rechts, 2.42 mm hoch
 Streuwert 6.67, horizontal: 5.42, vertikal: 7.72



Serie 2:

9.2 ← 9.3 ↘ 8.9 ↑ 9.0 ↗ 9.3 ←
 9.6 ↘ 9.9 ↑ 10.3 → 9.7 ↗ 7.2 ↗


beste Teiler 558.7 (18.) 844.3 (17.) 976.7 (19.)
 Trefferlage 0.26 mm rechts, 4.61 mm hoch
 Streuwert 10.70, horizontal: 11.84, vertikal: 9.43



Serie 3:

10.4 * 10.1 → 8.9 ↘ 9.8 ↘ 9.2 ↗
 9.2 ← 8.5 ↘ 9.4 ↘ 9.6 ↓ 8.5 ↗


beste Teiler 467.5 (21.) 669.3 (22.) 932.9 (24.)
 Trefferlage 0.93 mm rechts, 4.47 mm tief
 Streuwert 9.56, horizontal: 11.47, vertikal: 7.16



Serie 4:

10.5 * 10.2 → 7.9 ↓ 9.2 ↘ 10.2 ↗
 9.4 → 9.2 ← 9.4 ↗ 10.0 → 10.5 *


beste Teiler 354.8 (31.) 395.5 (40.) 565.0 (32.)
 Trefferlage 1.81 mm links, 1.90 mm tief
 Streuwert 8.84, horizontal: 8.47, vertikal: 9.19



Serie 5:

9.6 ← 9.9 → 9.4 ↓ 7.3 ↑ 9.6 ↓
 9.1 ↘ 9.2 ↓ 9.6 → 9.6 ↘ 9.9 →

beste Teiler 808.6 (42.) 874.1 (50.) 1058.6 (49.)
 Trefferlage 1.16 mm links, 0.15 mm hoch
 Streuwert 10.59, horizontal: 7.86, vertikal: 12.75



Serie 6:

10.7 * 9.6 ↗ 10.0 ← 9.9 ↓ 9.9 ↗
 9.9 ↓ 7.8 ↑ 9.5 ↗ 9.7 ↘ 10.5 *

beste Teiler 171.8 (51.) 360.9 (60.) 791.0 (53.)
 Trefferlage 1.93 mm links, 0.05 mm hoch
 Streuwert 8.30, horizontal: 5.22, vertikal: 10.51



LP 60 – Wertung – **Männer**
StandNr: 108
Gruber, Martin #90

StartNr: 13
4. Januar 2020 15:31
OOE–ASKOE Linz


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **569** (595.1)
 Serien: 95 93 96 95 95 95
 Zähler: 32 25 3 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 2068 (19), 1737 (1), 1707 (57)
 beste Teiler 77.0 (3.) 169.4 (33.) 175.3 (5.)
 Trefferlage 1.25 mm rechts, 1.07 mm hoch
 Streuwert 6.52, horizontal: 6.10, vertikal: 6.91




Serie 1:
 8.8 ↗ 9.9 ↘ 10.9 * 9.6 ↘ 10.7 *
 10.7 * 10.1 ← 9.8 → 10.5 * 10.1 ↗
 beste Teiler 77.0 (3.) 175.3 (5.) 223.7 (6.)
 Trefferlage 2.96 mm rechts, 1.74 mm hoch
 Streuwert 5.70, horizontal: 6.07, vertikal: 5.30




Serie 2:
 10.6 * 9.3 ↖ 9.3 ↗ 9.9 ↗ 10.1 →
 9.4 → 9.5 ↑ 10.1 ↗ 8.4 ↑ 10.5 *
 beste Teiler 296.4 (11.) 385.3 (20.) 657.8 (18.)
 Trefferlage 3.45 mm rechts, 6.01 mm hoch
 Streuwert 6.59, horizontal: 7.01, vertikal: 6.14




Serie 3:
 10.3 ↑ 10.0 → 10.1 ↓ 9.5 ← 10.5 *
 9.3 ↓ 9.3 ↓ 10.0 ↑ 9.8 ↘ 10.0 ↓
 beste Teiler 382.6 (25.) 484.1 (21.) 655.3 (23.)
 Trefferlage 0.22 mm links, 2.53 mm tief
 Streuwert 6.57, horizontal: 5.22, vertikal: 7.69



Serie 4:
 9.5 ↗ 10.0 ↑ 10.7 * 9.7 ↗ 10.5 *
 9.7 ↘ 9.1 ← 10.1 → 10.5 * 9.7 ↗
 beste Teiler 169.4 (33.) 324.2 (39.) 370.2 (35.)
 Trefferlage 1.28 mm rechts, 3.68 mm hoch
 Streuwert 5.88, horizontal: 6.20, vertikal: 5.53



Serie 5:
 9.9 ↗ 9.8 ↗ 10.3 ↓ 10.1 ↗ 9.1 ↓
 10.2 ↗ 10.5 * 9.6 ↗ 9.7 ↗ 10.1 ←
 beste Teiler 386.4 (47.) 549.9 (43.) 615.6 (46.)
 Trefferlage 1.50 mm links, 2.16 mm tief
 Streuwert 6.19, horizontal: 5.38, vertikal: 6.90



Serie 6:
 10.5 * 10.0 ↑ 10.5 * 9.2 ↗ 9.9 ↘
 10.0 ↓ 8.8 ↗ 10.2 → 9.7 ↗ 10.5 *
 beste Teiler 321.6 (51.) 346.5 (53.) 352.3 (60.)
 Trefferlage 1.53 mm rechts, 0.27 mm tief
 Streuwert 6.73, horizontal: 6.63, vertikal: 6.83

LP 60 – Wertung – **Männer**

StandNr: 104

Auprich, Andreas #293

StartNr: 14

4. Januar 2020 15:37

AUT

Unterschrift des Schützen

Meyton Elektronik