





Ergebnis: **622.7** (595)
 Serien: 101.8 103.0 104.0 104.1 105.8 104.0
 Zähler: 55 5 0 0 0 0 0 0 0 0
 Innenzehner: 47
 weiteste: 295 (18), 285 (7), 281 (9)
 beste Teiler 31.7 (44.) 33.8 (43.) 36.3 (57.)
 Trefferlage 0.47 mm rechts, 0.20 mm hoch
 Streuwert 1.06, horizontal: 1.00, vertikal: 1.11




Serie 1:
 10.1 ↘ 10.5 * 10.5 * 10.4 * 10.5 *
 10.3 * 9.8 ↗ 9.9 ↗ 9.8 ↗ 10.0 ↗
 beste Teiler 101.6 (2.) 112.4 (5.) 113.8 (3.)
 Trefferlage 0.75 mm rechts, 0.30 mm hoch
 Streuwert 1.38, horizontal: 1.10, vertikal: 1.62




Serie 2:
 10.2 * 10.5 * 10.0 ↗ 10.3 * 10.7 *
 10.4 * 10.5 * 9.8 ↘ 10.3 * 10.3 *
 beste Teiler 67.2 (15.) 101.3 (17.) 122.5 (12.)
 Trefferlage 0.51 mm rechts, 0.09 mm tief
 Streuwert 1.25, horizontal: 1.18, vertikal: 1.31




Serie 3:
 9.9 → 10.5 * 10.0 ↘ 10.5 * 10.7 *
 10.6 * 10.0 ↙ 10.8 * 10.5 * 10.5 *
 beste Teiler 45.3 (28.) 59.6 (25.) 85.4 (26.)
 Trefferlage 0.59 mm rechts, 0.16 mm tief
 Streuwert 1.05, horizontal: 1.14, vertikal: 0.94



Serie 4:
 10.4 * 10.3 * 10.4 * 10.4 * 10.3 *
 10.7 * 10.3 * 10.5 * 10.5 * 10.3 *
 beste Teiler 58.8 (36.) 108.2 (38.) 117.7 (39.)
 Trefferlage 0.17 mm rechts, 0.53 mm hoch
 Streuwert 0.91, horizontal: 1.12, vertikal: 0.63



Serie 5:
 10.7 * 10.5 * 10.8 * 10.8 * 10.4 *
 10.3 * 10.6 * 10.7 * 10.6 * 10.4 *
 beste Teiler 31.7 (44.) 33.8 (43.) 61.8 (48.)
 Trefferlage 0.17 mm rechts, 0.23 mm tief
 Streuwert 0.73, horizontal: 0.68, vertikal: 0.78



Serie 6:
 10.6 * 10.0 ↗ 10.0 ↗ 10.6 * 10.2 *
 10.6 * 10.8 * 10.5 * 10.6 * 10.1 →
 beste Teiler 36.3 (57.) 82.4 (59.) 84.1 (51.)
 Trefferlage 0.64 mm rechts, 0.88 mm hoch
 Streuwert 0.80, horizontal: 0.73, vertikal: 0.87



LG 60 ZR – Wertung – **Frauen**
StandNr: 127
Köck, Rebecca #44

StartNr: 27
5. Januar 2020 10:08
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **628.6** (596)
 Serien: 103.3 104.8 104.8 104.8 105.9 105.0
 Zähler: 56 4 0 0 0 0 0 0 0 0
 Innenzehner: 53
 weiteste: 301 (52), 300 (38), 277 (58)
 beste Teiler 26.4 (8.) 27.0 (49.) 36.2 (53.)
 Trefferlage 0.22 mm links, 0.10 mm hoch
 Streuwert 0.97, horizontal: 0.97, vertikal: 0.96




Serie 1:
 9.9 ↑ 10.5 * 10.5 * 10.3 * 10.5 *
 10.4 * 10.0 ↘ 10.8 * 10.2 * 10.2 *
 beste Teiler 26.4 (8.) 104.2 (2.) 110.3 (5.)
 Trefferlage 0.03 mm rechts, 0.07 mm tief
 Streuwert 1.25, horizontal: 1.07, vertikal: 1.41




Serie 2:
 10.5 * 10.2 * 10.8 * 10.4 * 10.2 *
 10.5 * 10.3 * 10.8 * 10.3 * 10.8 *
 beste Teiler 39.5 (18.) 43.3 (13.) 48.8 (20.)
 Trefferlage 0.10 mm links, 0.00 mm
 Streuwert 0.98, horizontal: 1.06, vertikal: 0.89




Serie 3:
 10.7 * 10.3 * 10.7 * 10.7 * 10.6 *
 10.5 * 10.1 ↘ 10.5 * 10.3 * 10.4 *
 beste Teiler 57.0 (23.) 57.8 (21.) 64.6 (24.)
 Trefferlage 0.40 mm links, 0.06 mm hoch
 Streuwert 0.87, horizontal: 0.87, vertikal: 0.86



Serie 4:
 10.5 * 10.6 * 10.8 * 10.2 * 10.6 *
 10.6 * 10.7 * 9.8 ↘ 10.5 * 10.5 *
 beste Teiler 40.1 (33.) 70.7 (37.) 85.0 (36.)
 Trefferlage 0.40 mm links, 0.36 mm hoch
 Streuwert 0.97, horizontal: 0.90, vertikal: 1.03



Serie 5:
 10.7 * 10.6 * 10.8 * 10.7 * 10.4 *
 10.0 ← 10.7 * 10.7 * 10.8 * 10.5 *
 beste Teiler 27.0 (49.) 49.4 (43.) 56.0 (44.)
 Trefferlage 0.09 mm links, 0.03 mm hoch
 Streuwert 0.79, horizontal: 0.90, vertikal: 0.66



Serie 6:
 10.4 * 9.7 ← 10.8 * 10.7 * 10.7 *
 10.6 * 10.7 * 9.8 ↑ 10.8 * 10.8 *
 beste Teiler 36.2 (53.) 46.1 (59.) 46.5 (60.)
 Trefferlage 0.34 mm links, 0.21 mm hoch
 Streuwert 1.06, horizontal: 1.14, vertikal: 0.96



LG 60 ZR – *Wertung* – **Frauen**
StandNr: 128
Peer, Franziska #115

StartNr: 28
5. Januar 2020 9:50
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **620.5** (592)
 Serien: 102.5 102.7 102.9 104.2 104.2 104.0
 Zähler: 52 8 0 0 0 0 0 0 0 0
 Innenzehner: 49
 weiteste: 427 (10), 414 (27), 307 (54)
 beste Teiler 34.0 (59.) 34.6 (42.) 34.6 (56.)
 Trefferlage 0.09 mm rechts, 0.02 mm hoch
 Streuwert 1.24, horizontal: 1.30, vertikal: 1.17




Serie 1:
 10.0 ↗ 10.2 * 10.1 ↓ 10.8 * 10.8 *
 10.3 * 10.6 * 9.8 ↖ 10.7 * 9.2 ↘
 beste Teiler 38.0 (4.) 48.2 (5.) 62.0 (9.)
 Trefferlage 0.25 mm rechts, 0.28 mm tief
 Streuwert 1.54, horizontal: 1.39, vertikal: 1.68




Serie 2:
 10.3 * 10.2 * 10.7 * 10.3 * 10.2 *
 10.0 ↓ 10.5 * 10.7 * 9.9 → 9.9 →
 beste Teiler 68.0 (13.) 75.7 (18.) 109.0 (17.)
 Trefferlage 0.62 mm rechts, 0.12 mm hoch
 Streuwert 1.29, horizontal: 1.49, vertikal: 1.04




Serie 3:
 10.2 * 10.7 * 10.4 * 10.8 * 10.5 *
 10.2 * 9.3 ← 10.2 * 10.2 * 10.4 *
 beste Teiler 49.2 (24.) 51.7 (22.) 118.6 (25.)
 Trefferlage 0.27 mm links, 0.25 mm hoch
 Streuwert 1.39, horizontal: 1.63, vertikal: 1.09



Serie 4:
 10.6 * 10.4 * 10.6 * 10.4 * 10.4 *
 10.4 * 10.4 * 10.6 * 9.9 ← 10.5 *
 beste Teiler 76.4 (31.) 98.0 (38.) 100.2 (33.)
 Trefferlage 0.25 mm links, 0.08 mm tief
 Streuwert 1.05, horizontal: 1.16, vertikal: 0.92



Serie 5:
 10.3 * 10.8 * 10.2 * 10.5 * 10.4 *
 10.3 * 10.3 * 10.6 * 10.6 * 10.2 *
 beste Teiler 34.6 (42.) 85.3 (49.) 86.2 (48.)
 Trefferlage 0.07 mm links, 0.37 mm hoch
 Streuwert 1.03, horizontal: 1.04, vertikal: 1.02



Serie 6:
 10.6 * 10.3 * 10.4 * 9.7 ↓ 9.9 →
 10.8 * 10.6 * 10.7 * 10.8 * 10.2 *
 beste Teiler 34.0 (59.) 34.6 (56.) 59.0 (58.)
 Trefferlage 0.29 mm rechts, 0.25 mm tief
 Streuwert 1.17, horizontal: 1.07, vertikal: 1.27



LG 60 ZR – Wertung – Frauen
StandNr: 129
Ungerank, Nadine #34

StartNr: 29
5. Januar 2020 10:07
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **624.1** (596)
 Serien: 103.8 104.9 104.3 104.6 104.3 102.2
 Zähler: 56 4 0 0 0 0 0 0 0 0
 Innenzehner: 49
 weiteste: 359 (57), 286 (53), 257 (48)
 beste Teiler 8.2 (59.) 13.0 (47.) 15.2 (21.)
 Trefferlage 0.08 mm links, 0.35 mm hoch
 Streuwert 1.08, horizontal: 1.20, vertikal: 0.93




Serie 1:
 10.7 * 10.3 * 10.0 ↘ 10.7 * 10.5 *
 10.5 * 10.1 ↑ 10.1 ↘ 10.3 * 10.6 *
 beste Teiler 60.8 (4.) 71.0 (1.) 89.0 (10.)
 Trefferlage 0.52 mm links, 0.83 mm hoch
 Streuwert 0.92, horizontal: 0.87, vertikal: 0.97




Serie 2:
 10.3 * 10.8 * 10.6 * 10.0 ↙ 10.6 *
 10.5 * 10.7 * 10.5 * 10.5 * 10.4 *
 beste Teiler 37.6 (12.) 51.7 (17.) 82.4 (13.)
 Trefferlage 0.11 mm rechts, 0.07 mm tief
 Streuwert 0.93, horizontal: 1.15, vertikal: 0.65




Serie 3:
 10.9 * 10.6 * 10.6 * 10.2 * 10.6 *
 10.5 * 10.0 ↗ 10.3 * 10.4 * 10.2 *
 beste Teiler 15.2 (21.) 89.0 (25.) 95.9 (23.)
 Trefferlage 0.57 mm rechts, 0.50 mm hoch
 Streuwert 0.91, horizontal: 1.07, vertikal: 0.71



Serie 4:
 10.5 * 10.4 * 10.6 * 10.8 * 10.0 ↑
 10.3 * 10.4 * 10.7 * 10.3 * 10.6 *
 beste Teiler 44.1 (34.) 63.6 (38.) 77.1 (40.)
 Trefferlage 0.11 mm links, 0.10 mm hoch
 Streuwert 1.00, horizontal: 0.80, vertikal: 1.17



Serie 5:
 10.6 * 10.3 * 10.5 * 10.5 * 10.7 *
 10.3 * 10.9 * 9.9 ← 10.4 * 10.2 *
 beste Teiler 13.0 (47.) 59.6 (45.) 78.6 (41.)
 Trefferlage 0.22 mm links, 0.04 mm tief
 Streuwert 1.07, horizontal: 1.32, vertikal: 0.75



Serie 6:
 10.3 * 10.0 ↖ 9.8 ↗ 10.4 * 10.6 *
 10.6 * 9.5 ← 10.2 * 10.9 * 9.9 ↗
 beste Teiler 8.2 (59.) 83.8 (55.) 94.9 (56.)
 Trefferlage 0.35 mm links, 0.78 mm hoch
 Streuwert 1.41, horizontal: 1.75, vertikal: 0.95



LG 60 ZR – *Wertung* – **Frauen**
StandNr: 130
Pribitzer, Marlene #38

StartNr: 30
5. Januar 2020 10:08
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 619.7 (591)
Serien: 103.4 101.7 102.5 103.9 104.4 103.8
Zähler: 51 9 0 0 0 0 0 0 0 0
Innenzehner: 40
weiteste: 314 (19), 302 (54), 289 (18)
beste Teiler 27.3 (37.) 30.0 (38.) 41.0 (55.)
Trefferlage 0.31 mm rechts, 0.11 mm hoch
Streuwert 1.23, horizontal: 1.25, vertikal: 1.21




Serie 1:
 10.4 * 10.7 * 9.9 ↗ 10.6 * 10.8 *
 10.4 * 10.0 ↘ 10.3 * 10.0 ↗ 10.3 *
beste Teiler 50.1 (5.) 68.0 (2.) 99.8 (4.)
Trefferlage 0.47 mm rechts, 0.28 mm hoch
Streuwert 1.20, horizontal: 1.28, vertikal: 1.10




Serie 2:
 10.3 * 10.0 ↗ 10.7 * 10.3 * 10.0 ↓
 9.9 → 10.7 * 9.8 → 9.7 ↙ 10.3 *
beste Teiler 59.6 (13.) 72.0 (17.) 162.3 (20.)
Trefferlage 0.73 mm rechts, 0.62 mm tief
Streuwert 1.43, horizontal: 1.59, vertikal: 1.26




Serie 3:
 10.4 * 9.9 ↘ 10.7 * 10.1 ↑ 10.0 →
 10.5 * 10.3 * 10.4 * 9.9 ↑ 10.3 *
beste Teiler 73.3 (23.) 116.1 (26.) 138.9 (21.)
Trefferlage 0.42 mm rechts, 0.54 mm hoch
Streuwert 1.32, horizontal: 1.15, vertikal: 1.47



Serie 4:
 10.1 ↑ 10.5 * 10.6 * 10.0 ← 10.4 *
 9.8 ↓ 10.8 * 10.8 * 10.3 * 10.6 *
beste Teiler 27.3 (37.) 30.0 (38.) 92.6 (40.)
Trefferlage 0.00 mm, 0.23 mm tief
Streuwert 1.16, horizontal: 1.00, vertikal: 1.31



Serie 5:
 10.6 * 10.5 * 10.1 ↙ 10.2 * 10.6 *
 10.1 → 10.8 * 10.7 * 10.5 * 10.3 *
beste Teiler 42.4 (47.) 55.0 (48.) 91.1 (45.)
Trefferlage 0.03 mm rechts, 0.33 mm hoch
Streuwert 1.00, horizontal: 1.15, vertikal: 0.83



Serie 6:
 10.7 * 10.6 * 10.7 * 9.7 ↘ 10.8 *
 10.0 → 10.7 * 10.2 * 10.6 * 9.8 ↗
beste Teiler 41.0 (55.) 58.4 (57.) 62.2 (53.)
Trefferlage 0.20 mm rechts, 0.40 mm hoch
Streuwert 1.24, horizontal: 1.41, vertikal: 1.03



LG 60 ZR – Wertung – **Frauen**
StandNr: 131
Hofmann, Olivia #30

StartNr: 31
5. Januar 2020 10:03
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **618.5** (591)
 Serien: 101.0 103.5 103.8 104.2 102.1 103.9
 Zähler: 51 9 0 0 0 0 0 0 0 0
 Innenzehner: 43
 weiteste: 416 (49), 328 (41), 314 (13)
 beste Teiler 32.2 (36.) 33.1 (51.) 51.3 (38.)
 Trefferlage 0.60 mm links, 0.07 mm hoch
 Streuwert 1.20, horizontal: 1.42, vertikal: 0.92




Serie 1:
 10.1 ↙ 10.5 * 9.9 ↖ 9.9 ↗ 10.4 *
 10.1 → 10.1 ↖ 9.8 → 10.2 * 10.0 ↘
 beste Teiler 103.7 (2.) 149.7 (5.) 193.0 (9.)
 Trefferlage 0.14 mm links, 0.07 mm tief
 Streuwert 1.60, horizontal: 2.00, vertikal: 1.07




Serie 2:
 10.5 * 10.5 * 9.7 ↖ 10.5 * 10.5 *
 10.0 ↘ 10.2 * 10.6 * 10.7 * 10.3 *
 beste Teiler 75.3 (19.) 88.1 (18.) 105.5 (11.)
 Trefferlage 0.87 mm links, 0.08 mm hoch
 Streuwert 1.08, horizontal: 1.31, vertikal: 0.78




Serie 3:
 10.5 * 10.4 * 10.5 * 9.9 ↗ 10.6 *
 10.5 * 10.4 * 10.0 ↖ 10.4 * 10.6 *
 beste Teiler 80.0 (30.) 83.1 (25.) 105.6 (23.)
 Trefferlage 0.06 mm links, 0.14 mm tief
 Streuwert 1.13, horizontal: 1.31, vertikal: 0.91



Serie 4:
 10.4 * 10.2 * 10.3 * 10.5 * 9.9 ↖
 10.8 * 10.3 * 10.7 * 10.5 * 10.6 *
 beste Teiler 32.2 (36.) 51.3 (38.) 96.8 (40.)
 Trefferlage 0.47 mm links, 0.08 mm tief
 Streuwert 1.03, horizontal: 1.35, vertikal: 0.54



Serie 5:
 9.6 ↖ 10.6 * 10.5 * 10.6 * 10.4 *
 10.6 * 10.1 ↘ 10.7 * 9.3 ↘ 9.7 ↖
 beste Teiler 73.1 (48.) 81.3 (42.) 84.9 (44.)
 Trefferlage 1.38 mm links, 0.17 mm hoch
 Streuwert 1.25, horizontal: 1.25, vertikal: 1.26



Serie 6:
 10.8 * 10.7 * 10.3 * 10.1 ↗ 10.4 *
 10.3 * 10.6 * 10.2 * 10.2 * 10.3 *
 beste Teiler 33.1 (51.) 72.0 (52.) 89.1 (57.)
 Trefferlage 0.68 mm links, 0.51 mm hoch
 Streuwert 0.95, horizontal: 1.03, vertikal: 0.87



LG 60 ZR – Wertung – Frauen
StandNr: 132
Auer, Marie–Theres #46

StartNr: 32
5. Januar 2020 9:53
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **623.2** (593)
 Serien: 102.8 103.0 104.9 104.9 104.0 103.6
 Zähler: 53 7 0 0 0 0 0 0 0 0
 Innenzehner: 46
 weiteste: 292 (15), 289 (5), 287 (57)
 beste Teiler 5.3 (49.) 36.0 (44.) 40.0 (26.)
 Trefferlage 0.02 mm links, 0.55 mm hoch
 Streuwert 1.06, horizontal: 0.99, vertikal: 1.13




Serie 1:
 10.5 * 10.6 * 10.4 * 10.4 * 9.8 ↗
 10.3 * 9.9 ↙ 10.5 * 10.1 ↑ 10.3 *
 beste Teiler 82.7 (2.) 101.8 (1.) 104.7 (8.)
 Trefferlage 0.39 mm links, 0.31 mm hoch
 Streuwert 1.26, horizontal: 0.83, vertikal: 1.57




Serie 2:
 10.6 * 10.6 * 10.3 * 10.4 * 9.8 ↗
 10.6 * 9.9 ← 10.0 ↑ 10.0 ↘ 10.8 *
 beste Teiler 46.3 (20.) 81.8 (11.) 96.1 (16.)
 Trefferlage 0.70 mm links, 0.61 mm hoch
 Streuwert 1.17, horizontal: 0.93, vertikal: 1.36




Serie 3:
 10.8 * 10.4 * 10.6 * 10.2 * 10.6 *
 10.8 * 10.2 * 10.8 * 10.0 ↗ 10.5 *
 beste Teiler 40.0 (26.) 43.2 (21.) 44.8 (28.)
 Trefferlage 0.03 mm rechts, 0.71 mm hoch
 Streuwert 0.85, horizontal: 0.76, vertikal: 0.93



Serie 4:
 10.5 * 10.8 * 10.3 * 10.6 * 10.7 *
 9.9 ↑ 10.5 * 10.5 * 10.6 * 10.5 *
 beste Teiler 44.0 (32.) 59.5 (35.) 78.4 (39.)
 Trefferlage 0.01 mm rechts, 0.69 mm hoch
 Streuwert 0.82, horizontal: 0.71, vertikal: 0.91



Serie 5:
 10.5 * 10.2 * 10.3 * 10.8 * 10.5 *
 10.1 ↘ 10.3 * 10.3 * 10.9 * 10.1 ↗
 beste Teiler 5.3 (49.) 36.0 (44.) 111.7 (45.)
 Trefferlage 0.53 mm rechts, 0.60 mm hoch
 Streuwert 1.00, horizontal: 1.12, vertikal: 0.85



Serie 6:
 10.6 * 10.5 * 10.6 * 10.1 ↗ 10.7 *
 9.9 ↘ 9.8 → 10.8 * 10.2 * 10.4 *
 beste Teiler 50.4 (58.) 57.6 (55.) 76.0 (51.)
 Trefferlage 0.37 mm rechts, 0.37 mm hoch
 Streuwert 1.18, horizontal: 1.14, vertikal: 1.21



LG 60 ZR – Wertung – **Frauen**
StandNr: 133
Zaisberger, Verena #295

StartNr: 33
5. Januar 2020 10:02
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **622.5** (595)
 Serien: 104.4 103.3 102.6 104.0 104.4 103.8
 Zähler: 55 5 0 0 0 0 0 0 0 0
 Innenzehner: 49
 weiteste: 302 (19), 297 (56), 284 (1)
 beste Teiler 11.1 (46.) 20.2 (42.) 34.9 (6.)
 Trefferlage 0.08 mm links, 0.19 mm hoch
 Streuwert 1.14, horizontal: 1.16, vertikal: 1.11




Serie 1:
 9.8 ↙ 10.5 * 10.7 * 10.2 * 10.8 *
 10.8 * 10.6 * 10.3 * 10.1 ↑ 10.6 *
 beste Teiler 34.9 (6.) 48.8 (5.) 60.1 (3.)
 Trefferlage 0.50 mm links, 0.11 mm hoch
 Streuwert 1.05, horizontal: 1.01, vertikal: 1.10




Serie 2:
 10.0 ↗ 10.3 * 10.6 * 10.4 * 9.9 →
 10.4 * 10.7 * 10.6 * 9.7 ↘ 10.7 *
 beste Teiler 54.1 (17.) 72.3 (20.) 84.7 (13.)
 Trefferlage 0.12 mm links, 0.35 mm hoch
 Streuwert 1.27, horizontal: 1.40, vertikal: 1.12




Serie 3:
 10.3 * 10.3 * 10.3 * 10.1 → 10.3 *
 10.1 ↘ 10.4 * 10.2 * 10.4 * 10.2 *
 beste Teiler 146.7 (27.) 149.9 (29.) 152.7 (23.)
 Trefferlage 0.32 mm rechts, 0.20 mm hoch
 Streuwert 1.26, horizontal: 1.14, vertikal: 1.37



Serie 4:
 10.4 * 10.4 * 10.5 * 10.7 * 10.2 *
 10.6 * 10.2 * 10.2 * 10.6 * 10.2 *
 beste Teiler 67.6 (34.) 87.2 (39.) 98.4 (36.)
 Trefferlage 0.29 mm links, 0.02 mm hoch
 Streuwert 1.09, horizontal: 1.14, vertikal: 1.04



Serie 5:
 10.6 * 10.9 * 10.7 * 10.6 * 10.0 ↘
 10.9 * 10.0 ↑ 9.9 ↘ 10.3 * 10.5 *
 beste Teiler 11.1 (46.) 20.2 (42.) 72.7 (43.)
 Trefferlage 0.15 mm links, 0.55 mm hoch
 Streuwert 1.09, horizontal: 1.09, vertikal: 1.08



Serie 6:
 10.5 * 10.4 * 10.2 * 10.4 * 10.5 *
 9.8 ↗ 10.4 * 10.6 * 10.7 * 10.3 *
 beste Teiler 66.0 (59.) 82.2 (58.) 117.9 (55.)
 Trefferlage 0.26 mm rechts, 0.06 mm tief
 Streuwert 1.17, horizontal: 1.22, vertikal: 1.11

LG 60 ZR – Wertung – Frauen
StandNr: 134
Kitzbichler, Jasmin #82

StartNr: 34
5. Januar 2020 9:59
AUT

Unterschrift des Schützen

Meyton Elektronik