





Ergebnis: **624.5** (597)
 Serien: 104.8 103.6 103.6 104.3 105.1 103.1
 Zähler: 57 3 0 0 0 0 0 0 0 0
 Innenzehner: 49
 weiteste: 315 (24), 285 (38), 255 (54)
 beste Teiler 15.0 (47.) 35.3 (23.) 36.4 (32.)
 Trefferlage 0.30 mm rechts, 0.15 mm tief
 Streuwert 1.06, horizontal: 1.17, vertikal: 0.95




Serie 1:
 10.3 * 10.2 * 10.4 * 10.5 * 10.7 *
 10.6 * 10.8 * 10.6 * 10.0 → 10.7 *
 beste Teiler 39.2 (7.) 51.6 (5.) 67.1 (10.)
 Trefferlage 0.08 mm rechts, 0.21 mm tief
 Streuwert 0.97, horizontal: 1.22, vertikal: 0.65




Serie 2:
 10.0 ↘ 10.7 * 10.6 * 10.5 * 10.1 ↖
 10.2 * 10.6 * 10.7 * 10.0 → 10.2 *
 beste Teiler 63.8 (12.) 74.9 (18.) 81.0 (17.)
 Trefferlage 0.48 mm rechts, 0.15 mm tief
 Streuwert 1.15, horizontal: 1.22, vertikal: 1.07




Serie 3:
 10.4 * 10.7 * 10.8 * 9.7 ↓ 10.2 *
 10.2 * 10.6 * 10.6 * 10.4 * 10.0 →
 beste Teiler 35.3 (23.) 60.4 (22.) 78.7 (27.)
 Trefferlage 0.00 mm, 0.11 mm tief
 Streuwert 1.25, horizontal: 1.19, vertikal: 1.31



Serie 4:
 10.5 * 10.8 * 10.2 * 10.4 * 10.5 *
 10.5 * 10.8 * 9.8 ↗ 10.5 * 10.3 *
 beste Teiler 36.4 (32.) 46.8 (37.) 103.9 (36.)
 Trefferlage 0.45 mm rechts, 0.14 mm tief
 Streuwert 1.04, horizontal: 1.01, vertikal: 1.07



Serie 5:
 10.4 * 10.3 * 10.6 * 10.7 * 10.4 *
 10.4 * 10.9 * 10.2 * 10.7 * 10.5 *
 beste Teiler 15.0 (47.) 67.2 (44.) 70.6 (49.)
 Trefferlage 0.22 mm rechts, 0.14 mm tief
 Streuwert 0.86, horizontal: 0.95, vertikal: 0.77



Serie 6:
 10.4 * 10.5 * 10.3 * 9.9 ↗ 10.6 *
 10.0 ↘ 10.5 * 10.8 * 10.1 → 10.0 ←
 beste Teiler 39.0 (58.) 91.7 (55.) 117.0 (52.)
 Trefferlage 0.58 mm rechts, 0.15 mm tief
 Streuwert 1.26, horizontal: 1.52, vertikal: 0.93

LG 60 ZR – Wertung – **Männer**

StandNr: 117

Mathis, Thomas #39

StartNr: 17



5. Januar 2020 9:53

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **623.9** (596)
 Serien: 104.2 103.8 104.1 103.5 104.5 103.8
 Zähler: 56 4 0 0 0 0 0 0 0 0
 Innenzehner: 48
 weiteste: 307 (11), 285 (57), 267 (9)
 beste Teiler 26.4 (16.) 37.3 (1.) 39.2 (50.)
 Trefferlage 0.17 mm links, 0.00 mm
 Streuwert 1.10, horizontal: 1.09, vertikal: 1.10




Serie 1:
 10.8 * 10.1 ↗ 10.5 * 10.8 * 10.2 *
 10.3 * 10.4 * 10.7 * 9.9 ↙ 10.5 *
 beste Teiler 37.3 (1.) 47.0 (4.) 65.0 (8.)
 Trefferlage 0.53 mm links, 0.37 mm hoch
 Streuwert 1.03, horizontal: 0.98, vertikal: 1.09




Serie 2:
 9.7 ↙ 10.6 * 10.4 * 10.5 * 10.0 ↘
 10.8 * 10.5 * 10.3 * 10.4 * 10.6 *
 beste Teiler 26.4 (16.) 85.8 (12.) 95.2 (20.)
 Trefferlage 0.10 mm links, 0.31 mm tief
 Streuwert 1.16, horizontal: 1.18, vertikal: 1.13




Serie 3:
 10.7 * 10.5 * 10.6 * 10.0 ← 10.7 *
 10.7 * 10.1 ↘ 10.3 * 10.6 * 9.9 ↙
 beste Teiler 56.0 (21.) 62.3 (25.) 73.0 (26.)
 Trefferlage 0.37 mm links, 0.04 mm hoch
 Streuwert 1.13, horizontal: 1.27, vertikal: 0.96



Serie 4:
 10.2 * 10.4 * 10.3 * 10.4 * 10.7 *
 10.5 * 10.5 * 10.3 * 10.2 * 10.0 ↘
 beste Teiler 75.3 (35.) 112.1 (37.) 114.6 (36.)
 Trefferlage 0.10 mm rechts, 0.12 mm hoch
 Streuwert 1.19, horizontal: 0.95, vertikal: 1.39



Serie 5:
 10.4 * 10.7 * 10.4 * 10.5 * 10.4 *
 10.7 * 10.0 ↗ 10.4 * 10.2 * 10.8 *
 beste Teiler 39.2 (50.) 52.4 (42.) 55.8 (46.)
 Trefferlage 0.26 mm rechts, 0.00 mm
 Streuwert 1.05, horizontal: 1.08, vertikal: 1.01



Serie 6:
 10.6 * 10.1 ↑ 10.4 * 10.3 * 10.1 ↙
 10.8 * 9.8 ↘ 10.7 * 10.4 * 10.6 *
 beste Teiler 44.9 (56.) 57.0 (58.) 83.7 (60.)
 Trefferlage 0.40 mm links, 0.25 mm tief
 Streuwert 1.12, horizontal: 1.11, vertikal: 1.13

LG 60 ZR – Wertung – Männer

StandNr: 118

Strempfl, Martin #31

StartNr: 18



5. Januar 2020 10:10

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **623.1** (595)
 Serien: 104.1 102.4 105.5 103.7 104.8 102.6
 Zähler: 55 5 0 0 0 0 0 0 0 0
 Innenzehner: 50
 weiteste: 352 (52), 259 (57), 258 (19)
 beste Teiler 13.4 (1.) 45.1 (27.) 55.9 (60.)
 Trefferlage 0.13 mm rechts, 0.07 mm hoch
 Streuwert 1.11, horizontal: 1.06, vertikal: 1.15




Serie 1:
 10.9 * 10.0 ↓ 10.7 * 10.5 * 10.4 *
 10.1 ↖ 10.3 * 10.2 * 10.5 * 10.5 *
 beste Teiler 13.4 (1.) 57.0 (3.) 101.6 (10.)
 Trefferlage 0.10 mm rechts, 0.00 mm
 Streuwert 1.10, horizontal: 0.79, vertikal: 1.34




Serie 2:
 10.2 * 10.2 * 10.7 * 10.0 → 10.6 *
 10.6 * 10.1 ↖ 10.2 * 9.9 ↗ 9.9 ↖
 beste Teiler 68.4 (13.) 91.9 (16.) 98.5 (15.)
 Trefferlage 0.08 mm links, 0.86 mm hoch
 Streuwert 1.26, horizontal: 1.36, vertikal: 1.14




Serie 3:
 10.6 * 10.5 * 10.6 * 10.3 * 10.7 *
 10.6 * 10.8 * 10.6 * 10.5 * 10.3 *
 beste Teiler 45.1 (27.) 61.9 (25.) 79.0 (23.)
 Trefferlage 0.21 mm links, 0.12 mm tief
 Streuwert 0.76, horizontal: 0.85, vertikal: 0.67



Serie 4:
 10.7 * 10.2 * 10.5 * 10.5 * 10.3 *
 10.5 * 10.2 * 10.2 * 10.1 ↑ 10.5 *
 beste Teiler 66.0 (31.) 110.7 (34.) 113.1 (36.)
 Trefferlage 0.12 mm rechts, 0.13 mm tief
 Streuwert 1.14, horizontal: 1.00, vertikal: 1.25



Serie 5:
 10.5 * 10.4 * 10.6 * 10.6 * 10.7 *
 10.2 * 10.4 * 10.6 * 10.2 * 10.6 *
 beste Teiler 75.7 (45.) 76.8 (48.) 85.1 (50.)
 Trefferlage 0.38 mm rechts, 0.17 mm hoch
 Streuwert 0.89, horizontal: 0.78, vertikal: 0.99



Serie 6:
 10.2 * 9.5 ↗ 9.9 ↘ 10.3 * 10.4 *
 10.7 * 9.9 ↘ 10.4 * 10.6 * 10.7 *
 beste Teiler 55.9 (60.) 63.0 (56.) 89.6 (59.)
 Trefferlage 0.50 mm rechts, 0.32 mm tief
 Streuwert 1.37, horizontal: 1.46, vertikal: 1.28

LG 60 ZR – Wertung – Männer

StandNr: 119

Schmirl, Alexander #148

StartNr: 19



5. Januar 2020 10:09

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **623.9** (593)
 Serien: 104.2 104.5 103.1 104.7 103.7 103.7
 Zähler: 53 7 0 0 0 0 0 0 0 0
 Innenzehner: 51
 weiteste: 406 (30), 281 (48), 278 (59)
 beste Teiler 12.3 (27.) 17.8 (57.) 28.6 (28.)
 Trefferlage 0.05 mm links, 0.21 mm hoch
 Streuwert 1.10, horizontal: 1.18, vertikal: 1.02




Serie 1:
 10.3 * 10.6 * 10.5 * 10.4 * 10.2 *
 10.1 ↖ 10.2 * 10.7 * 10.7 * 10.5 *
 beste Teiler 56.3 (9.) 58.0 (8.) 85.2 (2.)
 Trefferlage 0.05 mm rechts, 0.76 mm hoch
 Streuwert 0.91, horizontal: 0.89, vertikal: 0.94




Serie 2:
 9.9 ← 10.4 * 10.4 * 10.5 * 10.5 *
 10.8 * 10.3 * 10.6 * 10.4 * 10.7 *
 beste Teiler 32.0 (16.) 62.8 (20.) 90.6 (18.)
 Trefferlage 0.30 mm links, 0.30 mm hoch
 Streuwert 0.97, horizontal: 1.27, vertikal: 0.51




Serie 3:
 9.9 → 10.3 * 10.6 * 10.2 * 10.5 *
 10.2 * 10.9 * 10.8 * 10.4 * 9.3 ↖
 beste Teiler 12.3 (27.) 28.6 (28.) 100.4 (23.)
 Trefferlage 0.00 mm, 0.46 mm hoch
 Streuwert 1.41, horizontal: 1.78, vertikal: 0.89



Serie 4:
 10.5 * 10.4 * 10.4 * 10.4 * 10.6 *
 10.3 * 10.5 * 10.6 * 10.6 * 10.4 *
 beste Teiler 76.8 (39.) 82.9 (38.) 95.1 (35.)
 Trefferlage 0.23 mm links, 0.12 mm hoch
 Streuwert 0.87, horizontal: 1.00, vertikal: 0.70



Serie 5:
 10.6 * 10.6 * 10.4 * 10.6 * 9.9 ↑
 10.7 * 10.2 * 9.8 ↘ 10.5 * 10.4 *
 beste Teiler 66.1 (46.) 78.3 (44.) 90.9 (41.)
 Trefferlage 0.00 mm, 0.02 mm hoch
 Streuwert 1.20, horizontal: 1.08, vertikal: 1.31



Serie 6:
 10.5 * 10.6 * 10.5 * 9.9 → 10.3 *
 10.0 ↓ 10.9 * 10.6 * 9.8 ↓ 10.6 *
 beste Teiler 17.8 (57.) 78.7 (60.) 88.0 (52.)
 Trefferlage 0.17 mm rechts, 0.42 mm tief
 Streuwert 1.21, horizontal: 1.09, vertikal: 1.32

LG 60 ZR – Wertung – Männer

StandNr: 120

Blamauer, Nikolaus #132

StartNr: 20



5. Januar 2020 9:43

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **625.4** (595)
 Serien: 103.7 104.0 104.0 105.0 106.0 102.7
 Zähler: 55 5 0 0 0 0 0 0 0 0
 Innenzehner: 49
 weiteste: 353 (20), 304 (59), 289 (25)
 beste Teiler 4.0 (50.) 15.8 (19.) 16.6 (13.)
 Trefferlage 0.10 mm rechts, 0.44 mm hoch
 Streuwert 1.04, horizontal: 1.15, vertikal: 0.92




Serie 1:
 10.0 ← 10.8 * 10.3 * 10.4 * 10.6 *
 10.3 * 10.8 * 10.2 * 10.4 * 9.9 ←
 beste Teiler 37.0 (7.) 44.4 (2.) 93.5 (5.)
 Trefferlage 0.25 mm links, 0.46 mm hoch
 Streuwert 1.15, horizontal: 1.41, vertikal: 0.80




Serie 2:
 10.5 * 10.4 * 10.9 * 10.0 ↑ 10.2 *
 10.5 * 10.7 * 10.4 * 10.9 * 9.5 →
 beste Teiler 15.8 (19.) 16.6 (13.) 67.2 (17.)
 Trefferlage 0.41 mm rechts, 0.49 mm hoch
 Streuwert 1.18, horizontal: 1.27, vertikal: 1.09




Serie 3:
 10.5 * 10.5 * 10.1 ↘ 10.3 * 9.8 →
 10.7 * 10.6 * 10.1 ← 10.8 * 10.6 *
 beste Teiler 49.0 (29.) 53.1 (26.) 82.6 (27.)
 Trefferlage 0.27 mm rechts, 0.04 mm tief
 Streuwert 1.15, horizontal: 1.38, vertikal: 0.85



Serie 4:
 10.6 * 10.3 * 10.3 * 10.5 * 10.6 *
 10.7 * 10.5 * 10.4 * 10.7 * 10.4 *
 beste Teiler 61.1 (39.) 61.4 (36.) 95.7 (31.)
 Trefferlage 0.05 mm links, 0.47 mm hoch
 Streuwert 0.81, horizontal: 0.85, vertikal: 0.78



Serie 5:
 10.7 * 10.8 * 10.8 * 10.6 * 10.6 *
 10.6 * 10.3 * 10.5 * 10.2 * 10.9 *
 beste Teiler 4.0 (50.) 39.6 (43.) 44.5 (42.)
 Trefferlage 0.32 mm rechts, 0.36 mm hoch
 Streuwert 0.67, horizontal: 0.60, vertikal: 0.73



Serie 6:
 10.4 * 10.7 * 10.4 * 10.1 ↑ 9.9 →
 10.7 * 10.5 * 10.2 * 9.7 ↑ 10.1 ↘
 beste Teiler 56.4 (56.) 65.3 (52.) 102.0 (57.)
 Trefferlage 0.09 mm links, 0.90 mm hoch
 Streuwert 1.21, horizontal: 1.26, vertikal: 1.16



LG 60 ZR – Wertung – **Männer**
StandNr: 121
Pickl, Bernhard #294

StartNr: 21
5. Januar 2020 9:54
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **629.2** (597)
 Serien: 103.8 104.0 105.2 105.7 105.5 105.0
 Zähler: 57 3 0 0 0 0 0 0 0 0
 Innenzehner: 55
 weiteste: 315 (3), 282 (15), 252 (36)
 beste Teiler 13.9 (33.) 22.0 (21.) 33.8 (30.)
 Trefferlage 0.00 mm, 0.22 mm hoch
 Streuwert 0.94, horizontal: 1.04, vertikal: 0.83




Serie 1:
 10.6 * 10.2 * 9.7 ↖ 10.4 * 10.5 *
 10.5 * 10.5 * 10.8 * 10.2 * 10.4 *
 beste Teiler 47.6 (8.) 88.3 (1.) 103.0 (6.)
 Trefferlage 0.14 mm links, 0.33 mm hoch
 Streuwert 1.18, horizontal: 1.43, vertikal: 0.85




Serie 2:
 10.4 * 10.6 * 10.8 * 10.2 * 9.8 ↑
 10.5 * 10.6 * 10.7 * 10.0 → 10.4 *
 beste Teiler 39.0 (13.) 67.3 (18.) 82.3 (17.)
 Trefferlage 0.08 mm rechts, 0.53 mm hoch
 Streuwert 1.11, horizontal: 1.15, vertikal: 1.06




Serie 3:
 10.9 * 10.5 * 10.6 * 10.7 * 10.0 ↖
 10.3 * 10.6 * 10.6 * 10.2 * 10.8 *
 beste Teiler 22.0 (21.) 33.8 (30.) 51.4 (24.)
 Trefferlage 0.25 mm rechts, 0.00 mm
 Streuwert 0.94, horizontal: 1.14, vertikal: 0.69



Serie 4:
 10.5 * 10.6 * 10.9 * 10.7 * 10.6 *
 9.9 ↖ 10.6 * 10.7 * 10.7 * 10.5 *
 beste Teiler 13.9 (33.) 51.9 (34.) 55.3 (38.)
 Trefferlage 0.19 mm links, 0.22 mm tief
 Streuwert 0.80, horizontal: 0.98, vertikal: 0.58



Serie 5:
 10.5 * 10.3 * 10.5 * 10.4 * 10.6 *
 10.5 * 10.8 * 10.5 * 10.8 * 10.6 *
 beste Teiler 40.7 (49.) 43.8 (47.) 76.5 (50.)
 Trefferlage 0.08 mm rechts, 0.07 mm tief
 Streuwert 0.78, horizontal: 0.82, vertikal: 0.74



Serie 6:
 10.3 * 10.6 * 10.5 * 10.5 * 10.6 *
 10.6 * 10.2 * 10.2 * 10.8 * 10.7 *
 beste Teiler 40.4 (59.) 66.7 (60.) 87.7 (56.)
 Trefferlage 0.13 mm links, 0.76 mm hoch
 Streuwert 0.74, horizontal: 0.79, vertikal: 0.69



LG 60 ZR – Wertung – **Männer**
StandNr: 122
Zott, Georg #47

StartNr: 22
5. Januar 2020 9:35
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 629.6 (596)
Serien: 102.3 106.5 103.9 105.8 106.0 105.1
Zähler: 56 4 0 0 0 0 0 0 0 0
Innenzehner: 53
weiteste: 393 (5), 315 (51), 285 (4)
beste Teiler 13.4 (35.) 22.3 (18.) 24.5 (11.)
Trefferlage 0.25 mm links, 0.03 mm hoch
Streuwert 0.96, horizontal: 1.06, vertikal: 0.84




Serie 1:
 10.6 * 10.6 * 10.4 * 9.8 ✓ 9.4 ←
 9.9 → 10.6 * 10.5 * 10.2 * 10.3 *
beste Teiler 84.2 (1.) 92.7 (2.) 100.9 (7.)
Trefferlage 0.42 mm links, 0.03 mm tief
Streuwert 1.49, horizontal: 1.75, vertikal: 1.17




Serie 2:
 10.9 * 10.7 * 10.5 * 10.8 * 10.8 *
 10.7 * 10.4 * 10.9 * 10.2 * 10.6 *
beste Teiler 22.3 (18.) 24.5 (11.) 46.6 (14.)
Trefferlage 0.09 mm links, 0.06 mm tief
Streuwert 0.69, horizontal: 0.71, vertikal: 0.67




Serie 3:
 10.1 ✗ 10.6 * 10.6 * 10.2 * 10.1 ✗
 10.4 * 10.1 ✗ 10.7 * 10.7 * 10.4 *
beste Teiler 64.2 (28.) 66.2 (29.) 78.2 (23.)
Trefferlage 0.12 mm links, 0.18 mm hoch
Streuwert 1.11, horizontal: 1.07, vertikal: 1.16



Serie 4:
 10.6 * 10.5 * 10.5 * 10.3 * 10.9 *
 10.6 * 10.6 * 10.4 * 10.7 * 10.7 *
beste Teiler 13.4 (35.) 51.9 (40.) 59.4 (39.)
Trefferlage 0.33 mm links, 0.22 mm hoch
Streuwert 0.70, horizontal: 0.84, vertikal: 0.52



Serie 5:
 10.6 * 10.4 * 10.2 * 10.7 * 10.8 *
 10.5 * 10.6 * 10.7 * 10.7 * 10.8 *
beste Teiler 36.8 (50.) 48.7 (45.) 60.9 (44.)
Trefferlage 0.24 mm links, 0.05 mm tief
Streuwert 0.71, horizontal: 0.82, vertikal: 0.59



Serie 6:
 9.7 ← 10.8 * 10.8 * 10.3 * 10.7 *
 10.4 * 10.8 * 10.6 * 10.6 * 10.4 *
beste Teiler 26.0 (52.) 46.6 (53.) 48.0 (57.)
Trefferlage 0.31 mm links, 0.04 mm tief
Streuwert 1.00, horizontal: 1.11, vertikal: 0.88

LG 60 ZR – Wertung – Männer

StandNr: 123

Thum, Andreas #45

StartNr: 23



5. Januar 2020 10:03

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **620.8** (596)
 Serien: 103.5 103.8 104.9 103.3 102.0 103.3
 Zähler: 57 2 1 0 0 0 0 0 0
 Innenzehner: 48
 weiteste: 556 (46), 286 (19), 285 (8)
 beste Teiler 40.0 (48.) 42.0 (27.) 48.7 (23.)
 Trefferlage 0.23 mm rechts, 0.11 mm hoch
 Streuwert 1.20, horizontal: 1.38, vertikal: 0.99




Serie 1:
 10.3 * 10.4 * 10.2 * 10.0 ↗ 10.6 *
 10.4 * 10.4 * 9.8 ↘ 10.7 * 10.7 *
 beste Teiler 52.3 (9.) 53.6 (10.) 81.3 (5.)
 Trefferlage 0.01 mm rechts, 0.44 mm hoch
 Streuwert 1.17, horizontal: 1.27, vertikal: 1.05




Serie 2:
 10.4 * 10.2 * 10.6 * 10.4 * 10.7 *
 10.1 ↗ 10.7 * 10.4 * 9.8 → 10.5 *
 beste Teiler 51.0 (17.) 72.6 (15.) 82.3 (13.)
 Trefferlage 0.72 mm rechts, 0.54 mm hoch
 Streuwert 0.95, horizontal: 1.12, vertikal: 0.75




Serie 3:
 10.2 * 10.5 * 10.8 * 10.5 * 10.6 *
 10.4 * 10.8 * 10.4 * 10.5 * 10.2 *
 beste Teiler 42.0 (27.) 48.7 (23.) 88.1 (25.)
 Trefferlage 0.45 mm rechts, 0.83 mm hoch
 Streuwert 0.67, horizontal: 0.82, vertikal: 0.48



Serie 4:
 10.3 * 10.1 ↑ 10.6 * 10.3 * 10.2 *
 10.0 ← 10.3 * 10.7 * 10.7 * 10.1 →
 beste Teiler 57.2 (38.) 75.4 (39.) 77.9 (33.)
 Trefferlage 0.15 mm links, 0.37 mm hoch
 Streuwert 1.19, horizontal: 1.45, vertikal: 0.84



Serie 5:
 10.0 ↘ 10.0 → 10.2 * 10.3 * 10.7 *
 8.7 ← 10.6 * 10.8 * 10.1 → 10.6 *
 beste Teiler 40.0 (48.) 74.3 (45.) 94.8 (47.)
 Trefferlage 0.47 mm rechts, 0.43 mm tief
 Streuwert 1.69, horizontal: 2.27, vertikal: 0.74



Serie 6:
 10.4 * 10.3 * 10.5 * 10.2 * 10.2 *
 10.3 * 10.7 * 10.3 * 10.3 * 10.1 ↓
 beste Teiler 68.0 (57.) 101.9 (53.) 133.4 (51.)
 Trefferlage 0.07 mm links, 1.05 mm tief
 Streuwert 0.87, horizontal: 1.01, vertikal: 0.71

LG 60 ZR – Wertung – **Männer**

StandNr: 124

Diem, Patrick #133

StartNr: 24



5. Januar 2020 10:05

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 618.8 (596)
Serien: 104.6 102.8 103.3 102.9 103.1 102.1
Zähler: 56 4 0 0 0 0 0 0 0 0
Innenzehner: 47
weiteste: 363 (59), 293 (16), 287 (15)
beste Teiler 46.5 (6.) 66.0 (50.) 66.6 (11.)
Trefferlage 0.09 mm links, 0.05 mm hoch
Streuwert 1.22, horizontal: 1.27, vertikal: 1.17




Serie 1:
 10.5 * 10.2 * 10.6 * 10.6 * 10.4 *
 10.8 * 10.3 * 10.4 * 10.3 * 10.5 *
beste Teiler 46.5 (6.) 84.5 (3.) 100.9 (4.)
Trefferlage 0.15 mm rechts, 0.00 mm
Streuwert 0.96, horizontal: 0.73, vertikal: 1.14




Serie 2:
 10.7 * 10.5 * 10.5 * 10.1 ↗ 9.8 ↙
 9.8 ↘ 10.5 * 10.3 * 10.2 * 10.4 *
beste Teiler 66.6 (11.) 105.0 (12.) 110.0 (13.)
Trefferlage 0.13 mm links, 0.32 mm hoch
Streuwert 1.33, horizontal: 1.46, vertikal: 1.17




Serie 3:
 10.6 * 10.6 * 10.7 * 10.2 * 10.2 *
 9.9 ↗ 10.1 ↘ 10.6 * 10.0 ↖ 10.4 *
beste Teiler 67.5 (23.) 89.4 (21.) 89.9 (28.)
Trefferlage 0.31 mm links, 0.18 mm hoch
Streuwert 1.24, horizontal: 1.08, vertikal: 1.38



Serie 4:
 10.2 * 10.0 ↗ 10.4 * 10.5 * 10.5 *
 10.3 * 10.2 * 10.3 * 10.1 ↘ 10.4 *
beste Teiler 113.0 (35.) 119.0 (34.) 133.2 (33.)
Trefferlage 0.32 mm rechts, 0.53 mm hoch
Streuwert 1.18, horizontal: 1.25, vertikal: 1.11



Serie 5:
 10.0 ↘ 10.4 * 10.1 ← 10.5 * 10.4 *
 10.2 * 10.0 ↓ 10.2 * 10.6 * 10.7 *
beste Teiler 66.0 (50.) 97.3 (49.) 104.8 (44.)
Trefferlage 0.61 mm links, 0.42 mm tief
Streuwert 1.16, horizontal: 0.98, vertikal: 1.32



Serie 6:
 10.2 * 10.0 ↗ 10.4 * 10.5 * 10.2 *
 10.5 * 10.3 * 10.3 * 9.5 → 10.2 *
beste Teiler 104.0 (54.) 116.0 (56.) 135.4 (53.)
Trefferlage 0.01 mm links, 0.27 mm tief
Streuwert 1.46, horizontal: 1.91, vertikal: 0.80

LG 60 ZR – Wertung – **Männer**

StandNr: 125

Rumpler, Gernot #137

StartNr: 25

5. Januar 2020 10:09

AUT

Unterschrift des Schützen

Meyton Elektronik