





Ergebnis: 623.6 (597)
Serien: 102.7 104.1 104.0 104.6 105.7 102.5
Zähler: 57 3 0 0 0 0 0 0 0 0
Innenzehner: 48
weiteste: 330 (6), 282 (35), 270 (20)
beste Teiler 18.0 (33.) 19.1 (44.) 21.5 (17.)
Trefferlage 0.08 mm rechts, 0.16 mm hoch
Streuwert 1.11, horizontal: 1.20, vertikal: 1.01




Serie 1:
 10.3 * 10.2 * 10.5 * 10.0 ↑ 10.1 ↘
 9.6 → 10.8 * 10.6 * 10.1 ↗ 10.5 *
beste Teiler 46.6 (7.) 99.7 (8.) 117.8 (3.)
Trefferlage 0.59 mm rechts, 0.98 mm hoch
Streuwert 1.14, horizontal: 1.34, vertikal: 0.91




Serie 2:
 10.6 * 10.5 * 10.4 * 10.7 * 10.3 *
 10.1 ↙ 10.9 * 10.3 * 10.4 * 9.9 ↙
beste Teiler 21.5 (17.) 61.7 (14.) 94.0 (11.)
Trefferlage 0.38 mm links, 0.15 mm tief
Streuwert 1.07, horizontal: 0.82, vertikal: 1.28




Serie 3:
 10.5 * 10.5 * 10.2 * 10.1 ↘ 10.4 *
 10.4 * 10.4 * 10.4 * 10.4 * 10.7 *
beste Teiler 72.8 (30.) 114.8 (22.) 118.0 (21.)
Trefferlage 0.47 mm rechts, 0.15 mm tief
Streuwert 1.03, horizontal: 1.07, vertikal: 1.00



Serie 4:
 10.5 * 10.5 * 10.9 * 10.6 * 9.8 ↘
 10.4 * 10.5 * 10.3 * 10.4 * 10.7 *
beste Teiler 18.0 (33.) 69.9 (40.) 94.9 (34.)
Trefferlage 0.37 mm rechts, 0.27 mm hoch
Streuwert 0.99, horizontal: 1.21, vertikal: 0.70



Serie 5:
 10.7 * 10.2 * 10.8 * 10.9 * 10.7 *
 10.3 * 10.8 * 10.7 * 10.2 * 10.4 *
beste Teiler 19.1 (44.) 37.3 (47.) 43.5 (43.)
Trefferlage 0.14 mm links, 0.46 mm tief
Streuwert 0.77, horizontal: 0.74, vertikal: 0.80



Serie 6:
 10.6 * 10.5 * 10.2 * 10.2 * 10.0 ←
 10.6 * 10.1 ← 10.1 ← 10.2 * 10.0 →
beste Teiler 82.0 (56.) 95.6 (51.) 117.9 (52.)
Trefferlage 0.41 mm links, 0.53 mm hoch
Streuwert 1.28, horizontal: 1.67, vertikal: 0.71



LG 60 ZR – Wertung – **Frauen**
StandNr: 135
Peer, Franziska #115

StartNr: 35
4. Januar 2020 10:02
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **630.1** (599)
 Serien: 104.8 105.7 105.5 103.4 105.8 104.9
 Zähler: 59 1 0 0 0 0 0 0 0 0
 Innenzehner: 54
 weiteste: 254 (34), 240 (56), 236 (37)
 beste Teiler 7.2 (15.) 9.8 (25.) 13.3 (59.)
 Trefferlage 0.13 mm rechts, 0.25 mm hoch
 Streuwert 0.89, horizontal: 0.99, vertikal: 0.77




Serie 1:
 10.3 * 10.9 * 10.7 * 10.4 * 10.2 *
 10.2 * 10.1 ↗ 10.9 * 10.4 * 10.7 *
 beste Teiler 17.0 (8.) 23.6 (2.) 60.8 (3.)
 Trefferlage 0.05 mm links, 0.29 mm hoch
 Streuwert 0.99, horizontal: 1.19, vertikal: 0.75




Serie 2:
 10.4 * 10.4 * 10.5 * 10.6 * 10.9 *
 10.8 * 10.5 * 10.4 * 10.7 * 10.5 *
 beste Teiler 7.2 (15.) 40.0 (16.) 61.8 (19.)
 Trefferlage 0.21 mm links, 0.00 mm
 Streuwert 0.74, horizontal: 0.94, vertikal: 0.47




Serie 3:
 10.1 ↘ 10.6 * 10.6 * 10.8 * 10.9 *
 10.5 * 10.5 * 10.7 * 10.6 * 10.2 *
 beste Teiler 9.8 (25.) 47.5 (24.) 64.4 (28.)
 Trefferlage 0.52 mm rechts, 0.22 mm hoch
 Streuwert 0.78, horizontal: 0.92, vertikal: 0.60



Serie 4:
 10.4 * 10.3 * 10.4 * 9.9 ↑ 10.6 *
 10.1 ↑ 10.0 → 10.6 * 10.7 * 10.4 *
 beste Teiler 51.1 (39.) 77.0 (38.) 78.4 (35.)
 Trefferlage 0.36 mm rechts, 0.54 mm hoch
 Streuwert 1.12, horizontal: 1.03, vertikal: 1.19



Serie 5:
 10.6 * 10.8 * 10.5 * 10.3 * 10.3 *
 10.5 * 10.7 * 10.5 * 10.7 * 10.9 *
 beste Teiler 22.8 (50.) 36.4 (42.) 54.4 (49.)
 Trefferlage 0.47 mm rechts, 0.14 mm tief
 Streuwert 0.69, horizontal: 0.58, vertikal: 0.78



Serie 6:
 10.5 * 10.9 * 10.6 * 10.7 * 10.3 *
 10.0 ↖ 10.5 * 10.2 * 10.9 * 10.3 *
 beste Teiler 13.3 (59.) 13.4 (52.) 54.5 (54.)
 Trefferlage 0.30 mm links, 0.63 mm hoch
 Streuwert 0.82, horizontal: 1.07, vertikal: 0.46



LG 60 ZR – Wertung – **Frauen**
StandNr: 136
Köck, Rebecca #44

StartNr: 36
4. Januar 2020 10:09
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 619.5 (592)
Serien: 102.2 103.2 103.8 104.3 102.6 103.4
Zähler: 52 8 0 0 0 0 0 0 0 0
Innenzehner: 41
weiteste: 317 (41), 292 (18), 288 (44)
beste Teiler 22.8 (59.) 43.4 (55.) 47.2 (49.)
Trefferlage 0.09 mm rechts, 0.11 mm hoch
Streuwert 1.23, horizontal: 1.35, vertikal: 1.09




Serie 1:
 9.9 ↘ 10.5 * 10.0 → 10.1 ↖ 10.6 *
 10.2 * 9.9 ↙ 10.0 ↗ 10.6 * 10.4 *
beste Teiler 77.3 (9.) 77.7 (5.) 120.1 (2.)
Trefferlage 0.03 mm rechts, 0.55 mm hoch
Streuwert 1.40, horizontal: 1.78, vertikal: 0.85




Serie 2:
 10.6 * 10.4 * 10.4 * 10.4 * 10.4 *
 10.5 * 9.9 ↙ 9.8 ← 10.1 ↘ 10.7 *
beste Teiler 68.8 (20.) 99.2 (11.) 112.2 (16.)
Trefferlage 0.17 mm links, 0.13 mm tief
Streuwert 1.28, horizontal: 1.63, vertikal: 0.79




Serie 3:
 10.3 * 10.0 ↘ 10.5 * 10.3 * 10.3 *
 10.5 * 10.6 * 10.5 * 10.5 * 10.3 *
beste Teiler 97.0 (27.) 103.0 (29.) 109.2 (28.)
Trefferlage 0.00 mm, 0.17 mm tief
Streuwert 1.11, horizontal: 1.08, vertikal: 1.13



Serie 4:
 10.6 * 10.6 * 10.2 * 10.6 * 10.6 *
 10.1 ↗ 10.5 * 10.1 ↗ 10.3 * 10.7 *
beste Teiler 56.0 (40.) 78.7 (31.) 82.3 (32.)
Trefferlage 0.49 mm rechts, 0.66 mm hoch
Streuwert 0.85, horizontal: 1.08, vertikal: 0.51



Serie 5:
 9.7 → 10.4 * 10.0 ← 9.8 ↖ 10.4 *
 10.7 * 10.3 * 10.4 * 10.8 * 10.1 ↙
beste Teiler 47.2 (49.) 56.4 (46.) 134.7 (45.)
Trefferlage 0.19 mm links, 0.23 mm hoch
Streuwert 1.42, horizontal: 1.61, vertikal: 1.21



Serie 6:
 10.4 * 10.8 * 9.9 ↓ 10.1 ↖ 10.8 *
 10.1 ↗ 9.8 ↘ 10.3 * 10.9 * 10.3 *
beste Teiler 22.8 (59.) 43.4 (55.) 47.2 (52.)
Trefferlage 0.42 mm rechts, 0.45 mm tief
Streuwert 1.23, horizontal: 0.79, vertikal: 1.56



LG 60 ZR – Wertung – **Frauen**
StandNr: 137
Hofmann, Olivia #30

StartNr: 37
4. Januar 2020 10:10
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **621.4** (595)
 Serien: 103.7 103.7 103.3 103.4 102.9 104.4
 Zähler: 55 5 0 0 0 0 0 0 0 0
 Innenzehner: 46
 weiteste: 329 (21), 328 (3), 273 (50)
 beste Teiler 35.6 (28.) 37.1 (8.) 45.9 (13.)
 Trefferlage 0.08 mm rechts, 0.07 mm hoch
 Streuwert 1.18, horizontal: 1.29, vertikal: 1.05




Serie 1:
 10.0 ↗ 10.2 * 9.6 ↑ 10.5 * 10.4 *
 10.7 * 10.7 * 10.8 * 10.4 * 10.4 *
 beste Teiler 37.1 (8.) 56.2 (6.) 66.4 (7.)
 Trefferlage 0.30 mm rechts, 0.46 mm hoch
 Streuwert 1.18, horizontal: 0.92, vertikal: 1.40




Serie 2:
 10.3 * 10.2 * 10.8 * 10.6 * 9.9 ↘
 10.0 ↙ 10.3 * 10.3 * 10.6 * 10.7 *
 beste Teiler 45.9 (13.) 69.0 (20.) 89.0 (14.)
 Trefferlage 0.12 mm rechts, 0.20 mm tief
 Streuwert 1.22, horizontal: 0.94, vertikal: 1.44




Serie 3:
 9.6 → 9.9 ← 10.5 * 10.1 → 10.3 *
 10.5 * 10.5 * 10.8 * 10.4 * 10.7 *
 beste Teiler 35.6 (28.) 63.2 (30.) 114.1 (23.)
 Trefferlage 0.24 mm rechts, 0.31 mm tief
 Streuwert 1.29, horizontal: 1.73, vertikal: 0.59



Serie 4:
 10.4 * 10.2 * 10.2 * 10.6 * 10.5 *
 10.5 * 10.2 * 10.0 ← 10.3 * 10.5 *
 beste Teiler 85.9 (34.) 112.6 (36.) 115.1 (35.)
 Trefferlage 0.66 mm links, 0.35 mm tief
 Streuwert 1.05, horizontal: 1.12, vertikal: 0.97



Serie 5:
 10.2 * 10.5 * 10.7 * 10.6 * 10.1 →
 10.1 ↗ 10.0 → 10.4 * 10.4 * 9.9 ↙
 beste Teiler 70.1 (43.) 99.6 (44.) 102.3 (42.)
 Trefferlage 0.46 mm rechts, 0.70 mm hoch
 Streuwert 1.19, horizontal: 1.56, vertikal: 0.62



Serie 6:
 10.1 ↘ 10.7 * 10.4 * 10.0 ← 10.7 *
 10.3 * 10.5 * 10.6 * 10.5 * 10.6 *
 beste Teiler 70.3 (52.) 75.1 (55.) 76.6 (60.)
 Trefferlage 0.05 mm rechts, 0.16 mm hoch
 Streuwert 1.03, horizontal: 1.29, vertikal: 0.68



LG 60 ZR – Wertung – **Frauen**
StandNr: 138
Ungerank, Nadine #34

StartNr: 38
4. Januar 2020 9:57
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **621.9** (594)
 Serien: 103.9 103.1 103.8 104.0 103.3 103.8
 Zähler: 54 6 0 0 0 0 0 0 0 0
 Innenzehner: 49
 weiteste: 324 (8), 306 (42), 284 (56)
 beste Teiler 24.1 (3.) 37.0 (7.) 44.0 (38.)
 Trefferlage 0.06 mm rechts, 0.16 mm hoch
 Streuwert 1.15, horizontal: 1.42, vertikal: 0.80




Serie 1:
 10.7 * 9.8 → 10.9 * 10.4 * 10.4 *
 10.2 * 10.8 * 9.7 → 10.8 * 10.2 *
 beste Teiler 24.1 (3.) 37.0 (7.) 47.9 (9.)
 Trefferlage 0.32 mm rechts, 0.15 mm hoch
 Streuwert 1.28, horizontal: 1.58, vertikal: 0.87




Serie 2:
 9.9 → 10.0 ← 10.4 * 10.4 * 10.4 *
 10.1 ↘ 10.4 * 10.4 * 10.6 * 10.5 *
 beste Teiler 97.3 (19.) 106.9 (20.) 127.4 (17.)
 Trefferlage 0.07 mm links, 0.30 mm hoch
 Streuwert 1.23, horizontal: 1.52, vertikal: 0.86




Serie 3:
 10.4 * 10.0 → 10.3 * 10.5 * 10.6 *
 10.4 * 10.6 * 10.5 * 10.3 * 10.2 *
 beste Teiler 80.0 (25.) 93.6 (27.) 107.2 (28.)
 Trefferlage 0.17 mm links, 0.10 mm hoch
 Streuwert 1.11, horizontal: 1.37, vertikal: 0.77



Serie 4:
 10.5 * 10.7 * 10.6 * 10.6 * 10.2 *
 10.1 → 10.2 * 10.8 * 10.0 ← 10.3 *
 beste Teiler 44.0 (38.) 74.0 (32.) 94.5 (33.)
 Trefferlage 0.44 mm links, 0.31 mm hoch
 Streuwert 1.08, horizontal: 1.34, vertikal: 0.74



Serie 5:
 10.4 * 9.7 ↗ 9.9 ↘ 10.3 * 10.4 *
 10.3 * 10.7 * 10.7 * 10.5 * 10.4 *
 beste Teiler 55.9 (48.) 70.6 (47.) 112.2 (49.)
 Trefferlage 0.36 mm rechts, 0.31 mm hoch
 Streuwert 1.24, horizontal: 1.46, vertikal: 0.97



Serie 6:
 10.5 * 10.6 * 10.3 * 10.6 * 10.5 *
 9.8 ← 10.2 * 10.5 * 10.6 * 10.2 *
 beste Teiler 83.7 (52.) 85.3 (59.) 87.2 (54.)
 Trefferlage 0.41 mm rechts, 0.21 mm tief
 Streuwert 1.08, horizontal: 1.38, vertikal: 0.66



LG 60 ZR – Wertung – Frauen
StandNr: 139
Pribitzer, Marlene #38

StartNr: 39
4. Januar 2020 10:06
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **622.0** (599)
 Serien: 103.6 104.3 102.4 103.7 103.8 104.2
 Zähler: 59 1 0 0 0 0 0 0 0 0
 Innenzehner: 46
 weiteste: 259 (58), 238 (17), 228 (2)
 beste Teiler 11.3 (12.) 15.0 (60.) 24.5 (7.)
 Trefferlage 0.28 mm links, 0.08 mm tief
 Streuwert 1.10, horizontal: 1.18, vertikal: 1.03




Serie 1:
 10.4 * 10.0 ↑ 10.6 * 10.3 * 10.4 *
 10.2 * 10.9 * 10.1 ← 10.6 * 10.1 ←
 beste Teiler 24.5 (7.) 85.7 (3.) 93.1 (9.)
 Trefferlage 0.66 mm links, 0.05 mm tief
 Streuwert 1.09, horizontal: 1.21, vertikal: 0.96




Serie 2:
 10.2 * 10.9 * 10.4 * 10.2 * 10.7 *
 10.5 * 10.0 ↘ 10.4 * 10.4 * 10.6 *
 beste Teiler 11.3 (12.) 54.0 (15.) 82.4 (20.)
 Trefferlage 0.25 mm links, 0.10 mm tief
 Streuwert 1.03, horizontal: 0.90, vertikal: 1.16




Serie 3:
 10.2 * 10.2 * 10.3 * 10.1 ↙ 10.3 *
 10.4 * 10.1 ↑ 10.4 * 10.2 * 10.2 *
 beste Teiler 133.7 (26.) 139.9 (28.) 160.7 (25.)
 Trefferlage 0.50 mm links, 0.06 mm tief
 Streuwert 1.28, horizontal: 1.26, vertikal: 1.30



Serie 4:
 10.1 ↑ 10.5 * 10.6 * 10.8 * 10.1 →
 10.1 ← 10.3 * 10.5 * 10.6 * 10.1 ←
 beste Teiler 38.8 (34.) 80.2 (39.) 99.9 (33.)
 Trefferlage 0.21 mm rechts, 0.19 mm hoch
 Streuwert 1.15, horizontal: 1.34, vertikal: 0.93



Serie 5:
 10.4 * 10.5 * 10.4 * 10.2 * 10.5 *
 10.7 * 10.4 * 10.1 ↑ 10.1 ↙ 10.5 *
 beste Teiler 57.3 (46.) 110.4 (42.) 120.4 (45.)
 Trefferlage 0.05 mm links, 0.19 mm tief
 Streuwert 1.13, horizontal: 1.12, vertikal: 1.14



Serie 6:
 10.8 * 10.2 * 10.6 * 10.3 * 10.1 →
 10.6 * 10.6 * 9.9 ← 10.2 * 10.9 *
 beste Teiler 15.0 (60.) 39.0 (51.) 92.4 (56.)
 Trefferlage 0.43 mm links, 0.30 mm tief
 Streuwert 1.06, horizontal: 1.26, vertikal: 0.81



LG 60 ZR – Wertung – Frauen
StandNr: 140
Auer, Marie–Theres #46

StartNr: 40
4. Januar 2020 9:32
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 618.2 (594)
Serien: 101.6 103.4 104.9 103.0 101.9 103.4
Zähler: 54 6 0 0 0 0 0 0 0 0
Innenzehner: 40
weiteste: 318 (50), 311 (46), 309 (44)
beste Teiler 21.9 (41.) 23.5 (51.) 50.4 (26.)
Trefferlage 0.09 mm rechts, 0.29 mm hoch
Streuwert 1.26, horizontal: 1.46, vertikal: 1.02




Serie 1:
 10.0 ↘ 10.2 * 10.0 ↑ 10.0 ↑ 10.0 ↗
 10.4 * 10.1 ↖ 10.2 * 10.6 * 10.1 →
beste Teiler 96.3 (9.) 144.2 (6.) 181.8 (2.)
Trefferlage 0.04 mm rechts, 0.62 mm hoch
Streuwert 1.46, horizontal: 1.61, vertikal: 1.29




Serie 2:
 10.2 * 10.7 * 10.5 * 10.5 * 10.0 ↗
 10.2 * 10.5 * 10.4 * 9.9 ↖ 10.5 *
beste Teiler 74.0 (12.) 106.8 (20.) 115.0 (13.)
Trefferlage 0.23 mm links, 0.11 mm tief
Streuwert 1.21, horizontal: 1.32, vertikal: 1.11




Serie 3:
 10.5 * 10.6 * 10.4 * 10.6 * 10.3 *
 10.8 * 10.2 * 10.5 * 10.7 * 10.3 *
beste Teiler 50.4 (26.) 72.2 (29.) 90.8 (24.)
Trefferlage 0.26 mm links, 0.32 mm hoch
Streuwert 0.87, horizontal: 1.04, vertikal: 0.66



Serie 4:
 10.3 * 10.4 * 10.1 ↘ 10.5 * 10.7 *
 10.3 * 10.1 ↑ 9.8 ↖ 10.2 * 10.6 *
beste Teiler 65.2 (35.) 78.3 (40.) 113.9 (34.)
Trefferlage 0.17 mm links, 0.47 mm hoch
Streuwert 1.23, horizontal: 1.36, vertikal: 1.09



Serie 5:
 10.9 * 9.8 ↗ 10.3 * 9.7 → 10.5 *
 9.7 → 10.6 * 10.6 * 10.1 → 9.7 →
beste Teiler 21.9 (41.) 87.8 (47.) 89.8 (48.)
Trefferlage 1.11 mm rechts, 0.59 mm hoch
Streuwert 1.35, horizontal: 1.61, vertikal: 1.02



Serie 6:
 10.9 * 10.5 * 10.0 ↙ 10.2 * 10.1 ↖
 10.0 → 10.0 → 10.6 * 10.4 * 10.7 *
beste Teiler 23.5 (51.) 61.8 (60.) 92.9 (58.)
Trefferlage 0.11 mm rechts, 0.15 mm tief
Streuwert 1.27, horizontal: 1.62, vertikal: 0.77



LG 60 ZR – Wertung – **Frauen**
StandNr: 141
Kitzbichler, Jasmin #82

StartNr: 41
4. Januar 2020 10:08
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **621.5** (594)
 Serien: 101.7 103.8 103.5 104.7 104.6 103.2
 Zähler: 55 4 1 0 0 0 0 0 0
 Innenzehner: 50
 weiteste: 561 (1), 388 (22), 305 (58)
 beste Teiler 41.1 (23.) 44.6 (43.) 45.0 (38.)
 Trefferlage 0.08 mm links, 0.62 mm hoch
 Streuwert 1.15, horizontal: 1.15, vertikal: 1.14




Serie 1:
 8.7 ↘ 10.1 ↘ 10.5 * 10.3 * 9.8 ↘
 10.7 * 10.0 ↑ 10.5 * 10.5 * 10.6 *
 beste Teiler 53.7 (6.) 76.9 (10.) 108.1 (3.)
 Trefferlage 0.96 mm links, 0.65 mm hoch
 Streuwert 1.56, horizontal: 1.58, vertikal: 1.54




Serie 2:
 10.7 * 10.5 * 9.7 ↑ 10.5 * 10.1 ↘
 10.5 * 10.7 * 10.1 ↗ 10.5 * 10.5 *
 beste Teiler 52.8 (17.) 62.6 (11.) 101.2 (20.)
 Trefferlage 0.15 mm links, 0.88 mm hoch
 Streuwert 0.98, horizontal: 1.11, vertikal: 0.82




Serie 3:
 10.4 * 9.4 ↑ 10.8 * 10.2 * 10.5 *
 10.8 * 10.4 * 10.4 * 10.3 * 10.3 *
 beste Teiler 41.1 (23.) 49.7 (26.) 113.2 (25.)
 Trefferlage 0.03 mm rechts, 1.14 mm hoch
 Streuwert 1.01, horizontal: 0.94, vertikal: 1.07



Serie 4:
 10.2 * 10.6 * 10.7 * 10.3 * 10.4 *
 10.3 * 10.7 * 10.8 * 10.5 * 10.2 *
 beste Teiler 45.0 (38.) 65.7 (37.) 68.6 (33.)
 Trefferlage 0.51 mm rechts, 0.39 mm hoch
 Streuwert 0.86, horizontal: 0.63, vertikal: 1.04



Serie 5:
 10.3 * 10.4 * 10.8 * 10.2 * 10.4 *
 10.5 * 10.7 * 10.6 * 10.4 * 10.3 *
 beste Teiler 44.6 (43.) 62.8 (47.) 79.2 (48.)
 Trefferlage 0.26 mm links, 0.39 mm hoch
 Streuwert 0.93, horizontal: 1.02, vertikal: 0.85



Serie 6:
 10.5 * 10.7 * 10.2 * 10.4 * 10.7 *
 10.1 ↘ 10.2 * 9.7 ↑ 10.4 * 10.3 *
 beste Teiler 71.1 (52.) 75.5 (55.) 101.9 (51.)
 Trefferlage 0.33 mm rechts, 0.29 mm hoch
 Streuwert 1.23, horizontal: 1.08, vertikal: 1.37

LG 60 ZR – Wertung – Frauen
StandNr: 142
Zaisberger, Verena #295

StartNr: 42
4. Januar 2020 10:09
AUT

Unterschrift des Schützen

Meyton Elektronik