





Ergebnis: **580** (604.5)  
 Serien: 95 95 96 100 97 97  
 Zähler: 43 14 3 0 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 2143 (8), 1890 (18), 1639 (55)  
 beste Teiler 82.8 (60.) 120.2 (27.) 120.6 (50.)  
 Trefferlage 0.05 mm links, 0.97 mm hoch  
 Streuwert 5.82, horizontal: 5.59, vertikal: 6.04




Serie 1:  
 9.4 → 10.6 \* 10.2 ← 10.3 ↗ 10.5 \*  
 10.7 \* 9.8 ↙ 8.3 ↘ 9.4 ↑ 10.2 ↓  
 beste Teiler 236.1 (6.) 263.4 (2.) 327.4 (5.)  
 Trefferlage 0.10 mm links, 2.87 mm hoch  
 Streuwert 7.08, horizontal: 6.55, vertikal: 7.57




Serie 2:  
 10.0 ↖ 10.0 ↘ 10.6 \* 9.3 ↓ 10.0 ↓  
 9.7 ↗ 10.1 ↘ 8.6 ↙ 10.0 ↖ 9.5 ←  
 beste Teiler 283.4 (13.) 674.5 (17.) 753.0 (11.)  
 Trefferlage 3.35 mm links, 2.22 mm tief  
 Streuwert 7.06, horizontal: 4.84, vertikal: 8.73




Serie 3:  
 9.6 ← 9.6 ↙ 10.4 \* 10.5 \* 10.8 \*  
 10.3 ↘ 10.8 \* 9.9 → 9.2 ↘ 10.5 \*  
 beste Teiler 120.2 (27.) 127.4 (25.) 366.5 (24.)  
 Trefferlage 0.48 mm links, 2.19 mm tief  
 Streuwert 5.39, horizontal: 6.69, vertikal: 3.66



Serie 4:  
 10.1 ↘ 10.1 ↘ 10.0 ↖ 10.5 \* 10.5 \*  
 10.2 → 10.4 \* 10.3 ↗ 10.1 → 10.1 →  
 beste Teiler 365.8 (34.) 384.0 (35.) 422.2 (37.)  
 Trefferlage 1.81 mm rechts, 1.67 mm hoch  
 Streuwert 4.01, horizontal: 4.15, vertikal: 3.87



Serie 5:  
 10.7 \* 10.2 ↗ 10.0 ↖ 10.6 \* 10.8 \*  
 9.9 ↗ 9.4 ← 9.8 ↑ 10.4 \* 10.8 \*  
 beste Teiler 120.6 (50.) 149.4 (45.) 197.0 (41.)  
 Trefferlage 0.71 mm links, 2.01 mm hoch  
 Streuwert 4.59, horizontal: 5.26, vertikal: 3.81



Serie 6:  
 10.4 \* 10.3 ← 10.1 ↑ 10.7 \* 8.9 ↑  
 10.0 → 10.1 ↑ 10.1 ↑ 9.4 → 10.8 \*  
 beste Teiler 82.8 (60.) 189.1 (54.) 417.0 (51.)  
 Trefferlage 2.49 mm rechts, 3.68 mm hoch  
 Streuwert 5.06, horizontal: 5.01, vertikal: 5.12

**LP 60** – Wertung – **Männer**

StandNr: 106

**Zechmeister, Richard** #125

**StartNr: 6**

5. Januar 2020 10:02

AUT



---

---


Unterschrift des Schützen

Meyton Elektronik


**Ergebnis: 573 (599.3)**  
**Serien:** 96 96 95 97 95 94  
**Zähler:** 35 23 2 0 0 0 0 0 0 0  
**Innenzehner:** 20  
**weiteste:** 1865 (7), 1819 (53), 1560 (41)  
**beste Teiler** 49.5 (58.) 60.0 (39.) 98.3 (23.)  
**Trefferlage** 3.05 mm rechts, 0.00 mm  
**Streuwert** 5.87, horizontal: 5.88, vertikal: 5.87




**Serie 1:**  
 10.0 ↘ 9.2 → 10.4 \* 10.4 \* 10.3 ↓  
 9.5 ↘ 8.6 → 10.6 \* 10.3 → 10.1 ↘  
**beste Teiler** 247.0 (8.) 454.2 (4.) 461.6 (3.)  
**Trefferlage** 6.28 mm rechts, 1.71 mm tief  
**Streuwert** 5.13, horizontal: 6.05, vertikal: 4.01




**Serie 2:**  
 9.7 ↗ 10.4 \* 10.1 ↘ 10.0 ↑ 10.6 \*  
 10.0 ↖ 9.8 ↓ 10.4 \* 9.4 ↗ 9.8 →  
**beste Teiler** 305.3 (15.) 420.3 (18.) 426.5 (12.)  
**Trefferlage** 2.43 mm rechts, 0.00 mm  
**Streuwert** 5.63, horizontal: 5.70, vertikal: 5.55




**Serie 3:**  
 9.9 ↓ 10.4 \* 10.8 \* 10.6 \* 9.3 →  
 9.3 → 10.0 ↓ 9.7 → 10.2 ↘ 9.1 ↑  
**beste Teiler** 98.3 (23.) 278.1 (24.) 465.7 (22.)  
**Trefferlage** 3.46 mm rechts, 1.43 mm hoch  
**Streuwert** 6.25, horizontal: 6.12, vertikal: 6.38



**Serie 4:**  
 9.3 ↗ 10.0 ↓ 10.6 \* 10.4 \* 9.7 →  
 10.4 \* 9.7 ↑ 10.3 ↓ 10.9 \* 10.4 \*  
**beste Teiler** 60.0 (39.) 287.0 (33.) 412.0 (34.)  
**Trefferlage** 2.45 mm rechts, 0.20 mm hoch  
**Streuwert** 5.08, horizontal: 4.31, vertikal: 5.76



**Serie 5:**  
 9.0 ↗ 9.4 → 10.2 ↖ 10.1 ↘ 9.8 ↓  
 9.5 ↖ 10.0 ↑ 10.7 \* 9.4 ↘ 10.4 \*  
**beste Teiler** 233.4 (48.) 457.9 (50.) 567.6 (43.)  
**Trefferlage** 1.30 mm rechts, 0.44 mm tief  
**Streuwert** 7.09, horizontal: 7.52, vertikal: 6.62



**Serie 6:**  
 10.6 \* 10.6 \* 8.7 ↗ 9.8 ↑ 9.7 ↗  
 9.5 ↓ 10.1 ↘ 10.9 \* 9.8 ↓ 10.5 \*  
**beste Teiler** 49.5 (58.) 253.1 (52.) 314.2 (51.)  
**Trefferlage** 2.36 mm rechts, 0.57 mm hoch  
**Streuwert** 6.45, horizontal: 5.34, vertikal: 7.40

**LP 60** – Wertung – **Männer**

StandNr: 107

**Auprich, Andreas** #293

**StartNr: 7**

5. Januar 2020 10:07

AUT



---

---


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **558** (581.2)  
 Serien: 92 92 95 91 94 94  
 Zähler: 24 30 6 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2358 (32), 2105 (16), 2062 (14)  
 beste Teiler 132.0 (30.) 179.0 (49.) 223.7 (35.)  
 Trefferlage 0.17 mm links, 4.92 mm tief  
 Streuwert 7.21, horizontal: 6.98, vertikal: 7.43




Serie 1:  
 9.2 ↓ 9.7 ↓ 9.9 ↑ 9.8 ↓ 9.3 ↙  
 10.1 → 10.2 → 9.2 ↖ 8.5 ↘ 10.2 →  
 beste Teiler 563.2 (7.) 575.6 (10.) 716.3 (6.)  
 Trefferlage 0.85 mm rechts, 4.49 mm tief  
 Streuwert 7.87, horizontal: 7.78, vertikal: 7.96




Serie 2:  
 10.0 ↖ 10.5 \* 9.3 ↘ 8.4 ↗ 10.5 \*  
 8.3 ↓ 10.4 \* 9.4 ↗ 9.5 ↘ 9.7 →  
 beste Teiler 372.5 (15.) 376.0 (12.) 454.3 (17.)  
 Trefferlage 0.36 mm rechts, 2.70 mm tief  
 Streuwert 9.04, horizontal: 8.57, vertikal: 9.48




Serie 3:  
 9.8 ↖ 9.4 ↑ 10.6 \* 10.6 \* 9.7 ↓  
 9.7 ↓ 10.3 ↖ 9.4 ↘ 10.0 ↓ 10.8 \*  
 beste Teiler 132.0 (30.) 257.1 (24.) 313.0 (23.)  
 Trefferlage 0.44 mm links, 2.95 mm tief  
 Streuwert 5.84, horizontal: 4.83, vertikal: 6.71



Serie 4:  
 10.0 ↗ 8.0 ↓ 9.6 ↗ 10.0 ↘ 10.7 \*  
 9.0 ↓ 9.9 ↘ 9.4 ↖ 8.6 ↓ 9.7 →  
 beste Teiler 223.7 (35.) 742.4 (34.) 743.8 (31.)  
 Trefferlage 2.12 mm rechts, 7.41 mm tief  
 Streuwert 7.80, horizontal: 6.68, vertikal: 8.78



Serie 5:  
 9.7 ↘ 9.2 ↖ 10.1 ↓ 10.0 ↓ 10.0 ↗  
 10.0 ↓ 9.1 ↓ 9.6 ↖ 10.7 \* 8.8 ↓  
 beste Teiler 179.0 (49.) 662.9 (43.) 748.4 (45.)  
 Trefferlage 1.04 mm links, 7.34 mm tief  
 Streuwert 5.74, horizontal: 6.40, vertikal: 5.00



Serie 6:  
 9.4 ↓ 10.0 ↗ 10.4 \* 10.0 ↑ 9.9 ↓  
 9.1 ↗ 9.3 ↖ 10.2 ↗ 9.3 ↖ 9.1 →  
 beste Teiler 423.0 (53.) 593.0 (58.) 739.8 (52.)  
 Trefferlage 2.92 mm links, 4.61 mm tief  
 Streuwert 6.99, horizontal: 7.75, vertikal: 6.13

**LP 60** – Wertung – **Männer**

StandNr: 108

**Grandits, Michael** #157

**StartNr: 8**

5. Januar 2020 10:05

AUT



---

---


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **566** (588.9)  
 Serien: 96 89 96 95 95 95  
 Zähler: 29 28 3 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 2127 (13), 1992 (54), 1728 (20)  
 beste Teiler 209.4 (53.) 233.3 (23.) 235.5 (8.)  
 Trefferlage 0.76 mm links, 1.69 mm tief  
 Streuwert 7.13, horizontal: 7.44, vertikal: 6.80




Serie 1:  
 10.1 ↘ 9.6 ↗ 10.2 ↗ 10.3 ↓ 10.2 →  
 9.5 ↓ 10.4 \* 10.7 \* 9.5 ← 9.7 ↑  
 beste Teiler 235.5 (8.) 433.2 (7.) 514.7 (4.)  
 Trefferlage 1.29 mm rechts, 0.39 mm hoch  
 Streuwert 5.89, horizontal: 5.54, vertikal: 6.22




Serie 2:  
 9.7 ↖ 9.0 ↖ 8.3 ← 9.5 ↑ 9.3 ↓  
 9.4 ← 9.9 ← 9.3 ↓ 10.0 → 8.8 ↓  
 beste Teiler 761.8 (19.) 835.1 (17.) 1037.6 (11.)  
 Trefferlage 5.52 mm links, 4.48 mm tief  
 Streuwert 8.64, horizontal: 7.94, vertikal: 9.29




Serie 3:  
 9.5 ↗ 9.7 ↖ 10.7 \* 9.6 ← 10.0 ↓  
 10.4 \* 10.0 ↓ 10.1 ↓ 10.3 ↑ 9.4 →  
 beste Teiler 233.3 (23.) 421.4 (26.) 485.5 (29.)  
 Trefferlage 0.36 mm rechts, 2.20 mm tief  
 Streuwert 6.10, horizontal: 6.82, vertikal: 5.28



Serie 4:  
 10.3 ↘ 9.0 ↓ 9.8 ← 9.2 ↖ 10.2 ↖  
 9.4 → 10.3 ↖ 10.4 \* 9.3 ↓ 10.2 ↑  
 beste Teiler 472.6 (38.) 492.3 (31.) 557.9 (37.)  
 Trefferlage 1.29 mm links, 1.50 mm tief  
 Streuwert 7.37, horizontal: 7.06, vertikal: 7.67



Serie 5:  
 9.2 ↘ 9.9 ↑ 10.1 ↗ 10.1 ↖ 10.6 \*  
 9.0 ↓ 9.2 ↗ 10.2 ↖ 10.5 \* 9.4 ↓  
 beste Teiler 267.8 (45.) 379.2 (49.) 636.5 (48.)  
 Trefferlage 2.10 mm rechts, 0.84 mm tief  
 Streuwert 7.27, horizontal: 6.45, vertikal: 8.01



Serie 6:  
 10.4 \* 10.4 \* 10.7 \* 8.5 → 9.0 ↖  
 10.5 \* 10.4 \* 10.4 \* 9.5 ← 9.7 ←  
 beste Teiler 209.4 (53.) 396.8 (56.) 445.5 (51.)  
 Trefferlage 1.55 mm links, 1.52 mm tief  
 Streuwert 7.17, horizontal: 9.48, vertikal: 3.59

**LP 60** – Wertung – **Männer**

StandNr: 109

**Kral, Daniel** #86

**StartNr: 9**

5. Januar 2020 9:56

AUT

---



---

Unterschrift des Schützen


Meyton Elektronik




Ergebnis: **554** (583.1)  
 Serien: 93 89 93 93 93 93  
 Zähler: 22 30 8 0 0 0 0 0 0  
 Innenzehner: 12  
 weiteste: 1863 (50), 1833 (34), 1795 (14)  
 beste Teiler 232.4 (38.) 260.0 (46.) 261.0 (36.)  
 Trefferlage 0.55 mm links, 0.48 mm hoch  
 Streuwert 7.81, horizontal: 8.01, vertikal: 7.60




Serie 1:  
 10.0 ↖ 10.0 ↗ 8.8 ↖ 9.4 ↓ 8.8 ↓  
 10.1 ↓ 10.5 \* 10.0 ↓ 9.0 → 9.9 →  
 beste Teiler 387.3 (7.) 703.8 (6.) 769.2 (8.)  
 Trefferlage 0.37 mm rechts, 3.57 mm tief  
 Streuwert 8.17, horizontal: 8.69, vertikal: 7.61




Serie 2:  
 9.7 ↗ 8.9 ↖ 9.1 ↖ 8.7 ↑ 10.3 ↖  
 9.6 ↓ 8.8 ↖ 9.7 ↘ 9.6 ↖ 10.2 ↘  
 beste Teiler 544.9 (15.) 634.9 (20.) 1012.8 (11.)  
 Trefferlage 3.21 mm links, 1.24 mm hoch  
 Streuwert 9.16, horizontal: 7.92, vertikal: 10.25




Serie 3:  
 10.4 \* 10.4 \* 10.4 \* 9.9 ↘ 10.5 \*  
 9.4 → 8.9 ↗ 9.6 ↖ 9.9 ↖ 9.6 ↖  
 beste Teiler 385.2 (25.) 434.2 (22.) 444.4 (23.)  
 Trefferlage 0.40 mm rechts, 2.68 mm hoch  
 Streuwert 6.70, horizontal: 7.67, vertikal: 5.57



Serie 4:  
 10.5 \* 9.0 ↖ 9.7 ↖ 8.7 ↑ 9.3 ↘  
 10.6 \* 10.1 → 10.7 \* 9.6 ↖ 9.2 ↖  
 beste Teiler 232.4 (38.) 261.0 (36.) 380.5 (31.)  
 Trefferlage 2.58 mm links, 3.34 mm hoch  
 Streuwert 7.76, horizontal: 8.00, vertikal: 7.51



Serie 5:  
 9.9 → 9.5 ↓ 10.3 ↖ 10.0 ↑ 9.5 ↖  
 10.6 \* 9.5 ↖ 10.5 \* 9.7 ↓ 8.6 →  
 beste Teiler 260.0 (46.) 362.8 (48.) 543.0 (43.)  
 Trefferlage 0.22 mm links, 0.71 mm hoch  
 Streuwert 7.57, horizontal: 7.88, vertikal: 7.24



Serie 6:  
 10.5 \* 9.4 ↖ 9.2 → 9.1 ↘ 9.1 →  
 10.6 \* 10.2 ↖ 9.9 ↓ 9.7 ↖ 9.8 →  
 beste Teiler 272.6 (56.) 339.0 (51.) 591.6 (57.)  
 Trefferlage 1.93 mm rechts, 1.48 mm tief  
 Streuwert 7.55, horizontal: 8.71, vertikal: 6.17

**LP 60** – Wertung – **Männer**

StandNr: 110

**Wankmüller, René** #51

**StartNr: 10**

5. Januar 2020 9:54

ST – Eisenerzer SV



---

---


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	<b>556</b>	(582.4)					
Serien:	92	94	87	90	96	97	
Zähler:	25	28	5	2	0	0	0
Innenzehner:	12						
weiteste:	2706 (8), 2482 (40), 2327 (1)						
beste Teiler	87.4 (22.) 236.2 (50.) 236.4 (10.)						
Trefferlage	1.19 mm rechts, 0.18 mm hoch						
Streuwert	8.13, horizontal: 8.63, vertikal: 7.59						




Serie 1:					
8.0 ↘	10.6 *	9.9 ↗	10.1 ↗	10.0 ↖	
9.7 ↑	10.6 *	7.6 ↗	9.9 ↖	10.7 *	
beste Teiler	236.4 (10.) 263.7 (7.) 294.6 (2.)				
Trefferlage	2.87 mm rechts, 1.95 mm hoch				
Streuwert	9.20, horizontal: 10.75, vertikal: 7.31				




Serie 2:					
9.7 ↘	10.0 ↗	10.4 *	10.4 *	10.1 →	
9.6 ↑	9.6 →	9.1 ↗	9.8 ↘	9.2 ↑	
beste Teiler	423.9 (14.) 437.2 (13.) 655.4 (15.)				
Trefferlage	2.65 mm rechts, 2.20 mm hoch				
Streuwert	7.00, horizontal: 6.46, vertikal: 7.50				




Serie 3:					
9.7 ↓	10.8 *	8.9 ↘	9.3 ↓	9.3 ↓	
8.9 ↓	9.1 ↖	8.2 →	9.9 ↗	8.8 ↗	
beste Teiler	87.4 (22.) 866.8 (29.) 991.3 (21.)				
Trefferlage	2.92 mm rechts, 4.97 mm tief				
Streuwert	9.83, horizontal: 10.79, vertikal: 8.76				



Serie 4:					
10.0 ↓	9.7 ↗	9.2 ↗	9.9 ↗	9.8 ↖	
9.3 ↖	9.4 ↖	10.3 →	9.1 ↖	7.8 ↘	
beste Teiler	545.1 (38.) 778.9 (31.) 813.5 (34.)				
Trefferlage	2.37 mm links, 1.62 mm tief				
Streuwert	9.47, horizontal: 10.58, vertikal: 8.21				



Serie 5:					
10.5 *	10.0 ↗	10.4 *	9.9 ↓	10.0 ↖	
9.1 ↗	9.1 ↗	10.3 ↗	9.9 ↖	10.7 *	
beste Teiler	236.2 (50.) 361.8 (41.) 416.6 (43.)				
Trefferlage	0.20 mm rechts, 0.04 mm hoch				
Streuwert	6.48, horizontal: 6.73, vertikal: 6.22				



Serie 6:					
9.3 ↗	10.6 *	9.5 ↗	10.0 ↑	9.2 ↘	
10.5 *	10.4 *	10.3 ↘	10.0 ↓	10.3 ↖	
beste Teiler	251.0 (52.) 376.3 (56.) 467.4 (57.)				
Trefferlage	0.86 mm rechts, 3.48 mm hoch				
Streuwert	5.70, horizontal: 5.77, vertikal: 5.63				

**LP 60** – Wertung – **Männer**  
StandNr: 111  
**Gruber, Martin** #90

---

**StartNr: 11**  
5. Januar 2020 9:58  
OOE – ASKOE Linz

---

Unterschrift des Schützen

Meyton Elektronik