





Ergebnis: **628.1** (598)
 Serien: 105.2 104.3 104.2 105.0 104.6 104.8
 Zähler: 58 2 0 0 0 0 0 0 0 0
 Innenzehner: 55
 weiteste: 315 (53), 263 (46), 243 (33)
 beste Teiler 10.0 (59.) 36.7 (50.) 44.7 (20.)
 Trefferlage 0.14 mm rechts, 0.03 mm tief
 Streuwert 0.94, horizontal: 0.90, vertikal: 0.98




Serie 1:
 10.7 * 10.6 * 10.5 * 10.6 * 10.4 *
 10.5 * 10.5 * 10.2 * 10.6 * 10.6 *
 beste Teiler 55.2 (1.) 85.0 (4.) 88.0 (10.)
 Trefferlage 0.11 mm rechts, 0.25 mm tief
 Streuwert 0.78, horizontal: 0.89, vertikal: 0.65




Serie 2:
 10.3 * 10.4 * 10.5 * 10.0 ↗ 10.4 *
 10.6 * 10.3 * 10.6 * 10.4 * 10.8 *
 beste Teiler 44.7 (20.) 89.8 (16.) 92.1 (18.)
 Trefferlage 0.40 mm rechts, 0.88 mm hoch
 Streuwert 0.73, horizontal: 0.80, vertikal: 0.65




Serie 3:
 10.3 * 10.7 * 10.6 * 10.6 * 10.5 *
 10.2 * 10.3 * 10.5 * 10.4 * 10.1 ↘
 beste Teiler 53.8 (22.) 99.1 (24.) 99.3 (23.)
 Trefferlage 0.29 mm rechts, 0.00 mm
 Streuwert 1.01, horizontal: 0.92, vertikal: 1.10



Serie 4:
 10.8 * 10.6 * 10.0 ↖ 10.5 * 10.3 *
 10.4 * 10.6 * 10.6 * 10.5 * 10.7 *
 beste Teiler 49.0 (31.) 59.0 (40.) 89.0 (38.)
 Trefferlage 0.24 mm links, 0.11 mm tief
 Streuwert 0.92, horizontal: 0.83, vertikal: 1.00



Serie 5:
 10.7 * 10.4 * 10.5 * 10.3 * 10.3 *
 9.9 ↘ 10.7 * 10.4 * 10.6 * 10.8 *
 beste Teiler 36.7 (50.) 55.0 (41.) 71.4 (47.)
 Trefferlage 0.17 mm rechts, 0.25 mm tief
 Streuwert 1.01, horizontal: 1.02, vertikal: 1.00



Serie 6:
 10.6 * 10.5 * 9.7 ↗ 10.7 * 10.2 *
 10.4 * 10.6 * 10.6 * 10.9 * 10.6 *
 beste Teiler 10.0 (59.) 65.4 (54.) 78.9 (58.)
 Trefferlage 0.12 mm rechts, 0.45 mm tief
 Streuwert 1.00, horizontal: 1.03, vertikal: 0.97



LG 60 ZR – Wertung – **Frauen**
StandNr: 119
Peer, Franziska #115

StartNr: 35
4. Januar 2020 15:16
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **627.3** (596)
 Serien: 103.1 103.7 104.0 106.1 106.9 103.5
 Zähler: 56 4 0 0 0 0 0 0 0 0
 Innenzehner: 47
 weiteste: 310 (3), 303 (24), 268 (52)
 beste Teiler 6.7 (28.) 6.7 (44.) 8.0 (41.)
 Trefferlage 0.03 mm rechts, 0.43 mm hoch
 Streuwert 0.99, horizontal: 0.90, vertikal: 1.07




Serie 1:
 10.7 * 10.1 ↖ 9.7 ↑ 10.6 * 10.7 *
 10.1 ↗ 10.0 → 10.1 ↘ 10.7 * 10.4 *
 beste Teiler 58.9 (5.) 62.6 (1.) 63.0 (9.)
 Trefferlage 0.50 mm rechts, 0.43 mm hoch
 Streuwert 1.26, horizontal: 1.23, vertikal: 1.28




Serie 2:
 10.6 * 9.9 ↙ 10.1 ← 10.7 * 10.4 *
 10.3 * 10.2 * 10.4 * 10.5 * 10.6 *
 beste Teiler 58.1 (14.) 82.6 (11.) 83.0 (20.)
 Trefferlage 0.24 mm links, 0.15 mm tief
 Streuwert 1.15, horizontal: 1.14, vertikal: 1.16




Serie 3:
 10.1 ↑ 10.3 * 10.5 * 9.7 ↘ 10.0 ↘
 10.4 * 10.7 * 10.9 * 10.6 * 10.8 *
 beste Teiler 6.7 (28.) 40.3 (30.) 67.3 (27.)
 Trefferlage 0.15 mm rechts, 0.76 mm hoch
 Streuwert 1.05, horizontal: 0.94, vertikal: 1.15



Serie 4:
 10.5 * 10.8 * 10.7 * 10.7 * 10.4 *
 10.5 * 10.6 * 10.8 * 10.4 * 10.7 *
 beste Teiler 42.0 (38.) 47.4 (32.) 55.7 (40.)
 Trefferlage 0.16 mm rechts, 0.11 mm hoch
 Streuwert 0.68, horizontal: 0.42, vertikal: 0.87



Serie 5:
 10.9 * 10.7 * 10.8 * 10.9 * 10.5 *
 10.7 * 10.7 * 10.6 * 10.6 * 10.5 *
 beste Teiler 6.7 (44.) 8.0 (41.) 50.0 (43.)
 Trefferlage 0.14 mm links, 0.39 mm hoch
 Streuwert 0.49, horizontal: 0.59, vertikal: 0.37



Serie 6:
 10.7 * 9.9 ↑ 10.7 * 10.7 * 10.5 *
 10.2 * 10.0 ↑ 10.0 ↘ 10.4 * 10.4 *
 beste Teiler 51.1 (51.) 59.2 (54.) 67.0 (53.)
 Trefferlage 0.21 mm links, 1.08 mm hoch
 Streuwert 0.95, horizontal: 0.82, vertikal: 1.07

LG 60 ZR – Wertung – **Frauen**

StandNr: 118

Köck, Rebecca #44

StartNr: 36



4. Januar 2020 15:38

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **625.7** (593)
 Serien: 104.8 103.4 104.6 103.1 104.7 105.1
 Zähler: 53 7 0 0 0 0 0 0 0 0
 Innenzehner: 51
 weiteste: 289 (45), 283 (5), 281 (39)
 beste Teiler 15.0 (42.) 30.4 (56.) 31.6 (55.)
 Trefferlage 0.12 mm links, 0.30 mm hoch
 Streuwert 1.04, horizontal: 1.01, vertikal: 1.06




Serie 1:
 10.7 * 10.7 * 10.7 * 10.7 * 9.8 ↗
 10.2 * 10.6 * 10.4 * 10.4 * 10.6 *
 beste Teiler 55.0 (4.) 68.8 (3.) 71.5 (2.)
 Trefferlage 0.30 mm links, 0.48 mm hoch
 Streuwert 0.93, horizontal: 0.72, vertikal: 1.10




Serie 2:
 10.7 * 10.2 * 9.8 ↘ 10.4 * 10.3 *
 10.1 ↘ 10.3 * 10.4 * 10.7 * 10.5 *
 beste Teiler 53.4 (11.) 70.6 (19.) 102.8 (20.)
 Trefferlage 0.02 mm rechts, 0.08 mm tief
 Streuwert 1.20, horizontal: 1.01, vertikal: 1.37




Serie 3:
 10.4 * 10.6 * 10.7 * 10.3 * 10.1 ↗
 9.8 → 10.5 * 10.6 * 10.8 * 10.8 *
 beste Teiler 43.1 (29.) 44.4 (30.) 54.2 (23.)
 Trefferlage 0.36 mm rechts, 0.23 mm hoch
 Streuwert 1.00, horizontal: 1.28, vertikal: 0.61



Serie 4:
 10.8 * 9.9 ↗ 10.2 * 10.5 * 10.3 *
 10.7 * 10.3 * 10.2 * 9.8 ↖ 10.4 *
 beste Teiler 49.9 (31.) 51.6 (36.) 110.1 (34.)
 Trefferlage 0.75 mm links, 0.77 mm hoch
 Streuwert 1.05, horizontal: 1.02, vertikal: 1.08



Serie 5:
 10.6 * 10.9 * 10.5 * 10.3 * 9.8 →
 10.6 * 10.4 * 10.8 * 10.6 * 10.2 *
 beste Teiler 15.0 (42.) 45.9 (48.) 86.2 (49.)
 Trefferlage 0.05 mm rechts, 0.35 mm hoch
 Streuwert 1.03, horizontal: 1.22, vertikal: 0.80



Serie 6:
 9.9 ↗ 10.6 * 10.6 * 10.5 * 10.8 *
 10.8 * 10.7 * 10.2 * 10.6 * 10.4 *
 beste Teiler 30.4 (56.) 31.6 (55.) 54.7 (57.)
 Trefferlage 0.12 mm links, 0.05 mm hoch
 Streuwert 0.95, horizontal: 0.43, vertikal: 1.27



LG 60 ZR – Wertung – **Frauen**
StandNr: 124
Hofmann, Olivia #30

StartNr: 37
4. Januar 2020 15:36
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **625.5** (598)
 Serien: 103.1 103.8 104.1 104.3 106.0 104.2
 Zähler: 58 2 0 0 0 0 0 0 0 0
 Innenzehner: 54
 weiteste: 311 (24), 299 (57), 241 (5)
 beste Teiler 14.4 (44.) 21.4 (60.) 38.8 (29.)
 Trefferlage 0.27 mm rechts, 0.01 mm hoch
 Streuwert 1.02, horizontal: 1.04, vertikal: 1.00




Serie 1:
 10.1 ↘ 10.5 * 10.6 * 10.1 ↘ 10.0 ↘
 10.6 * 10.1 ↘ 10.2 * 10.5 * 10.4 *
 beste Teiler 88.7 (3.) 93.0 (6.) 114.6 (2.)
 Trefferlage 0.09 mm rechts, 0.00 mm
 Streuwert 1.27, horizontal: 1.31, vertikal: 1.23




Serie 2:
 10.2 * 10.7 * 10.4 * 10.4 * 10.4 *
 10.3 * 10.5 * 10.3 * 10.2 * 10.4 *
 beste Teiler 68.0 (12.) 108.0 (17.) 135.1 (13.)
 Trefferlage 0.16 mm rechts, 0.01 mm hoch
 Streuwert 1.11, horizontal: 0.97, vertikal: 1.22




Serie 3:
 10.2 * 10.5 * 10.7 * 9.7 → 10.4 *
 10.5 * 10.5 * 10.6 * 10.8 * 10.2 *
 beste Teiler 38.8 (29.) 67.6 (23.) 83.8 (28.)
 Trefferlage 0.33 mm rechts, 0.18 mm hoch
 Streuwert 1.10, horizontal: 1.33, vertikal: 0.80



Serie 4:
 10.4 * 10.6 * 10.6 * 10.5 * 10.2 *
 10.2 * 10.3 * 10.7 * 10.2 * 10.6 *
 beste Teiler 73.7 (38.) 86.8 (32.) 92.6 (40.)
 Trefferlage 0.72 mm rechts, 0.03 mm tief
 Streuwert 0.88, horizontal: 0.81, vertikal: 0.95



Serie 5:
 10.7 * 10.6 * 10.7 * 10.9 * 10.6 *
 10.4 * 10.7 * 10.7 * 10.5 * 10.2 *
 beste Teiler 14.4 (44.) 54.5 (48.) 63.1 (41.)
 Trefferlage 0.13 mm rechts, 0.23 mm tief
 Streuwert 0.71, horizontal: 0.77, vertikal: 0.64



Serie 6:
 10.5 * 10.8 * 10.2 * 10.6 * 10.4 *
 10.5 * 9.8 ↙ 10.2 * 10.3 * 10.9 *
 beste Teiler 21.4 (60.) 42.1 (52.) 84.4 (54.)
 Trefferlage 0.20 mm rechts, 0.14 mm hoch
 Streuwert 1.13, horizontal: 1.03, vertikal: 1.23



LG 60 ZR – Wertung – **Frauen**
StandNr: 123
Ungerank, Nadine #34

StartNr: 38
4. Januar 2020 15:34
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **625.0** (592)
 Serien: 104.0 104.1 104.3 104.2 105.3 103.1
 Zähler: 52 8 0 0 0 0 0 0 0 0
 Innenzehner: 52
 weiteste: 297 (7), 287 (58), 280 (18)
 beste Teiler 34.5 (14.) 39.3 (49.) 44.5 (27.)
 Trefferlage 0.22 mm links, 0.25 mm hoch
 Streuwert 1.04, horizontal: 1.16, vertikal: 0.90




Serie 1:
 9.9 ← 10.7 * 10.7 * 10.8 * 10.3 *
 10.2 * 9.8 ↑ 10.5 * 10.7 * 10.4 *
 beste Teiler 47.2 (4.) 53.8 (3.) 54.7 (2.)
 Trefferlage 0.44 mm links, 0.48 mm hoch
 Streuwert 1.10, horizontal: 1.02, vertikal: 1.18




Serie 2:
 10.7 * 10.4 * 10.3 * 10.8 * 10.5 *
 10.2 * 10.4 * 9.8 ← 10.5 * 10.5 *
 beste Teiler 34.5 (14.) 55.5 (11.) 115.4 (20.)
 Trefferlage 0.45 mm links, 0.08 mm tief
 Streuwert 1.04, horizontal: 1.09, vertikal: 0.99




Serie 3:
 10.2 * 10.7 * 10.2 * 10.6 * 10.5 *
 10.4 * 10.8 * 10.2 * 10.2 * 10.5 *
 beste Teiler 44.5 (27.) 63.0 (22.) 80.2 (24.)
 Trefferlage 0.16 mm links, 0.09 mm tief
 Streuwert 1.03, horizontal: 1.21, vertikal: 0.81



Serie 4:
 10.4 * 9.9 ← 10.5 * 10.8 * 10.7 *
 10.7 * 10.4 * 10.3 * 9.9 ↗ 10.6 *
 beste Teiler 48.0 (34.) 55.9 (35.) 55.9 (36.)
 Trefferlage 0.21 mm links, 0.59 mm hoch
 Streuwert 1.04, horizontal: 1.29, vertikal: 0.72



Serie 5:
 10.4 * 10.4 * 10.7 * 10.4 * 10.5 *
 10.5 * 10.5 * 10.4 * 10.8 * 10.7 *
 beste Teiler 39.3 (49.) 67.1 (50.) 72.5 (43.)
 Trefferlage 0.46 mm rechts, 0.14 mm hoch
 Streuwert 0.73, horizontal: 0.75, vertikal: 0.71



Serie 6:
 10.6 * 10.4 * 9.9 ← 10.2 * 10.6 *
 10.6 * 10.7 * 9.8 ← 10.4 * 9.9 ↑
 beste Teiler 71.5 (57.) 79.2 (56.) 97.4 (51.)
 Trefferlage 0.51 mm links, 0.48 mm hoch
 Streuwert 1.22, horizontal: 1.48, vertikal: 0.88



LG 60 ZR – *Wertung* – **Frauen**
StandNr: 121
Pribitzer, Marlene #38

StartNr: 39
4. Januar 2020 15:38
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **621.6** (592)
 Serien: 104.3 103.1 103.4 104.7 102.7 103.4
 Zähler: 52 8 0 0 0 0 0 0 0 0
 Innenzehner: 48
 weiteste: 341 (51), 320 (41), 311 (48)
 beste Teiler 5.0 (16.) 13.0 (5.) 23.3 (59.)
 Trefferlage 0.10 mm rechts, 0.01 mm hoch
 Streuwert 1.21, horizontal: 1.40, vertikal: 0.98




Serie 1:
 9.8 ↙ 10.3 * 10.2 * 10.8 * 10.9 *
 10.6 * 10.2 * 10.8 * 10.5 * 10.2 *
 beste Teiler 13.0 (5.) 27.1 (8.) 46.6 (4.)
 Trefferlage 0.42 mm rechts, 0.18 mm tief
 Streuwert 1.07, horizontal: 1.34, vertikal: 0.70




Serie 2:
 10.4 * 9.9 ↗ 10.7 * 10.3 * 9.8 ↗
 10.9 * 10.3 * 10.0 ↙ 10.4 * 10.4 *
 beste Teiler 5.0 (16.) 54.1 (13.) 143.0 (11.)
 Trefferlage 0.36 mm rechts, 0.66 mm hoch
 Streuwert 1.21, horizontal: 1.41, vertikal: 0.98




Serie 3:
 10.2 * 10.1 ↗ 10.4 * 10.2 * 10.5 *
 10.2 * 10.4 * 10.6 * 10.4 * 10.4 *
 beste Teiler 97.1 (28.) 106.4 (25.) 127.0 (30.)
 Trefferlage 0.33 mm links, 0.06 mm hoch
 Streuwert 1.14, horizontal: 1.25, vertikal: 1.00



Serie 4:
 10.7 * 10.6 * 10.0 ↓ 10.1 ↘ 10.9 *
 10.7 * 10.8 * 10.3 * 10.4 * 10.2 *
 beste Teiler 24.6 (35.) 49.3 (37.) 55.9 (31.)
 Trefferlage 0.10 mm rechts, 0.00 mm
 Streuwert 1.10, horizontal: 1.10, vertikal: 1.10



Serie 5:
 9.7 ↘ 10.4 * 10.3 * 10.3 * 10.6 *
 10.2 * 10.5 * 9.7 ← 10.5 * 10.5 *
 beste Teiler 96.8 (45.) 108.0 (49.) 111.5 (50.)
 Trefferlage 0.34 mm links, 0.58 mm tief
 Streuwert 1.31, horizontal: 1.70, vertikal: 0.74



Serie 6:
 9.6 ↗ 10.6 * 10.6 * 9.8 ↗ 10.8 *
 9.8 ↙ 10.2 * 10.5 * 10.9 * 10.6 *
 beste Teiler 23.3 (59.) 46.1 (55.) 80.0 (53.)
 Trefferlage 0.40 mm rechts, 0.11 mm hoch
 Streuwert 1.37, horizontal: 1.60, vertikal: 1.09



LG 60 ZR – Wertung – Frauen
StandNr: 120
Auer, Marie–Theres #46

StartNr: 40
4. Januar 2020 15:02
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **608.0** (587)
 Serien: 101.2 101.1 104.2 102.2 99.0 100.3
 Zähler: 47 13 0 0 0 0 0 0 0 0
 Innenzehner: 29
 weiteste: 468 (60), 431 (45), 411 (41)
 beste Teiler 24.5 (21.) 27.2 (31.) 30.4 (24.)
 Trefferlage 0.12 mm rechts, 0.45 mm hoch
 Streuwert 1.58, horizontal: 1.74, vertikal: 1.39




Serie 1:
 10.2 * 9.6 ↙ 10.0 ↗ 10.0 ↘ 10.0 ↖
 10.2 * 10.0 → 10.6 * 10.2 * 10.4 *
 beste Teiler 81.7 (8.) 130.6 (10.) 179.8 (9.)
 Trefferlage 0.45 mm links, 0.41 mm hoch
 Streuwert 1.56, horizontal: 1.71, vertikal: 1.38




Serie 2:
 10.2 * 10.3 * 10.1 ← 9.9 ↓ 10.0 ↗
 9.8 ↖ 10.3 * 10.4 * 9.9 → 10.2 *
 beste Teiler 138.0 (18.) 153.9 (12.) 168.2 (17.)
 Trefferlage 0.03 mm rechts, 0.16 mm hoch
 Streuwert 1.60, horizontal: 1.77, vertikal: 1.40




Serie 3:
 10.9 * 10.6 * 10.1 ↑ 10.8 * 10.6 *
 10.8 * 10.0 ↘ 10.2 * 10.0 ↘ 10.2 *
 beste Teiler 24.5 (21.) 30.4 (24.) 39.6 (26.)
 Trefferlage 0.46 mm rechts, 0.09 mm tief
 Streuwert 1.15, horizontal: 1.12, vertikal: 1.17



Serie 4:
 10.8 * 10.4 * 10.0 ↑ 10.2 * 10.0 ↗
 10.4 * 10.1 ↘ 10.0 → 10.0 ← 10.3 *
 beste Teiler 27.2 (31.) 131.3 (36.) 136.8 (32.)
 Trefferlage 0.03 mm links, 0.63 mm hoch
 Streuwert 1.39, horizontal: 1.62, vertikal: 1.12



Serie 5:
 9.3 ↘ 10.2 * 10.1 ↓ 10.8 * 9.2 →
 9.8 ↖ 10.2 * 9.9 ↘ 9.5 ↑ 10.0 ↗
 beste Teiler 47.5 (44.) 183.1 (42.) 196.4 (47.)
 Trefferlage 0.29 mm rechts, 0.79 mm hoch
 Streuwert 2.04, horizontal: 2.11, vertikal: 1.98



Serie 6:
 10.2 * 10.1 ↗ 9.9 ← 10.7 * 9.9 →
 10.0 ↑ 10.5 * 9.7 ↘ 10.2 * 9.1 ↘
 beste Teiler 63.6 (54.) 103.7 (57.) 193.9 (59.)
 Trefferlage 0.41 mm rechts, 0.79 mm hoch
 Streuwert 1.79, horizontal: 2.21, vertikal: 1.25



LG 60 ZR – Wertung – Frauen
StandNr: 125
Kitzbichler, Jasmin #82

StartNr: 41
4. Januar 2020 15:38
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **619.2** (591)
 Serien: 101.7 102.4 103.4 104.5 103.2 104.0
 Zähler: 51 9 0 0 0 0 0 0 0 0
 Innenzehner: 46
 weiteste: 434 (5), 376 (28), 366 (38)
 beste Teiler 41.4 (39.) 46.2 (34.) 50.0 (18.)
 Trefferlage 0.13 mm rechts, 0.59 mm hoch
 Streuwert 1.23, horizontal: 1.17, vertikal: 1.28




Serie 1:
 10.2 * 10.0 ↖ 10.6 * 10.1 ↗ 9.2 ↗
 10.6 * 9.8 ← 10.5 * 10.3 * 10.4 *
 beste Teiler 76.0 (6.) 78.4 (3.) 107.7 (8.)
 Trefferlage 0.06 mm rechts, 0.89 mm hoch
 Streuwert 1.50, horizontal: 1.48, vertikal: 1.53




Serie 2:
 10.2 * 10.4 * 10.2 * 10.2 * 9.8 →
 10.5 * 10.0 ↓ 10.8 * 10.4 * 9.9 →
 beste Teiler 50.0 (18.) 112.8 (16.) 132.2 (12.)
 Trefferlage 0.48 mm rechts, 0.62 mm hoch
 Streuwert 1.31, horizontal: 1.44, vertikal: 1.16




Serie 3:
 10.6 * 10.3 * 10.2 * 10.6 * 10.3 *
 10.4 * 10.6 * 9.4 ↗ 10.3 * 10.7 *
 beste Teiler 71.5 (30.) 87.0 (27.) 87.6 (21.)
 Trefferlage 0.26 mm rechts, 0.52 mm hoch
 Streuwert 1.22, horizontal: 0.93, vertikal: 1.45



Serie 4:
 10.5 * 10.7 * 10.5 * 10.8 * 10.7 *
 9.8 ↖ 10.7 * 9.5 ↑ 10.8 * 10.5 *
 beste Teiler 41.4 (39.) 46.2 (34.) 54.8 (37.)
 Trefferlage 0.10 mm links, 0.62 mm hoch
 Streuwert 1.13, horizontal: 1.01, vertikal: 1.24



Serie 5:
 10.4 * 10.4 * 9.6 ↖ 10.5 * 10.3 *
 10.7 * 10.7 * 10.6 * 9.5 ↑ 10.5 *
 beste Teiler 54.2 (46.) 58.2 (47.) 86.4 (48.)
 Trefferlage 0.03 mm links, 0.41 mm hoch
 Streuwert 1.34, horizontal: 1.28, vertikal: 1.40



Serie 6:
 10.4 * 10.4 * 10.4 * 10.4 * 10.7 *
 10.7 * 10.0 ↗ 10.1 ↗ 10.7 * 10.2 *
 beste Teiler 58.1 (55.) 64.3 (59.) 68.6 (56.)
 Trefferlage 0.14 mm rechts, 0.49 mm hoch
 Streuwert 1.05, horizontal: 0.99, vertikal: 1.12

LG 60 ZR – *Wertung* – **Frauen**
StandNr: 122
Zaisberger, Verena #295

StartNr: 42
4. Januar 2020 15:27
AUT

Unterschrift des Schützen

Meyton Elektronik