





Ergebnis: **617.0** (588)
 Serien: 102.9 102.5 103.7 103.4 103.4 101.1
 Zähler: 48 12 0 0 0 0 0 0 0
 Innenzehner: 41
 weiteste: 395 (37), 374 (54), 354 (59)
 beste Teiler 8.9 (55.) 16.2 (32.) 47.0 (40.)
 Trefferlage 0.33 mm links, 0.03 mm hoch
 Streuwert 1.32, horizontal: 1.54, vertikal: 1.06




Serie 1:
 10.2 * 10.5 * 10.6 * 10.1 ↘ 10.3 *
 10.4 * 9.9 ← 10.4 * 10.3 * 10.2 *
 beste Teiler 82.7 (3.) 110.8 (2.) 132.8 (8.)
 Trefferlage 0.15 mm rechts, 0.49 mm tief
 Streuwert 1.21, horizontal: 1.52, vertikal: 0.79




Serie 2:
 10.4 * 10.6 * 10.5 * 9.9 ↗ 10.5 *
 10.0 ↑ 10.5 * 10.2 * 9.8 ← 10.1 ↘
 beste Teiler 80.0 (12.) 113.5 (17.) 114.0 (15.)
 Trefferlage 0.40 mm links, 0.56 mm hoch
 Streuwert 1.29, horizontal: 1.45, vertikal: 1.10




Serie 3:
 10.4 * 10.7 * 10.4 * 10.2 * 10.1 ↘
 10.3 * 10.7 * 10.1 ↗ 10.4 * 10.4 *
 beste Teiler 72.7 (22.) 74.3 (27.) 130.2 (21.)
 Trefferlage 0.30 mm links, 0.89 mm tief
 Streuwert 0.92, horizontal: 0.97, vertikal: 0.86



Serie 4:
 10.8 * 10.9 * 10.4 * 10.3 * 10.4 *
 9.8 ↘ 9.4 ← 9.9 ↗ 10.7 * 10.8 *
 beste Teiler 16.2 (32.) 47.0 (40.) 48.0 (31.)
 Trefferlage 0.33 mm links, 0.50 mm hoch
 Streuwert 1.40, horizontal: 1.91, vertikal: 0.52



Serie 5:
 9.9 → 10.1 ↖ 10.5 * 10.6 * 10.7 *
 10.3 * 10.4 * 10.3 * 10.7 * 9.9 ←
 beste Teiler 71.1 (49.) 73.2 (45.) 94.4 (44.)
 Trefferlage 0.02 mm links, 0.50 mm hoch
 Streuwert 1.18, horizontal: 1.32, vertikal: 1.02



Serie 6:
 10.5 * 10.6 * 9.6 ← 9.5 ↘ 10.9 *
 10.2 * 9.8 ↗ 10.1 ↘ 9.5 ← 10.4 *
 beste Teiler 8.9 (55.) 100.6 (52.) 110.2 (51.)
 Trefferlage 1.07 mm links, 0.04 mm hoch
 Streuwert 1.61, horizontal: 1.93, vertikal: 1.20

LG 60 ZR – Wertung – Männer

StandNr: 118

Rumpler, Gernot #137

StartNr: 18



4. Januar 2020 10:10

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **619.5** (593)
 Serien: 105.7 102.3 103.5 102.4 102.2 103.4
 Zähler: 53 7 0 0 0 0 0 0 0 0
 Innenzehner: 41
 weiteste: 384 (37), 300 (14), 299 (44)
 beste Teiler 10.0 (2.) 29.4 (3.) 40.4 (6.)
 Trefferlage 0.04 mm links, 0.01 mm tief
 Streuwert 1.24, horizontal: 1.36, vertikal: 1.12




Serie 1:
 9.9 ↗ 10.9 * 10.8 * 10.5 * 10.7 *
 10.8 * 10.5 * 10.7 * 10.4 * 10.5 *
 beste Teiler 10.0 (2.) 29.4 (3.) 40.4 (6.)
 Trefferlage 0.49 mm rechts, 0.06 mm hoch
 Streuwert 0.78, horizontal: 0.78, vertikal: 0.78




Serie 2:
 10.5 * 10.1 ← 10.0 ↗ 9.8 ↗ 10.3 *
 10.4 * 10.1 ← 10.4 * 10.0 ↘ 10.7 *
 beste Teiler 65.0 (20.) 103.3 (11.) 129.1 (18.)
 Trefferlage 0.11 mm links, 0.60 mm hoch
 Streuwert 1.39, horizontal: 1.57, vertikal: 1.18




Serie 3:
 10.1 ↘ 10.4 * 10.6 * 10.4 * 10.3 *
 10.0 ↘ 10.6 * 10.2 * 10.3 * 10.6 *
 beste Teiler 80.1 (23.) 80.2 (30.) 96.1 (27.)
 Trefferlage 0.10 mm rechts, 0.62 mm tief
 Streuwert 1.08, horizontal: 0.99, vertikal: 1.17



Serie 4:
 10.5 * 10.6 * 10.1 ↗ 9.9 ↗ 10.1 ↘
 10.6 * 9.4 ← 10.8 * 9.8 ← 10.6 *
 beste Teiler 46.8 (38.) 79.2 (32.) 87.0 (36.)
 Trefferlage 0.44 mm links, 0.15 mm hoch
 Streuwert 1.50, horizontal: 1.85, vertikal: 1.05



Serie 5:
 10.5 * 10.0 ↘ 10.0 ← 9.8 ← 10.4 *
 10.4 * 10.1 ↗ 9.9 ← 10.6 * 10.5 *
 beste Teiler 96.1 (49.) 106.8 (41.) 122.0 (50.)
 Trefferlage 0.55 mm links, 0.18 mm tief
 Streuwert 1.40, horizontal: 1.54, vertikal: 1.23



Serie 6:
 10.4 * 10.6 * 10.3 * 10.3 * 10.2 *
 10.4 * 10.2 * 10.1 ↘ 10.5 * 10.4 *
 beste Teiler 81.9 (52.) 104.5 (59.) 126.6 (60.)
 Trefferlage 0.27 mm rechts, 0.12 mm tief
 Streuwert 1.12, horizontal: 1.11, vertikal: 1.12



LG 60 ZR – Wertung – **Männer**
StandNr: 119
Zott, Georg #47

StartNr: 19
4. Januar 2020 9:43
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **623.3** (593)
 Serien: 103.8 103.4 103.4 102.3 105.0 105.4
 Zähler: 54 5 1 0 0 0 0 0 0
 Innenzehner: 47
 weiteste: 544 (16), 393 (21), 350 (36)
 beste Teiler 30.2 (35.) 37.3 (45.) 42.2 (32.)
 Trefferlage 0.25 mm rechts, 0.19 mm hoch
 Streuwert 1.20, horizontal: 1.29, vertikal: 1.10




Serie 1:
 10.6 * 10.3 * 10.7 * 10.4 * 10.7 *
 10.1 ↗ 10.2 * 9.8 ↑ 10.4 * 10.6 *
 beste Teiler 55.1 (3.) 59.3 (5.) 83.2 (10.)
 Trefferlage 0.47 mm rechts, 0.67 mm hoch
 Streuwert 1.00, horizontal: 0.78, vertikal: 1.18




Serie 2:
 10.5 * 10.5 * 10.8 * 10.7 * 10.1 ↗
 8.8 ↗ 10.5 * 10.7 * 10.2 * 10.6 *
 beste Teiler 44.2 (13.) 62.8 (18.) 66.7 (14.)
 Trefferlage 0.66 mm rechts, 0.29 mm hoch
 Streuwert 1.46, horizontal: 1.66, vertikal: 1.24




Serie 3:
 9.4 ↗ 10.8 * 10.5 * 10.6 * 10.4 *
 10.0 ↘ 10.6 * 10.4 * 10.3 * 10.4 *
 beste Teiler 45.8 (22.) 77.4 (24.) 81.5 (27.)
 Trefferlage 0.60 mm rechts, 0.03 mm tief
 Streuwert 1.28, horizontal: 1.36, vertikal: 1.21



Serie 4:
 10.1 ↘ 10.8 * 10.0 ← 10.3 * 10.8 *
 9.6 ↘ 10.6 * 10.3 * 9.9 ← 9.9 →
 beste Teiler 30.2 (35.) 42.2 (32.) 97.0 (37.)
 Trefferlage 0.21 mm links, 0.29 mm hoch
 Streuwert 1.54, horizontal: 1.81, vertikal: 1.22



Serie 5:
 10.1 ↘ 10.4 * 10.1 ↘ 10.7 * 10.8 *
 10.8 * 10.5 * 10.5 * 10.4 * 10.7 *
 beste Teiler 37.3 (45.) 50.6 (46.) 52.4 (50.)
 Trefferlage 0.31 mm links, 0.40 mm tief
 Streuwert 0.91, horizontal: 0.85, vertikal: 0.97



Serie 6:
 10.4 * 10.7 * 10.4 * 10.7 * 10.6 *
 10.7 * 10.6 * 10.2 * 10.6 * 10.5 *
 beste Teiler 63.0 (52.) 71.5 (54.) 75.9 (56.)
 Trefferlage 0.33 mm rechts, 0.34 mm hoch
 Streuwert 0.73, horizontal: 0.83, vertikal: 0.61

LG 60 ZR – Wertung – **Männer**

StandNr: 120

Diem, Patrick #133

StartNr: 20



4. Januar 2020 10:01

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **621.4** (590)
 Serien: 102.7 104.4 102.9 102.8 104.2 104.4
 Zähler: 50 10 0 0 0 0 0 0 0 0
 Innenzehner: 46
 weiteste: 315 (40), 304 (22), 299 (9)
 beste Teiler 28.2 (34.) 38.8 (57.) 42.0 (17.)
 Trefferlage 0.20 mm links, 0.06 mm hoch
 Streuwert 1.19, horizontal: 1.32, vertikal: 1.04




Serie 1:
 10.2 * 10.8 * 10.3 * 10.0 ✓ 10.7 *
 10.2 * 10.2 * 10.4 * 9.8 ✓ 10.1 ↓
 beste Teiler 49.0 (2.) 72.0 (5.) 136.1 (8.)
 Trefferlage 0.38 mm links, 0.42 mm tief
 Streuwert 1.33, horizontal: 1.33, vertikal: 1.34




Serie 2:
 10.3 * 9.9 ↖ 10.0 ↖ 10.3 * 10.6 *
 10.6 * 10.8 * 10.6 * 10.7 * 10.6 *
 beste Teiler 42.0 (17.) 64.0 (19.) 89.8 (18.)
 Trefferlage 0.27 mm links, 0.43 mm hoch
 Streuwert 1.03, horizontal: 0.96, vertikal: 1.09




Serie 3:
 10.3 * 9.7 → 9.9 ← 10.5 * 10.5 *
 10.7 * 10.6 * 10.3 * 10.6 * 9.8 ←
 beste Teiler 70.7 (26.) 84.8 (27.) 89.6 (29.)
 Trefferlage 0.43 mm links, 0.02 mm hoch
 Streuwert 1.33, horizontal: 1.75, vertikal: 0.70



Serie 4:
 10.6 * 10.5 * 9.9 ✓ 10.8 * 10.8 *
 10.2 * 9.9 ← 10.5 * 9.9 ↖ 9.7 ↖
 beste Teiler 28.2 (34.) 47.0 (35.) 85.0 (31.)
 Trefferlage 0.88 mm links, 0.16 mm hoch
 Streuwert 1.27, horizontal: 1.47, vertikal: 1.02



Serie 5:
 10.4 * 10.5 * 10.5 * 9.8 → 10.6 *
 10.6 * 10.5 * 10.3 * 10.4 * 10.6 *
 beste Teiler 91.4 (46.) 94.9 (45.) 98.4 (50.)
 Trefferlage 0.42 mm rechts, 0.05 mm tief
 Streuwert 1.06, horizontal: 1.05, vertikal: 1.08



Serie 6:
 10.3 * 10.5 * 10.4 * 10.6 * 10.4 *
 10.6 * 10.8 * 10.6 * 10.2 * 10.0 →
 beste Teiler 38.8 (57.) 79.6 (54.) 82.6 (56.)
 Trefferlage 0.32 mm rechts, 0.23 mm hoch
 Streuwert 0.99, horizontal: 1.05, vertikal: 0.93

LG 60 ZR – Wertung – Männer

StandNr: 121

Thum, Andreas #45

StartNr: 21



4. Januar 2020 10:05

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **626.9** (598)
 Serien: 104.7 105.7 103.7 104.8 104.8 103.2
 Zähler: 58 2 0 0 0 0 0 0 0 0
 Innenzehner: 53
 weiteste: 268 (24), 258 (51), 229 (31)
 beste Teiler 12.8 (16.) 46.5 (35.) 48.0 (38.)
 Trefferlage 0.30 mm rechts, 0.09 mm tief
 Streuwert 0.96, horizontal: 1.06, vertikal: 0.85




Serie 1:
 10.6 * 10.5 * 10.1 ↘ 10.2 * 10.6 *
 10.6 * 10.5 * 10.6 * 10.6 * 10.4 *
 beste Teiler 77.6 (5.) 79.0 (8.) 91.4 (1.)
 Trefferlage 0.34 mm rechts, 0.33 mm tief
 Streuwert 0.90, horizontal: 0.93, vertikal: 0.88




Serie 2:
 10.2 * 10.8 * 10.8 * 10.3 * 10.3 *
 10.9 * 10.4 * 10.6 * 10.7 * 10.7 *
 beste Teiler 12.8 (16.) 49.2 (12.) 49.4 (13.)
 Trefferlage 0.47 mm rechts, 0.17 mm tief
 Streuwert 0.75, horizontal: 1.04, vertikal: 0.25




Serie 3:
 10.7 * 10.0 ↓ 10.6 * 9.9 → 10.2 *
 10.4 * 10.6 * 10.6 * 10.2 * 10.5 *
 beste Teiler 74.8 (21.) 87.7 (23.) 91.2 (27.)
 Trefferlage 0.64 mm rechts, 0.03 mm tief
 Streuwert 1.08, horizontal: 1.09, vertikal: 1.07



Serie 4:
 10.0 ↓ 10.4 * 10.5 * 10.6 * 10.8 *
 10.6 * 10.5 * 10.8 * 10.5 * 10.1 ↗
 beste Teiler 46.5 (35.) 48.0 (38.) 82.4 (34.)
 Trefferlage 0.29 mm rechts, 0.01 mm tief
 Streuwert 0.95, horizontal: 0.76, vertikal: 1.10



Serie 5:
 10.5 * 10.3 * 10.7 * 10.5 * 10.7 *
 10.5 * 10.4 * 10.3 * 10.6 * 10.3 *
 beste Teiler 64.4 (43.) 74.8 (45.) 98.2 (49.)
 Trefferlage 0.24 mm rechts, 0.11 mm hoch
 Streuwert 0.91, horizontal: 1.10, vertikal: 0.66



Serie 6:
 9.9 ↗ 10.3 * 10.1 ↗ 10.3 * 10.4 *
 10.4 * 10.5 * 10.6 * 10.2 * 10.5 *
 beste Teiler 82.1 (58.) 104.2 (57.) 105.6 (60.)
 Trefferlage 0.18 mm links, 0.12 mm tief
 Streuwert 1.22, horizontal: 1.41, vertikal: 1.00

LG 60 ZR – Wertung – **Männer**

StandNr: 122

Mathis, Thomas #39

StartNr: 22



4. Januar 2020 9:50

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **621.3** (595)
 Serien: 103.3 103.4 104.2 103.3 103.2 103.9
 Zähler: 55 5 0 0 0 0 0 0 0 0
 Innenzehner: 49
 weiteste: 324 (1), 293 (15), 285 (47)
 beste Teiler 21.2 (40.) 42.5 (22.) 45.4 (28.)
 Trefferlage 0.24 mm rechts, 0.14 mm hoch
 Streuwert 1.15, horizontal: 1.09, vertikal: 1.22




Serie 1:
 9.7 ↑ 10.6 * 10.5 * 10.2 * 10.6 *
 10.6 * 10.3 * 10.0 ↑ 10.2 * 10.6 *
 beste Teiler 89.4 (2.) 97.3 (6.) 99.8 (10.)
 Trefferlage 0.34 mm rechts, 0.31 mm hoch
 Streuwert 1.24, horizontal: 0.37, vertikal: 1.71




Serie 2:
 10.4 * 10.6 * 10.2 * 10.5 * 9.8 ↘
 10.4 * 10.5 * 10.2 * 10.1 ↗ 10.7 *
 beste Teiler 68.8 (20.) 95.1 (12.) 107.6 (14.)
 Trefferlage 0.20 mm rechts, 0.18 mm hoch
 Streuwert 1.22, horizontal: 1.17, vertikal: 1.26




Serie 3:
 10.3 * 10.8 * 10.2 * 10.4 * 10.4 *
 10.5 * 10.4 * 10.8 * 10.6 * 9.8 ↘
 beste Teiler 42.5 (22.) 45.4 (28.) 97.0 (29.)
 Trefferlage 0.40 mm rechts, 0.25 mm hoch
 Streuwert 1.05, horizontal: 1.07, vertikal: 1.04



Serie 4:
 10.1 ↙ 10.7 * 10.4 * 10.0 ↘ 10.2 *
 10.3 * 10.1 → 10.2 * 10.4 * 10.9 *
 beste Teiler 21.2 (40.) 75.9 (32.) 148.0 (33.)
 Trefferlage 0.13 mm links, 0.33 mm hoch
 Streuwert 1.27, horizontal: 1.38, vertikal: 1.14



Serie 5:
 10.6 * 10.7 * 10.1 ↘ 10.6 * 10.4 *
 10.3 * 9.8 ↘ 9.8 ↙ 10.3 * 10.6 *
 beste Teiler 53.1 (42.) 86.1 (41.) 90.0 (50.)
 Trefferlage 0.31 mm rechts, 0.71 mm tief
 Streuwert 1.18, horizontal: 1.18, vertikal: 1.18



Serie 6:
 10.7 * 10.2 * 10.6 * 10.2 * 10.4 *
 10.5 * 10.3 * 10.5 * 10.3 * 10.2 *
 beste Teiler 59.6 (51.) 84.1 (53.) 108.2 (58.)
 Trefferlage 0.32 mm rechts, 0.49 mm hoch
 Streuwert 0.99, horizontal: 1.25, vertikal: 0.62

LG 60 ZR – Wertung – Männer

StandNr: 123

Schmirl, Alexander #148

StartNr: 23



4. Januar 2020 10:08

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **625.1** (594)
 Serien: 102.9 104.9 104.5 103.8 103.9 105.1
 Zähler: 54 6 0 0 0 0 0 0 0 0
 Innenzehner: 48
 weiteste: 380 (41), 299 (25), 295 (51)
 beste Teiler 23.0 (50.) 32.4 (54.) 41.7 (57.)
 Trefferlage 0.10 mm links, 0.22 mm hoch
 Streuwert 1.10, horizontal: 1.20, vertikal: 0.99




Serie 1:
 10.7 * 10.0 ← 10.3 * 10.1 ↓ 9.9 ↗
 10.6 * 10.3 * 10.6 * 10.2 * 10.2 *
 beste Teiler 68.7 (1.) 79.3 (8.) 95.2 (6.)
 Trefferlage 0.87 mm links, 0.27 mm tief
 Streuwert 1.12, horizontal: 1.08, vertikal: 1.16




Serie 2:
 9.8 ↗ 10.8 * 10.6 * 10.7 * 10.8 *
 10.0 ↗ 10.2 * 10.6 * 10.7 * 10.7 *
 beste Teiler 45.3 (15.) 50.2 (12.) 69.0 (20.)
 Trefferlage 0.13 mm rechts, 0.08 mm tief
 Streuwert 1.07, horizontal: 1.09, vertikal: 1.05




Serie 3:
 10.6 * 10.6 * 10.8 * 10.8 * 9.8 ↗
 9.9 ↗ 10.6 * 10.2 * 10.7 * 10.5 *
 beste Teiler 49.2 (23.) 49.8 (24.) 54.9 (29.)
 Trefferlage 0.10 mm links, 0.81 mm hoch
 Streuwert 0.97, horizontal: 1.00, vertikal: 0.93



Serie 4:
 10.7 * 10.2 * 10.1 ↗ 10.6 * 10.3 *
 10.5 * 10.6 * 10.5 * 10.0 → 10.3 *
 beste Teiler 66.8 (31.) 87.9 (34.) 100.7 (37.)
 Trefferlage 0.36 mm rechts, 0.34 mm hoch
 Streuwert 1.10, horizontal: 1.15, vertikal: 1.05



Serie 5:
 9.4 ← 10.4 * 10.5 * 10.8 * 10.6 *
 10.0 ↗ 10.6 * 10.5 * 10.2 * 10.9 *
 beste Teiler 23.0 (50.) 50.9 (44.) 76.3 (47.)
 Trefferlage 0.75 mm links, 0.24 mm hoch
 Streuwert 1.15, horizontal: 1.34, vertikal: 0.92



Serie 6:
 9.8 → 10.7 * 10.3 * 10.8 * 10.4 *
 10.7 * 10.8 * 10.5 * 10.6 * 10.5 *
 beste Teiler 32.4 (54.) 41.7 (57.) 58.2 (56.)
 Trefferlage 0.59 mm rechts, 0.30 mm hoch
 Streuwert 0.83, horizontal: 0.99, vertikal: 0.63

LG 60 ZR – Wertung – **Männer**

StandNr: 124

Pickl, Bernhard #294

StartNr: 24



4. Januar 2020 10:00

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 624.2 (596)
Serien: 105.1 102.5 106.2 103.8 103.4 103.2
Zähler: 56 4 0 0 0 0 0 0 0 0
Innenzehner: 46
weiteste: 339 (11), 291 (53), 287 (44)
beste Teiler 4.4 (33.) 13.6 (10.) 27.1 (24.)
Trefferlage 0.06 mm links, 0.03 mm tief
Streuwert 1.13, horizontal: 1.09, vertikal: 1.16




Serie 1:
 10.3 * 10.1 ↗ 10.8 * 10.6 * 10.5 *
 10.6 * 10.7 * 10.6 * 10.0 ↗ 10.9 *
beste Teiler 13.6 (10.) 46.0 (3.) 61.2 (7.)
Trefferlage 0.22 mm links, 0.35 mm hoch
Streuwert 0.91, horizontal: 0.91, vertikal: 0.91




Serie 2:
 9.6 ↑ 10.2 * 10.7 * 10.3 * 10.5 *
 10.1 ↘ 10.3 * 10.3 * 10.3 * 10.2 *
beste Teiler 63.0 (13.) 120.2 (15.) 152.9 (17.)
Trefferlage 0.00 mm, 0.92 mm hoch
Streuwert 1.22, horizontal: 1.07, vertikal: 1.36




Serie 3:
 10.6 * 10.8 * 10.7 * 10.8 * 10.8 *
 10.4 * 10.8 * 10.6 * 10.4 * 10.3 *
beste Teiler 27.1 (24.) 36.0 (25.) 47.1 (27.)
Trefferlage 0.10 mm rechts, 0.13 mm hoch
Streuwert 0.70, horizontal: 0.68, vertikal: 0.72



Serie 4:
 10.4 * 10.3 * 10.9 * 10.2 * 10.4 *
 10.0 ← 10.1 ↓ 10.7 * 10.0 ↘ 10.8 *
beste Teiler 4.4 (33.) 50.4 (40.) 66.6 (38.)
Trefferlage 0.27 mm rechts, 0.78 mm tief
Streuwert 1.06, horizontal: 1.22, vertikal: 0.87



Serie 5:
 10.1 ← 10.8 * 10.6 * 9.8 → 10.3 *
 10.0 ↗ 10.4 * 10.8 * 10.4 * 10.2 *
beste Teiler 41.3 (42.) 43.4 (48.) 83.1 (43.)
Trefferlage 0.69 mm links, 0.38 mm tief
Streuwert 1.14, horizontal: 1.38, vertikal: 0.82



Serie 6:
 10.8 * 10.5 * 9.8 ↓ 9.9 → 10.6 *
 10.6 * 10.0 ↗ 10.3 * 10.6 * 10.1 ↓
beste Teiler 29.4 (51.) 87.3 (59.) 88.0 (55.)
Trefferlage 0.16 mm rechts, 0.43 mm tief
Streuwert 1.29, horizontal: 1.15, vertikal: 1.41

LG 60 ZR – Wertung – Männer

StandNr: 125

Strempfl, Martin #31

StartNr: 25



4. Januar 2020 10:09

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **624.7** (599)
 Serien: 103.1 103.1 103.2 105.1 105.2 105.0
 Zähler: 59 1 0 0 0 0 0 0 0 0
 Innenzehner: 46
 weiteste: 251 (19), 244 (10), 241 (16)
 beste Teiler 10.2 (31.) 21.0 (34.) 24.3 (32.)
 Trefferlage 0.00 mm, 0.12 mm tief
 Streuwert 1.08, horizontal: 0.93, vertikal: 1.21




Serie 1:
 10.1 ↘ 10.4 * 10.3 * 10.4 * 10.1 ↗
 10.6 * 10.2 * 10.6 * 10.4 * 10.0 ↖
 beste Teiler 87.6 (6.) 90.0 (8.) 128.0 (2.)
 Trefferlage 0.26 mm links, 0.57 mm hoch
 Streuwert 1.18, horizontal: 1.22, vertikal: 1.14




Serie 2:
 10.1 ↓ 10.6 * 10.4 * 10.7 * 10.4 *
 10.0 ↓ 10.6 * 10.2 * 9.9 ↙ 10.2 *
 beste Teiler 58.6 (14.) 77.5 (12.) 87.9 (17.)
 Trefferlage 0.16 mm rechts, 0.95 mm tief
 Streuwert 1.06, horizontal: 1.03, vertikal: 1.09




Serie 3:
 10.0 ↘ 10.1 ↗ 10.7 * 10.9 * 10.4 *
 10.4 * 10.1 ↓ 10.0 ↘ 10.4 * 10.2 *
 beste Teiler 25.0 (24.) 73.2 (23.) 127.0 (29.)
 Trefferlage 0.17 mm links, 0.32 mm hoch
 Streuwert 1.27, horizontal: 0.92, vertikal: 1.54



Serie 4:
 10.9 * 10.9 * 10.1 ↓ 10.9 * 10.5 *
 10.5 * 10.2 * 10.7 * 10.1 ↓ 10.3 *
 beste Teiler 10.2 (31.) 21.0 (34.) 24.3 (32.)
 Trefferlage 0.08 mm rechts, 0.51 mm tief
 Streuwert 0.95, horizontal: 0.84, vertikal: 1.05



Serie 5:
 10.6 * 10.5 * 10.7 * 10.3 * 10.6 *
 10.7 * 10.1 ↙ 10.5 * 10.8 * 10.4 *
 beste Teiler 44.6 (49.) 54.0 (46.) 73.8 (43.)
 Trefferlage 0.06 mm links, 0.21 mm tief
 Streuwert 0.88, horizontal: 0.72, vertikal: 1.02



Serie 6:
 10.6 * 10.0 ↗ 10.7 * 10.3 * 10.2 *
 10.6 * 10.7 * 10.6 * 10.6 * 10.7 *
 beste Teiler 51.2 (60.) 72.6 (53.) 75.0 (57.)
 Trefferlage 0.27 mm rechts, 0.05 mm hoch
 Streuwert 0.93, horizontal: 0.89, vertikal: 0.96

LG 60 ZR – Wertung – Männer

StandNr: 126

Blamauer, Nikolaus #132

StartNr: 26

4. Januar 2020 9:39

AUT

Unterschrift des Schützen

Meyton Elektronik