





Ergebnis: **562** (590.7)
 Serien: 95 94 94 95 94 90
 Zähler: 30 23 6 1 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 2439 (52), 2222 (20), 2194 (18)
 beste Teiler 97.0 (24.) 98.3 (37.) 107.5 (41.)
 Trefferlage 0.45 mm rechts, 0.09 mm tief
 Streuwert 7.37, horizontal: 6.56, vertikal: 8.10




Serie 1:
 10.3 ↖ 10.0 ↓ 10.5 * 10.0 ↗ 8.8 ↘
 10.7 * 8.9 ↓ 10.5 * 9.3 ↘ 10.2 ↖
 beste Teiler 215.3 (6.) 382.8 (8.) 395.8 (3.)
 Trefferlage 2.17 mm rechts, 2.73 mm tief
 Streuwert 6.84, horizontal: 6.92, vertikal: 6.75




Serie 2:
 9.3 ↖ 10.2 ↖ 10.4 * 10.3 ↑ 10.0 ↖
 9.1 ↖ 10.7 * 8.2 ↓ 10.7 * 8.2 ↗
 beste Teiler 189.7 (17.) 224.0 (19.) 412.0 (13.)
 Trefferlage 1.07 mm links, 2.72 mm hoch
 Streuwert 8.86, horizontal: 7.20, vertikal: 10.25




Serie 3:
 9.6 ↗ 10.1 ↘ 9.9 ↓ 10.8 * 10.3 ↘
 10.7 * 8.9 ↑ 9.3 ↓ 10.0 ↑ 9.6 ↓
 beste Teiler 97.0 (24.) 225.8 (26.) 554.1 (25.)
 Trefferlage 1.69 mm rechts, 0.47 mm tief
 Streuwert 7.02, horizontal: 3.23, vertikal: 9.39



Serie 4:
 10.0 ↖ 10.0 ↗ 10.4 * 9.5 ↗ 9.8 ↗
 10.0 ↘ 10.8 * 9.9 ↓ 9.7 ↖ 9.9 →
 beste Teiler 98.3 (37.) 435.4 (33.) 725.0 (36.)
 Trefferlage 0.06 mm links, 1.17 mm hoch
 Streuwert 6.01, horizontal: 6.35, vertikal: 5.65



Serie 5:
 10.8 * 9.5 ↖ 10.2 → 9.4 → 10.4 *
 9.7 ↗ 9.9 ↑ 10.1 ↑ 9.6 ↘ 9.9 ↘
 beste Teiler 107.5 (41.) 442.6 (45.) 606.6 (43.)
 Trefferlage 3.28 mm rechts, 0.74 mm hoch
 Streuwert 5.96, horizontal: 6.67, vertikal: 5.16



Serie 6:
 10.1 ↘ 7.9 ↓ 9.0 ↖ 9.9 ↗ 9.4 ↖
 10.3 ↑ 9.9 ↗ 8.7 ↖ 9.9 ↑ 10.6 *
 beste Teiler 304.2 (60.) 548.2 (56.) 693.0 (51.)
 Trefferlage 3.28 mm links, 1.97 mm tief
 Streuwert 9.06, horizontal: 7.41, vertikal: 10.45

LP 60 – Wertung – **Männer**

StandNr: 109

Kral, Daniel #86

StartNr: 9

4. Januar 2020 10:06

AUT

Unterschrift des Schützen

Meyton Elektronik

LP 60 – Wertung – **Männer**

StandNr: 110

Zechmeister, Richard #125

StartNr: 10



4. Januar 2020 10:02

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **557** (585.5)
 Serien: 90 94 94 94 91 94
 Zähler: 22 33 5 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2127 (21), 2115 (8), 1757 (7)
 beste Teiler 100.1 (34.) 123.9 (6.) 135.5 (24.)
 Trefferlage 1.19 mm links, 0.45 mm hoch
 Streuwert 7.53, horizontal: 7.86, vertikal: 7.19




Serie 1:
 10.2 ↗ 9.4 → 9.2 → 9.9 ↑ 9.5 →
 10.8 * 8.8 ↓ 8.3 ↘ 9.5 ↘ 9.3 ↘
 beste Teiler 123.9 (6.) 590.8 (1.) 844.4 (4.)
 Trefferlage 4.10 mm rechts, 1.61 mm hoch
 Streuwert 8.98, horizontal: 9.97, vertikal: 7.88




Serie 2:
 9.9 → 10.7 * 9.6 ↘ 9.7 ← 9.8 ←
 10.5 * 9.6 ↙ 9.0 ↑ 10.7 * 10.3 ↘
 beste Teiler 220.4 (12.) 221.2 (19.) 380.6 (16.)
 Trefferlage 3.21 mm links, 2.06 mm hoch
 Streuwert 5.97, horizontal: 6.31, vertikal: 5.61




Serie 3:
 8.3 ↘ 9.9 ↑ 10.0 → 10.8 * 9.4 ↘
 10.2 ← 9.2 ↗ 9.8 ↙ 10.0 ↓ 10.4 *
 beste Teiler 135.5 (24.) 462.9 (30.) 637.9 (26.)
 Trefferlage 3.15 mm links, 1.30 mm tief
 Streuwert 7.55, horizontal: 5.94, vertikal: 8.88



Serie 4:
 9.9 ↘ 10.2 ↓ 10.0 ↘ 10.8 * 9.6 →
 9.7 ↘ 9.9 ↑ 9.8 ↑ 10.0 ↙ 9.3 ←
 beste Teiler 100.1 (34.) 607.3 (32.) 736.5 (39.)
 Trefferlage 0.34 mm links, 0.02 mm tief
 Streuwert 6.58, horizontal: 6.64, vertikal: 6.52



Serie 5:
 10.2 ↙ 9.2 ↓ 9.5 ← 9.9 ← 10.2 →
 8.9 ↑ 9.3 ↑ 9.0 → 9.9 ↑ 9.7 ↘
 beste Teiler 612.2 (45.) 618.9 (41.) 809.7 (49.)
 Trefferlage 0.05 mm links, 1.96 mm hoch
 Streuwert 8.48, horizontal: 7.92, vertikal: 9.01



Serie 6:
 10.1 ↗ 10.5 * 8.8 ← 9.3 ↙ 10.5 *
 10.2 ← 9.3 ↙ 9.5 ↘ 10.5 * 9.1 ←
 beste Teiler 348.0 (59.) 352.3 (55.) 362.8 (52.)
 Trefferlage 4.52 mm links, 1.60 mm tief
 Streuwert 6.94, horizontal: 8.33, vertikal: 5.20

LP 60 – Wertung – **Männer**

StandNr: 111

Wankmüller, René #51

StartNr: 11



4. Januar 2020 9:55

ST– Eisenerzer SV


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **562** (590.3)
 Serien: 93 94 97 91 93 94
 Zähler: 26 31 2 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 2599 (56), 1954 (37), 1842 (7)
 beste Teiler 108.2 (52.) 117.6 (1.) 176.8 (60.)
 Trefferlage 0.68 mm rechts, 2.25 mm tief
 Streuwert 7.13, horizontal: 7.30, vertikal: 6.96




Serie 1:
 10.8 * 9.2 ↗ 10.0 ↖ 9.7 ↙ 9.1 →
 9.5 ↓ 8.6 ↙ 10.0 ↓ 10.6 * 9.9 ←
 beste Teiler 117.6 (1.) 255.1 (9.) 769.2 (8.)
 Trefferlage 2.46 mm links, 2.24 mm tief
 Streuwert 7.77, horizontal: 7.93, vertikal: 7.60




Serie 2:
 9.8 ↖ 9.5 ↗ 10.6 * 9.9 ↑ 10.1 ↙
 10.5 * 9.9 ↘ 9.7 ↘ 10.3 ↖ 9.2 ↓
 beste Teiler 278.1 (13.) 335.8 (16.) 519.8 (19.)
 Trefferlage 0.48 mm rechts, 1.41 mm tief
 Streuwert 6.34, horizontal: 5.27, vertikal: 7.25




Serie 3:
 9.3 ↓ 10.7 * 10.4 * 10.3 ↖ 9.4 ↙
 10.0 ↘ 10.7 * 10.3 ↓ 9.1 ↓ 10.3 ←
 beste Teiler 215.8 (22.) 218.8 (27.) 464.0 (23.)
 Trefferlage 0.45 mm links, 2.57 mm tief
 Streuwert 6.07, horizontal: 5.02, vertikal: 6.96



Serie 4:
 9.8 ↙ 9.0 ↗ 9.0 ↘ 9.9 ↓ 10.5 *
 9.2 ← 8.5 ↗ 10.5 * 9.7 ← 9.9 →
 beste Teiler 340.2 (35.) 391.9 (38.) 830.7 (40.)
 Trefferlage 2.15 mm rechts, 0.22 mm hoch
 Streuwert 8.68, horizontal: 10.32, vertikal: 6.65



Serie 5:
 9.7 → 9.2 ↓ 10.4 ↘ 9.9 ↘ 10.5 *
 9.0 ↘ 9.5 ← 10.0 ↗ 9.4 ↗ 9.6 ↓
 beste Teiler 353.7 (45.) 480.3 (43.) 754.6 (48.)
 Trefferlage 0.00 mm , 5.12 mm tief
 Streuwert 6.79, horizontal: 7.71, vertikal: 5.72



Serie 6:
 9.1 → 10.8 * 10.4 ↘ 9.9 ↙ 9.7 ↗
 7.7 ↘ 10.2 → 10.5 * 10.7 * 10.7 *
 beste Teiler 108.2 (52.) 176.8 (60.) 191.0 (59.)
 Trefferlage 4.42 mm rechts, 2.37 mm tief
 Streuwert 7.12, horizontal: 6.01, vertikal: 8.09

LP 60 – Wertung – **Männer**

StandNr: 112

Grandits, Michael #157

StartNr: 12



4. Januar 2020 10:03

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **550** (579.5)
 Serien: 92 93 89 91 91 94
 Zähler: 23 27 8 1 1 0 0 0 0 0
 Innenzehner: 15
 weiteste: 3467 (26), 2641 (5), 2056 (22)
 beste Teiler 115.5 (30.) 123.1 (57.) 275.6 (32.)
 Trefferlage 0.40 mm rechts, 1.54 mm tief
 Streuwert 8.60, horizontal: 8.02, vertikal: 9.14




Serie 1:
 9.2 ↗ 9.7 ↘ 9.8 ← 10.5 * 7.6 ↓
 10.6 * 9.6 ↓ 9.6 ↘ 10.6 * 10.0 ↑
 beste Teiler 282.8 (9.) 299.6 (6.) 361.8 (4.)
 Trefferlage 2.55 mm links, 2.70 mm tief
 Streuwert 8.39, horizontal: 3.92, vertikal: 11.20




Serie 2:
 10.1 ↘ 9.8 ↖ 10.5 * 8.5 ↓ 8.8 ↗
 10.1 ↘ 10.1 → 9.0 → 9.0 ← 10.4 *
 beste Teiler 365.2 (13.) 424.6 (20.) 678.1 (11.)
 Trefferlage 1.37 mm links, 2.09 mm tief
 Streuwert 8.73, horizontal: 9.89, vertikal: 7.39




Serie 3:
 9.1 ↖ 8.4 ↓ 10.0 → 9.5 ↘ 9.0 ↖
 6.6 ↗ 10.5 * 9.4 ↓ 9.1 ↖ 10.8 *
 beste Teiler 115.5 (30.) 383.5 (27.) 772.3 (23.)
 Trefferlage 0.41 mm links, 2.33 mm hoch
 Streuwert 12.09, horizontal: 9.88, vertikal: 13.95



Serie 4:
 9.5 ↓ 10.6 * 9.7 ↘ 9.7 → 8.7 ↗
 9.7 ← 8.8 ↗ 10.2 → 9.9 ↖ 10.6 *
 beste Teiler 275.6 (32.) 276.9 (40.) 585.1 (38.)
 Trefferlage 0.06 mm links, 0.10 mm tief
 Streuwert 8.06, horizontal: 8.92, vertikal: 7.08



Serie 5:
 9.8 ↘ 9.0 → 8.8 ↘ 9.7 ↓ 10.3 ↓
 9.4 ← 8.7 ↘ 10.5 * 9.6 ↘ 10.5 *
 beste Teiler 354.1 (48.) 397.5 (50.) 535.7 (45.)
 Trefferlage 4.53 mm rechts, 5.21 mm tief
 Streuwert 7.13, horizontal: 7.63, vertikal: 6.59



Serie 6:
 10.0 ↓ 10.5 * 8.8 → 9.7 ↓ 9.8 ↗
 10.4 * 10.8 * 9.9 ↗ 9.5 ↓ 10.5 *
 beste Teiler 123.1 (57.) 332.7 (52.) 335.0 (60.)
 Trefferlage 2.30 mm rechts, 1.46 mm tief
 Streuwert 6.31, horizontal: 6.01, vertikal: 6.60



LP 60 – Wertung – **Männer**
StandNr: 113
Gruber, Martin #90

StartNr: 13
4. Januar 2020 10:05
OOE–ASKOE Linz


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **568** (596.9)
 Serien: 93 96 95 97 94 93
 Zähler: 34 21 4 1 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 2598 (23), 1739 (52), 1661 (55)
 beste Teiler 46.3 (27.) 68.7 (60.) 191.4 (13.)
 Trefferlage 0.72 mm rechts, 0.26 mm tief
 Streuwert 6.64, horizontal: 5.92, vertikal: 7.28




Serie 1:
 9.1 → 10.6 * 9.5 → 8.9 ↓ 10.4 *
 9.9 ↑ 9.3 → 10.4 * 9.5 → 10.6 *
 beste Teiler 263.0 (2.) 283.0 (10.) 430.6 (8.)
 Trefferlage 4.39 mm rechts, 1.13 mm hoch
 Streuwert 6.84, horizontal: 6.88, vertikal: 6.81




Serie 2:
 10.3 → 10.6 * 10.7 * 9.6 ↗ 10.4 *
 9.4 ↙ 9.7 ↓ 9.8 ↘ 10.5 * 10.1 ↖
 beste Teiler 191.4 (13.) 251.0 (12.) 381.0 (19.)
 Trefferlage 0.51 mm links, 1.65 mm tief
 Streuwert 5.56, horizontal: 5.19, vertikal: 5.90




Serie 3:
 9.8 ↙ 10.1 ↙ 7.7 ↑ 10.0 ← 10.2 ←
 10.2 → 10.9 * 10.6 * 10.5 * 9.3 →
 beste Teiler 46.3 (27.) 275.5 (28.) 359.3 (29.)
 Trefferlage 0.19 mm rechts, 2.45 mm hoch
 Streuwert 7.70, horizontal: 6.49, vertikal: 8.75



Serie 4:
 10.2 ← 9.3 ↙ 9.6 ↘ 10.0 → 10.5 *
 10.4 * 10.4 * 10.5 * 10.1 → 9.5 ↙
 beste Teiler 368.0 (35.) 387.3 (38.) 437.3 (36.)
 Trefferlage 0.51 mm links, 2.69 mm tief
 Streuwert 5.61, horizontal: 6.87, vertikal: 3.99



Serie 5:
 9.9 ↘ 10.5 * 9.9 ↓ 9.5 ↑ 9.5 →
 9.8 ↑ 10.3 ↘ 10.4 * 10.0 ↖ 9.7 ↘
 beste Teiler 385.0 (42.) 413.6 (48.) 498.3 (47.)
 Trefferlage 1.19 mm rechts, 2.03 mm hoch
 Streuwert 6.02, horizontal: 5.64, vertikal: 6.38



Serie 6:
 10.1 ↖ 8.8 ↓ 9.9 ↑ 10.0 ← 8.9 ↓
 8.9 ↓ 10.4 * 10.3 ↓ 10.1 ↑ 10.9 *
 beste Teiler 68.7 (60.) 467.6 (57.) 488.9 (58.)
 Trefferlage 0.42 mm links, 2.87 mm tief
 Streuwert 7.57, horizontal: 3.74, vertikal: 10.03

LP 60 – Wertung – **Männer**

StandNr: 114

Auprich, Andreas #293

StartNr: 14

4. Januar 2020 10:07

AUT

Unterschrift des Schützen

Meyton Elektronik