





Ergebnis: **624.3** (594)
 Serien: 104.3 104.5 102.5 104.4 104.1 104.5
 Zähler: 54 6 0 0 0 0 0 0 0 0
 Innenzehner: 48
 weiteste: 306 (24), 304 (42), 281 (19)
 beste Teiler 48.2 (18.) 49.3 (59.) 50.0 (1.)
 Trefferlage 0.11 mm links, 0.02 mm tief
 Streuwert 1.10, horizontal: 1.30, vertikal: 0.87




Serie 1:
 10.8 * 10.0 ↗ 10.0 ↘ 10.6 * 10.2 *
 10.4 * 10.7 * 10.5 * 10.6 * 10.5 *
 beste Teiler 50.0 (1.) 73.0 (7.) 91.9 (9.)
 Trefferlage 0.12 mm rechts, 0.01 mm tief
 Streuwert 1.10, horizontal: 1.01, vertikal: 1.18




Serie 2:
 10.5 * 10.6 * 10.7 * 10.5 * 10.4 *
 10.1 ← 10.4 * 10.8 * 9.8 → 10.7 *
 beste Teiler 48.2 (18.) 68.7 (13.) 68.8 (20.)
 Trefferlage 0.06 mm links, 0.16 mm tief
 Streuwert 1.08, horizontal: 1.38, vertikal: 0.67




Serie 3:
 10.5 * 9.8 → 10.4 * 9.7 ← 10.2 *
 10.4 * 10.1 → 10.4 * 10.7 * 10.3 *
 beste Teiler 62.0 (29.) 122.3 (21.) 134.8 (23.)
 Trefferlage 0.36 mm links, 0.14 mm hoch
 Streuwert 1.38, horizontal: 1.73, vertikal: 0.92



Serie 4:
 10.6 * 10.2 * 10.5 * 10.3 * 10.0 ←
 10.7 * 10.5 * 10.6 * 10.6 * 10.4 *
 beste Teiler 53.4 (36.) 85.4 (38.) 86.9 (39.)
 Trefferlage 0.13 mm links, 0.32 mm hoch
 Streuwert 1.00, horizontal: 1.24, vertikal: 0.68



Serie 5:
 10.6 * 9.7 ← 10.6 * 10.6 * 10.4 *
 10.4 * 10.1 ↗ 10.6 * 10.7 * 10.4 *
 beste Teiler 53.7 (49.) 76.9 (48.) 89.8 (41.)
 Trefferlage 0.24 mm links, 0.12 mm tief
 Streuwert 1.11, horizontal: 1.30, vertikal: 0.87



Serie 6:
 10.7 * 9.9 → 10.7 * 10.2 * 9.9 ←
 10.6 * 10.6 * 10.7 * 10.8 * 10.4 *
 beste Teiler 49.3 (59.) 61.3 (51.) 67.7 (53.)
 Trefferlage 0.03 mm links, 0.32 mm tief
 Streuwert 1.11, horizontal: 1.32, vertikal: 0.84



LG 60 ZR – *Wertung* – **Juniorinnen**
StandNr: 135
Waibel, Sheileen #12

StartNr: 35
5. Januar 2020 9:52
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **616.3** (589)
 Serien: 102.6 102.7 102.8 101.6 103.1 103.5
 Zähler: 49 11 0 0 0 0 0 0 0
 Innenzehner: 39
 weiteste: 351 (10), 342 (41), 329 (27)
 beste Teiler 14.3 (25.) 47.3 (21.) 53.8 (7.)
 Trefferlage 0.02 mm links, 0.12 mm tief
 Streuwert 1.34, horizontal: 1.43, vertikal: 1.25




Serie 1:
 10.4 * 10.0 ↗ 10.6 * 9.8 ↗ 9.9 →
 10.6 * 10.7 * 10.6 * 10.5 * 9.5 ↙
 beste Teiler 53.8 (7.) 87.5 (3.) 88.7 (6.)
 Trefferlage 0.45 mm rechts, 0.03 mm hoch
 Streuwert 1.44, horizontal: 1.58, vertikal: 1.29




Serie 2:
 9.8 ↓ 9.8 ↗ 10.4 * 10.2 * 10.2 *
 10.5 * 10.5 * 10.0 → 10.7 * 10.6 *
 beste Teiler 67.1 (19.) 99.8 (20.) 105.8 (17.)
 Trefferlage 0.01 mm links, 0.27 mm tief
 Streuwert 1.40, horizontal: 1.24, vertikal: 1.53




Serie 3:
 10.8 * 10.4 * 10.6 * 9.8 ↗ 10.9 *
 9.9 ↙ 9.6 ↙ 10.0 ↓ 10.2 * 10.6 *
 beste Teiler 14.3 (25.) 47.3 (21.) 88.2 (30.)
 Trefferlage 0.58 mm links, 0.22 mm tief
 Streuwert 1.40, horizontal: 1.56, vertikal: 1.21



Serie 4:
 10.1 → 10.1 ↓ 10.0 ↗ 10.0 ↑ 10.2 *
 10.1 ↙ 10.4 * 10.5 * 10.5 * 9.7 ←
 beste Teiler 110.4 (38.) 121.2 (39.) 147.8 (37.)
 Trefferlage 0.10 mm rechts, 0.07 mm hoch
 Streuwert 1.51, horizontal: 1.67, vertikal: 1.34



Serie 5:
 9.6 ↙ 10.5 * 10.3 * 10.4 * 10.3 *
 10.4 * 10.0 → 10.6 * 10.5 * 10.5 *
 beste Teiler 88.5 (48.) 113.1 (42.) 114.9 (49.)
 Trefferlage 0.10 mm links, 0.21 mm hoch
 Streuwert 1.30, horizontal: 1.56, vertikal: 0.98



Serie 6:
 10.5 * 10.2 * 10.3 * 10.7 * 9.9 ↙
 10.3 * 10.6 * 10.2 * 10.1 ← 10.7 *
 beste Teiler 59.4 (54.) 61.0 (60.) 80.7 (57.)
 Trefferlage 0.01 mm links, 0.59 mm tief
 Streuwert 1.14, horizontal: 1.02, vertikal: 1.25



LG 60 ZR – *Wertung* – **Juniorinnen**
StandNr: 136
Mayr, Carmen #16

StartNr: 36
5. Januar 2020 9:43
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **620.9** (596)
 Serien: 101.7 103.6 104.0 104.0 104.1 103.5
 Zähler: 56 4 0 0 0 0 0 0 0 0
 Innenzehner: 47
 weiteste: 446 (20), 426 (1), 311 (56)
 beste Teiler 17.2 (18.) 18.0 (21.) 19.1 (45.)
 Trefferlage 0.27 mm rechts, 0.06 mm tief
 Streuwert 1.23, horizontal: 1.28, vertikal: 1.18




Serie 1:
 9.2 ↘ 10.0 ↙ 10.5 * 10.2 * 10.3 *
 10.0 ↗ 10.9 * 10.0 ↘ 10.6 * 10.0 ↘
 beste Teiler 19.4 (7.) 80.2 (9.) 125.2 (3.)
 Trefferlage 1.09 mm rechts, 0.53 mm tief
 Streuwert 1.38, horizontal: 1.61, vertikal: 1.10




Serie 2:
 10.5 * 10.2 * 10.8 * 10.7 * 10.4 *
 10.1 ↘ 10.3 * 10.9 * 10.5 * 9.2 ↙
 beste Teiler 17.2 (18.) 40.0 (13.) 64.3 (14.)
 Trefferlage 0.48 mm links, 0.18 mm tief
 Streuwert 1.37, horizontal: 1.65, vertikal: 1.02




Serie 3:
 10.9 * 10.2 * 10.4 * 10.3 * 10.2 *
 10.4 * 10.1 ↓ 10.5 * 10.7 * 10.3 *
 beste Teiler 18.0 (21.) 63.1 (29.) 120.3 (28.)
 Trefferlage 0.05 mm rechts, 0.41 mm hoch
 Streuwert 1.09, horizontal: 0.81, vertikal: 1.31



Serie 4:
 10.8 * 10.2 * 10.5 * 10.2 * 10.6 *
 10.3 * 10.5 * 10.4 * 10.4 * 10.1 ↗
 beste Teiler 43.3 (31.) 83.2 (35.) 114.1 (33.)
 Trefferlage 0.05 mm rechts, 0.03 mm tief
 Streuwert 1.09, horizontal: 1.03, vertikal: 1.15



Serie 5:
 10.6 * 10.6 * 10.0 ↘ 10.2 * 10.9 *
 10.4 * 10.5 * 10.4 * 10.2 * 10.3 *
 beste Teiler 19.1 (45.) 82.7 (41.) 91.3 (42.)
 Trefferlage 0.34 mm rechts, 0.13 mm tief
 Streuwert 1.09, horizontal: 1.20, vertikal: 0.98



Serie 6:
 10.8 * 10.6 * 10.1 ↘ 10.6 * 10.7 *
 9.7 ↘ 10.2 * 10.5 * 9.7 ↑ 10.6 *
 beste Teiler 36.0 (51.) 74.3 (55.) 84.9 (52.)
 Trefferlage 0.60 mm rechts, 0.09 mm hoch
 Streuwert 1.24, horizontal: 0.82, vertikal: 1.56



LG 60 ZR – *Wertung* – **Juniorinnen**
StandNr: 137
Harrasser, Pia #8

StartNr: 37
5. Januar 2020 9:53
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 611.0 (584)
Serien: 104.2 103.0 101.3 101.4 100.2 100.9
Zähler: 44 16 0 0 0 0 0 0 0
Innenzehner: 33
weiteste: 459 (20), 393 (24), 373 (34)
beste Teiler 14.2 (2.) 27.0 (35.) 31.1 (14.)
Trefferlage 0.05 mm rechts, 0.61 mm hoch
Streuwert 1.49, horizontal: 1.73, vertikal: 1.20




Serie 1:
 10.2 * 10.9 * 10.3 * 10.1 ↗ 10.6 *
 10.3 * 10.3 * 10.7 * 10.6 * 10.2 *
beste Teiler 14.2 (2.) 56.0 (8.) 77.6 (9.)
Trefferlage 0.01 mm links, 0.48 mm hoch
Streuwert 1.01, horizontal: 1.14, vertikal: 0.86




Serie 2:
 10.6 * 10.6 * 10.3 * 10.8 * 10.3 *
 10.4 * 10.2 * 10.5 * 10.2 * 9.1 ↗
beste Teiler 31.1 (14.) 85.0 (12.) 85.2 (11.)
Trefferlage 0.01 mm links, 0.86 mm hoch
Streuwert 1.33, horizontal: 1.05, vertikal: 1.56




Serie 3:
 9.8 ↗ 10.0 ↗ 10.0 ↑ 9.4 ↗ 10.3 *
 10.5 * 9.9 ↗ 10.0 → 10.6 * 10.8 *
beste Teiler 33.0 (30.) 80.0 (29.) 112.8 (26.)
Trefferlage 1.06 mm rechts, 1.26 mm hoch
Streuwert 1.18, horizontal: 1.38, vertikal: 0.94



Serie 4:
 9.8 ↗ 10.0 ↗ 10.1 ↗ 9.5 ↗ 10.8 *
 9.6 ↗ 9.9 ↗ 10.8 * 10.3 * 10.6 *
beste Teiler 27.0 (35.) 41.4 (38.) 76.4 (40.)
Trefferlage 0.02 mm links, 0.25 mm hoch
Streuwert 1.73, horizontal: 1.86, vertikal: 1.59



Serie 5:
 9.9 → 10.3 * 10.1 → 9.5 ↗ 9.9 ←
 10.7 * 10.0 ↗ 9.9 ← 10.1 → 9.8 →
beste Teiler 69.0 (46.) 159.3 (42.) 208.1 (49.)
Trefferlage 0.07 mm links, 0.17 mm hoch
Streuwert 1.86, horizontal: 2.38, vertikal: 1.10



Serie 6:
 10.1 ↗ 10.0 ↗ 9.7 ← 10.2 * 10.3 *
 10.2 * 10.4 * 9.5 → 10.8 * 9.7 ←
beste Teiler 49.6 (59.) 150.6 (57.) 169.7 (55.)
Trefferlage 0.59 mm links, 0.66 mm hoch
Streuwert 1.62, horizontal: 2.14, vertikal: 0.84

LG 60 ZR – *Wertung* – **Juniorinnen**
StandNr: 138
Hafner, Lisa #4

StartNr: 38
5. Januar 2020 10:00
AUT

Unterschrift des Schützen

Meyton Elektronik