





Ergebnis: **627.3** (599)
 Serien: 103.9 104.8 103.8 105.4 103.4 106.0
 Zähler: 59 1 0 0 0 0 0 0 0 0
 Innenzehner: 52
 weiteste: 336 (15), 243 (41), 241 (29)
 beste Teiler 20.6 (18.) 25.6 (37.) 29.4 (60.)
 Trefferlage 0.22 mm rechts, 0.00 mm
 Streuwert 0.99, horizontal: 1.06, vertikal: 0.91




Serie 1:
 10.0 ↘ 10.4 * 10.8 * 10.2 * 10.1 ↗
 10.5 * 10.5 * 10.7 * 10.2 * 10.5 *
 beste Teiler 46.5 (3.) 63.7 (8.) 112.5 (10.)
 Trefferlage 0.48 mm rechts, 0.09 mm tief
 Streuwert 1.07, horizontal: 1.07, vertikal: 1.07




Serie 2:
 10.6 * 10.7 * 10.4 * 10.7 * 9.6 ↘
 10.3 * 10.3 * 10.9 * 10.7 * 10.6 *
 beste Teiler 20.6 (18.) 61.8 (12.) 70.0 (19.)
 Trefferlage 0.53 mm rechts, 0.36 mm tief
 Streuwert 0.98, horizontal: 1.10, vertikal: 0.85




Serie 3:
 10.0 ↗ 10.6 * 10.6 * 10.4 * 10.4 *
 10.7 * 10.4 * 10.6 * 10.0 ← 10.1 ↗
 beste Teiler 67.5 (26.) 81.0 (28.) 85.7 (22.)
 Trefferlage 0.45 mm links, 0.16 mm tief
 Streuwert 1.10, horizontal: 1.19, vertikal: 1.01



Serie 4:
 10.4 * 10.3 * 10.4 * 10.7 * 10.7 *
 10.5 * 10.9 * 10.6 * 10.5 * 10.4 *
 beste Teiler 25.6 (37.) 64.6 (34.) 73.5 (35.)
 Trefferlage 0.10 mm rechts, 0.06 mm hoch
 Streuwert 0.80, horizontal: 0.77, vertikal: 0.83



Serie 5:
 10.0 ↘ 10.5 * 10.2 * 10.7 * 10.0 →
 10.7 * 10.3 * 10.4 * 10.2 * 10.4 *
 beste Teiler 64.0 (46.) 74.6 (44.) 108.4 (42.)
 Trefferlage 0.64 mm rechts, 0.49 mm hoch
 Streuwert 1.08, horizontal: 1.18, vertikal: 0.98



Serie 6:
 10.5 * 10.7 * 10.8 * 10.4 * 10.8 *
 10.7 * 10.7 * 10.3 * 10.3 * 10.8 *
 beste Teiler 29.4 (60.) 42.3 (55.) 42.7 (53.)
 Trefferlage 0.06 mm rechts, 0.02 mm hoch
 Streuwert 0.75, horizontal: 0.86, vertikal: 0.63



LG 60 ZR – Wertung – **Juniorinnen**
StandNr: 126
Waibel, Sheileen #12

StartNr: 31
4. Januar 2020 15:18
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **622.3** (594)
 Serien: 103.4 105.1 103.7 103.4 103.8 102.9
 Zähler: 54 6 0 0 0 0 0 0 0 0
 Innenzehner: 48
 weiteste: 293 (34), 286 (41), 284 (6)
 beste Teiler 27.6 (36.) 38.3 (49.) 52.4 (48.)
 Trefferlage 0.12 mm links, 0.07 mm tief
 Streuwert 1.14, horizontal: 1.20, vertikal: 1.07




Serie 1:
 10.6 * 10.2 * 10.5 * 10.3 * 10.2 *
 9.8 ↙ 10.1 ← 10.4 * 10.6 * 10.7 *
 beste Teiler 74.4 (10.) 82.3 (9.) 89.0 (1.)
 Trefferlage 0.46 mm links, 0.40 mm tief
 Streuwert 1.16, horizontal: 1.38, vertikal: 0.89




Serie 2:
 10.6 * 10.6 * 10.4 * 10.2 * 10.7 *
 10.7 * 10.7 * 10.4 * 10.5 * 10.3 *
 beste Teiler 66.0 (15.) 70.0 (17.) 70.6 (16.)
 Trefferlage 0.04 mm rechts, 0.22 mm tief
 Streuwert 0.90, horizontal: 0.95, vertikal: 0.85




Serie 3:
 10.6 * 10.0 ↘ 10.1 ← 10.1 ↘ 10.4 *
 10.4 * 10.5 * 10.7 * 10.6 * 10.3 *
 beste Teiler 63.5 (28.) 82.5 (21.) 83.2 (29.)
 Trefferlage 0.32 mm links, 0.02 mm hoch
 Streuwert 1.11, horizontal: 1.26, vertikal: 0.94



Serie 4:
 10.7 * 9.9 ↙ 10.4 * 9.8 ↗ 9.9 ←
 10.8 * 10.6 * 10.4 * 10.5 * 10.4 *
 beste Teiler 27.6 (36.) 66.4 (31.) 93.3 (37.)
 Trefferlage 0.24 mm links, 0.41 mm hoch
 Streuwert 1.26, horizontal: 1.26, vertikal: 1.25



Serie 5:
 9.8 ↙ 10.2 * 10.5 * 10.2 * 10.5 *
 10.5 * 10.5 * 10.7 * 10.8 * 10.1 ↗
 beste Teiler 38.3 (49.) 52.4 (48.) 108.2 (43.)
 Trefferlage 0.28 mm rechts, 0.15 mm tief
 Streuwert 1.15, horizontal: 0.78, vertikal: 1.42



Serie 6:
 9.9 ↘ 10.2 * 10.2 * 10.4 * 10.7 *
 10.5 * 10.4 * 10.3 * 10.3 * 10.0 ←
 beste Teiler 70.1 (55.) 104.9 (56.) 133.8 (54.)
 Trefferlage 0.01 mm links, 0.12 mm tief
 Streuwert 1.32, horizontal: 1.57, vertikal: 1.00

LG 60 ZR – Wertung – **Juniorinnen**

StandNr: 129

Mayr, Carmen #16

StartNr: 32



4. Januar 2020 14:55

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 618.3 (589)
Serien: 103.5 105.1 103.0 100.7 103.0 103.0
Zähler: 50 9 1 0 0 0 0 0 0
Innenzehner: 42
weiteste: 608 (49), 428 (28), 299 (39)
beste Teiler 16.4 (44.) 19.6 (9.) 24.1 (25.)
Trefferlage 0.02 mm links, 0.06 mm hoch
Streuwert 1.37, horizontal: 1.60, vertikal: 1.10




Serie 1:
 10.5 * 10.4 * 10.8 * 9.8 ↗ 10.0 ↘
 10.4 * 10.5 * 10.3 * 10.9 * 9.9 ↖
beste Teiler 19.6 (9.) 35.5 (3.) 103.7 (1.)
Trefferlage 0.05 mm links, 0.83 mm hoch
Streuwert 1.12, horizontal: 1.27, vertikal: 0.93




Serie 2:
 10.6 * 10.5 * 10.7 * 10.2 * 9.9 ↑
 10.8 * 10.6 * 10.8 * 10.4 * 10.6 *
beste Teiler 47.9 (18.) 49.1 (16.) 58.8 (13.)
Trefferlage 0.48 mm rechts, 0.64 mm hoch
Streuwert 0.78, horizontal: 0.68, vertikal: 0.87




Serie 3:
 10.2 * 10.4 * 10.1 ↘ 10.7 * 10.9 *
 10.1 → 10.1 ↙ 9.2 ↗ 10.6 * 10.7 *
beste Teiler 24.1 (25.) 56.2 (24.) 72.0 (30.)
Trefferlage 0.97 mm rechts, 0.05 mm tief
Streuwert 1.29, horizontal: 1.54, vertikal: 0.98



Serie 4:
 10.3 * 10.3 * 9.8 ↗ 10.0 ↙ 10.2 *
 10.4 * 9.8 ↘ 10.1 ↙ 9.8 ← 10.0 ↖
beste Teiler 145.3 (36.) 160.0 (31.) 167.3 (32.)
Trefferlage 0.38 mm links, 0.32 mm tief
Streuwert 1.67, horizontal: 2.02, vertikal: 1.22



Serie 5:
 10.8 * 10.6 * 10.4 * 10.9 * 10.6 *
 10.4 * 10.5 * 9.8 ↙ 8.5 ← 10.5 *
beste Teiler 16.4 (44.) 50.1 (41.) 85.0 (45.)
Trefferlage 0.64 mm links, 0.42 mm tief
Streuwert 1.62, horizontal: 2.13, vertikal: 0.85



Serie 6:
 10.5 * 10.2 * 9.9 ↖ 10.8 * 10.3 *
 10.0 ↗ 10.3 * 10.4 * 10.4 * 10.2 *
beste Teiler 42.0 (54.) 103.6 (51.) 127.0 (59.)
Trefferlage 0.48 mm links, 0.26 mm tief
Streuwert 1.22, horizontal: 1.22, vertikal: 1.21



LG 60 ZR – *Wertung* – **Juniorinnen**
StandNr: 128
Hafner, Lisa #4

StartNr: 33
4. Januar 2020 15:38
AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 616.2 (589)
Serien: 103.3 101.0 101.4 101.8 102.9 105.8
Zähler: 50 9 1 0 0 0 0 0 0
Innenzehner: 41
weiteste: 585 (43), 393 (27), 324 (18)
beste Teiler 3.1 (57.) 28.2 (36.) 44.9 (50.)
Trefferlage 0.16 mm rechts, 0.11 mm hoch
Streuwert 1.39, horizontal: 1.47, vertikal: 1.30




Serie 1:
 10.3 * 9.8 ↘ 10.4 * 10.4 * 10.2 *
 10.4 * 10.2 * 10.6 * 10.5 * 10.5 *
beste Teiler 86.4 (8.) 104.2 (10.) 119.3 (9.)
Trefferlage 0.41 mm rechts, 0.14 mm hoch
Streuwert 1.19, horizontal: 1.00, vertikal: 1.35




Serie 2:
 10.2 * 9.9 ↘ 9.8 ← 10.4 * 10.5 *
 10.2 * 9.9 ↓ 9.7 ↑ 10.4 * 10.0 ↗
beste Teiler 116.7 (15.) 130.8 (19.) 135.0 (14.)
Trefferlage 0.49 mm rechts, 0.25 mm tief
Streuwert 1.62, horizontal: 1.54, vertikal: 1.70




Serie 3:
 10.4 * 10.5 * 9.8 ↙ 10.3 * 10.2 *
 10.5 * 9.4 ↘ 9.8 ← 10.0 ← 10.5 *
beste Teiler 105.4 (22.) 105.5 (30.) 109.7 (26.)
Trefferlage 1.20 mm links, 0.18 mm hoch
Streuwert 1.41, horizontal: 1.14, vertikal: 1.63



Serie 4:
 10.0 ← 10.1 ↖ 10.4 * 10.1 ↗ 10.3 *
 10.8 * 9.8 → 10.3 * 10.0 ↑ 10.0 ↗
beste Teiler 28.2 (36.) 147.0 (33.) 161.6 (35.)
Trefferlage 0.65 mm rechts, 0.76 mm hoch
Streuwert 1.32, horizontal: 1.59, vertikal: 0.98



Serie 5:
 10.5 * 10.8 * 8.6 ↘ 10.4 * 10.3 *
 10.1 → 10.4 * 10.4 * 10.6 * 10.8 *
beste Teiler 44.9 (50.) 50.6 (42.) 82.4 (49.)
Trefferlage 0.78 mm rechts, 0.09 mm tief
Streuwert 1.55, horizontal: 1.87, vertikal: 1.15



Serie 6:
 10.4 * 10.5 * 10.6 * 10.1 ↓ 10.6 *
 10.6 * 10.9 * 10.7 * 10.8 * 10.6 *
beste Teiler 3.1 (57.) 50.7 (59.) 53.0 (58.)
Trefferlage 0.15 mm links, 0.03 mm tief
Streuwert 0.78, horizontal: 0.68, vertikal: 0.88

LG 60 ZR – *Wertung* – **Juniorinnen**
StandNr: 127
Harrasser, Pia #8

StartNr: 34
4. Januar 2020 15:25
AUT

Unterschrift des Schützen

Meyton Elektronik