





Ergebnis: **624.6** (597)
 Serien: 104.1 104.3 104.4 102.4 104.2 105.2
 Zähler: 57 3 0 0 0 0 0 0 0 0
 Innenzehner: 55
 weiteste: 297 (1), 267 (18), 257 (34)
 beste Teiler 6.3 (55.) 42.7 (25.) 49.0 (13.)
 Trefferlage 0.00 mm , 0.10 mm hoch
 Streuwert 1.05, horizontal: 1.07, vertikal: 1.03




Serie 1:
 9.8 ↘ 10.6 * 10.5 * 10.6 * 10.4 *
 10.4 * 10.3 * 10.5 * 10.7 * 10.3 *
 beste Teiler 55.7 (9.) 85.9 (4.) 95.0 (2.)
 Trefferlage 0.32 mm links, 0.25 mm hoch
 Streuwert 1.09, horizontal: 0.95, vertikal: 1.21




Serie 2:
 10.2 * 10.4 * 10.8 * 10.5 * 10.7 *
 10.3 * 10.2 * 9.9 → 10.8 * 10.5 *
 beste Teiler 49.0 (13.) 50.1 (19.) 67.8 (15.)
 Trefferlage 0.43 mm rechts, 0.24 mm hoch
 Streuwert 1.04, horizontal: 1.16, vertikal: 0.90




Serie 3:
 10.6 * 10.5 * 10.5 * 10.3 * 10.8 *
 10.3 * 10.3 * 10.3 * 10.3 * 10.5 *
 beste Teiler 42.7 (25.) 86.0 (21.) 112.8 (22.)
 Trefferlage 0.00 mm , 0.29 mm hoch
 Streuwert 0.97, horizontal: 0.96, vertikal: 0.97



Serie 4:
 10.2 * 10.4 * 10.4 * 9.9 ← 10.2 *
 10.1 ↓ 10.3 * 10.2 * 10.3 * 10.4 *
 beste Teiler 135.3 (32.) 144.4 (40.) 146.0 (33.)
 Trefferlage 0.21 mm links, 0.18 mm tief
 Streuwert 1.34, horizontal: 1.48, vertikal: 1.19



Serie 5:
 10.4 * 10.5 * 10.4 * 10.4 * 10.3 *
 10.4 * 10.5 * 10.2 * 10.6 * 10.5 *
 beste Teiler 81.0 (49.) 112.0 (42.) 114.9 (47.)
 Trefferlage 0.06 mm rechts, 0.38 mm hoch
 Streuwert 0.98, horizontal: 1.05, vertikal: 0.91



Serie 6:
 10.5 * 10.6 * 10.7 * 10.4 * 10.9 *
 10.3 * 10.0 ↓ 10.7 * 10.7 * 10.4 *
 beste Teiler 6.3 (55.) 55.0 (58.) 57.2 (59.)
 Trefferlage 0.06 mm rechts, 0.37 mm tief
 Streuwert 0.89, horizontal: 0.80, vertikal: 0.98

LG 60 ZR – Wertung – **Männer**

StandNr: 142

Rumpler, Gernot #137

StartNr: 18



4. Januar 2020 15:35

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **625.8** (597)
 Serien: 102.7 105.8 104.5 104.4 104.1 104.3
 Zähler: 57 3 0 0 0 0 0 0 0 0
 Innenzehner: 50
 weiteste: 349 (31), 264 (2), 254 (45)
 beste Teiler 19.7 (14.) 33.8 (15.) 35.0 (52.)
 Trefferlage 0.02 mm rechts, 0.08 mm tief
 Streuwert 1.06, horizontal: 1.13, vertikal: 0.99




Serie 1:
 10.6 * 9.9 ↘ 10.4 * 10.3 * 10.4 *
 10.3 * 10.1 ↓ 10.4 * 10.0 → 10.3 *
 beste Teiler 86.4 (1.) 129.2 (8.) 141.1 (5.)
 Trefferlage 0.56 mm rechts, 0.45 mm tief
 Streuwert 1.23, horizontal: 1.33, vertikal: 1.12




Serie 2:
 10.7 * 10.6 * 10.7 * 10.9 * 10.8 *
 10.6 * 10.8 * 10.5 * 10.2 * 10.0 ↓
 beste Teiler 19.7 (14.) 33.8 (15.) 42.4 (17.)
 Trefferlage 0.07 mm links, 0.13 mm tief
 Streuwert 0.87, horizontal: 0.50, vertikal: 1.12




Serie 3:
 10.2 * 10.3 * 10.7 * 10.6 * 10.3 *
 10.8 * 10.6 * 10.0 ↖ 10.7 * 10.3 *
 beste Teiler 48.3 (26.) 57.2 (23.) 70.0 (29.)
 Trefferlage 0.17 mm links, 0.24 mm hoch
 Streuwert 1.02, horizontal: 1.18, vertikal: 0.83



Serie 4:
 9.6 ↖ 10.7 * 10.7 * 10.3 * 10.5 *
 10.6 * 10.7 * 10.7 * 10.0 ↘ 10.6 *
 beste Teiler 56.5 (32.) 59.3 (38.) 62.8 (33.)
 Trefferlage 0.19 mm links, 0.03 mm tief
 Streuwert 1.16, horizontal: 1.36, vertikal: 0.92



Serie 5:
 10.5 * 10.3 * 10.5 * 10.6 * 9.9 ↖
 10.6 * 10.8 * 10.7 * 10.1 ← 10.1 ↓
 beste Teiler 49.0 (47.) 72.1 (48.) 79.4 (46.)
 Trefferlage 0.35 mm links, 0.04 mm tief
 Streuwert 1.08, horizontal: 1.07, vertikal: 1.09



Serie 6:
 10.4 * 10.8 * 10.6 * 10.4 * 10.2 *
 10.4 * 10.7 * 10.3 * 10.2 * 10.3 *
 beste Teiler 35.0 (52.) 68.1 (57.) 84.8 (53.)
 Trefferlage 0.39 mm rechts, 0.06 mm tief
 Streuwert 1.01, horizontal: 1.08, vertikal: 0.94

LG 60 ZR – Wertung – **Männer**

StandNr: 141

Zott, Georg #47

StartNr: 19



4. Januar 2020 15:07

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **618.6** (591)
 Serien: 102.0 103.2 103.5 104.0 102.5 103.4
 Zähler: 51 9 0 0 0 0 0 0 0 0
 Innenzehner: 42
 weiteste: 397 (3), 325 (48), 305 (28)
 beste Teiler 12.8 (39.) 26.9 (51.) 34.7 (53.)
 Trefferlage 0.25 mm links, 0.14 mm tief
 Streuwert 1.28, horizontal: 1.48, vertikal: 1.05




Serie 1:
 10.4 * 10.7 * 9.4 ← 10.5 * 9.8 →
 10.6 * 9.9 → 10.2 * 10.4 * 10.1 ↘
 beste Teiler 75.5 (2.) 84.7 (6.) 124.2 (4.)
 Trefferlage 0.38 mm rechts, 0.38 mm tief
 Streuwert 1.54, horizontal: 1.99, vertikal: 0.89




Serie 2:
 10.4 * 10.2 * 10.1 ↓ 10.4 * 9.8 ↘
 10.7 * 10.6 * 10.4 * 10.7 * 9.9 →
 beste Teiler 61.2 (19.) 74.8 (16.) 97.8 (17.)
 Trefferlage 0.64 mm rechts, 0.65 mm tief
 Streuwert 1.13, horizontal: 1.16, vertikal: 1.11




Serie 3:
 10.6 * 10.3 * 10.5 * 10.4 * 10.0 ↖
 10.7 * 10.3 * 9.7 ↖ 10.4 * 10.6 *
 beste Teiler 55.1 (26.) 91.2 (30.) 93.4 (21.)
 Trefferlage 1.11 mm links, 0.52 mm hoch
 Streuwert 0.85, horizontal: 0.93, vertikal: 0.76



Serie 4:
 10.0 ↗ 10.2 * 10.6 * 10.5 * 9.9 ←
 10.8 * 10.3 * 10.1 ↑ 10.9 * 10.7 *
 beste Teiler 12.8 (39.) 47.8 (36.) 72.8 (40.)
 Trefferlage 0.03 mm rechts, 0.60 mm hoch
 Streuwert 1.10, horizontal: 1.29, vertikal: 0.87



Serie 5:
 10.0 ↖ 10.8 * 10.4 * 10.5 * 10.0 ←
 10.4 * 10.2 * 9.7 ← 10.5 * 10.0 ↘
 beste Teiler 43.1 (42.) 113.8 (44.) 121.4 (49.)
 Trefferlage 1.08 mm links, 0.12 mm tief
 Streuwert 1.23, horizontal: 1.30, vertikal: 1.16



Serie 6:
 10.8 * 9.9 ← 10.8 * 10.5 * 10.2 *
 10.0 ← 10.2 * 10.2 * 10.4 * 10.4 *
 beste Teiler 26.9 (51.) 34.7 (53.) 124.0 (54.)
 Trefferlage 0.37 mm links, 0.85 mm tief
 Streuwert 1.07, horizontal: 1.34, vertikal: 0.71

LG 60 ZR – Wertung – **Männer**

StandNr: 138

Diem, Patrick #133

StartNr: 20



4. Januar 2020 15:33

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **621.2** (593)
 Serien: 104.4 103.6 105.1 103.4 103.6 101.1
 Zähler: 53 7 0 0 0 0 0 0 0 0
 Innenzehner: 47
 weiteste: 414 (57), 358 (38), 304 (55)
 beste Teiler 48.0 (23.) 49.6 (37.) 55.9 (28.)
 Trefferlage 0.34 mm links, 0.04 mm hoch
 Streuwert 1.19, horizontal: 1.36, vertikal: 1.00




Serie 1:
 10.2 * 10.0 ↖ 10.3 * 10.7 * 10.7 *
 10.5 * 10.4 * 10.6 * 10.6 * 10.4 *
 beste Teiler 56.3 (4.) 69.3 (5.) 89.0 (8.)
 Trefferlage 0.46 mm links, 0.35 mm hoch
 Streuwert 0.95, horizontal: 0.96, vertikal: 0.94




Serie 2:
 9.8 ↙ 10.6 * 10.6 * 10.2 * 10.6 *
 10.4 * 10.5 * 10.3 * 9.9 ← 10.7 *
 beste Teiler 64.0 (20.) 77.0 (13.) 90.0 (12.)
 Trefferlage 0.73 mm links, 0.32 mm tief
 Streuwert 1.08, horizontal: 1.11, vertikal: 1.04




Serie 3:
 10.0 ↙ 10.5 * 10.8 * 10.6 * 10.7 *
 10.5 * 10.5 * 10.7 * 10.4 * 10.4 *
 beste Teiler 48.0 (23.) 55.9 (28.) 75.2 (25.)
 Trefferlage 0.28 mm links, 0.15 mm hoch
 Streuwert 0.94, horizontal: 1.16, vertikal: 0.65



Serie 4:
 10.6 * 9.9 ← 10.3 * 10.7 * 10.6 *
 10.4 * 10.8 * 9.5 ← 10.5 * 10.1 ↓
 beste Teiler 49.6 (37.) 62.6 (34.) 88.0 (35.)
 Trefferlage 0.68 mm links, 0.41 mm tief
 Streuwert 1.21, horizontal: 1.40, vertikal: 0.98



Serie 5:
 10.0 ↖ 10.4 * 10.2 * 10.2 * 10.6 *
 10.4 * 10.6 * 10.5 * 10.3 * 10.4 *
 beste Teiler 80.9 (45.) 100.4 (47.) 104.7 (48.)
 Trefferlage 0.47 mm links, 0.11 mm hoch
 Streuwert 1.13, horizontal: 1.02, vertikal: 1.22



Serie 6:
 10.3 * 10.5 * 10.0 ↖ 10.7 * 9.7 ↗
 10.3 * 9.3 ↘ 9.9 ↖ 10.4 * 10.0 ↗
 beste Teiler 71.8 (54.) 101.1 (52.) 129.4 (59.)
 Trefferlage 0.54 mm rechts, 0.36 mm hoch
 Streuwert 1.66, horizontal: 2.09, vertikal: 1.07

LG 60 ZR – Wertung – Männer

StandNr: 139

Thum, Andreas #45

StartNr: 21



4. Januar 2020 15:23

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **624.1** (597)
 Serien: 105.0 103.8 103.2 104.8 103.1 104.2
 Zähler: 57 3 0 0 0 0 0 0 0 0
 Innenzehner: 48
 weiteste: 315 (49), 293 (42), 272 (25)
 beste Teiler 33.1 (57.) 42.1 (37.) 53.6 (28.)
 Trefferlage 0.19 mm rechts, 0.00 mm
 Streuwert 1.09, horizontal: 1.21, vertikal: 0.95




Serie 1:
 10.5 * 10.7 * 10.6 * 10.3 * 10.7 *
 10.7 * 10.5 * 10.0 ↘ 10.5 * 10.5 *
 beste Teiler 63.7 (6.) 69.2 (2.) 75.6 (5.)
 Trefferlage 0.06 mm rechts, 0.09 mm hoch
 Streuwert 0.90, horizontal: 1.04, vertikal: 0.75




Serie 2:
 10.2 * 10.1 ↑ 10.3 * 10.4 * 10.6 *
 10.6 * 10.3 * 10.4 * 10.2 * 10.7 *
 beste Teiler 56.4 (20.) 92.9 (15.) 93.0 (16.)
 Trefferlage 0.17 mm links, 0.69 mm hoch
 Streuwert 1.03, horizontal: 1.16, vertikal: 0.88




Serie 3:
 10.2 * 10.7 * 10.7 * 10.0 → 9.9 →
 10.4 * 10.1 ↓ 10.7 * 10.5 * 10.0 →
 beste Teiler 53.6 (28.) 62.4 (22.) 68.5 (23.)
 Trefferlage 0.71 mm rechts, 0.24 mm tief
 Streuwert 1.19, horizontal: 1.38, vertikal: 0.95



Serie 4:
 10.6 * 10.6 * 10.6 * 10.6 * 10.5 *
 10.2 * 10.8 * 10.3 * 10.2 * 10.4 *
 beste Teiler 42.1 (37.) 81.7 (34.) 92.8 (33.)
 Trefferlage 0.04 mm rechts, 0.10 mm hoch
 Streuwert 0.96, horizontal: 1.24, vertikal: 0.57



Serie 5:
 10.1 ↘ 9.8 ↗ 10.6 * 10.2 * 10.6 *
 10.4 * 10.5 * 10.5 * 9.7 ↘ 10.7 *
 beste Teiler 75.0 (50.) 91.2 (45.) 99.9 (43.)
 Trefferlage 0.33 mm rechts, 0.29 mm tief
 Streuwert 1.33, horizontal: 1.24, vertikal: 1.42



Serie 6:
 10.6 * 10.3 * 10.6 * 10.7 * 10.7 *
 10.1 ↙ 10.8 * 10.2 * 10.1 → 10.1 →
 beste Teiler 33.1 (57.) 54.8 (54.) 72.1 (55.)
 Trefferlage 0.17 mm rechts, 0.33 mm tief
 Streuwert 1.05, horizontal: 1.29, vertikal: 0.72

LG 60 ZR – Wertung – **Männer**

StandNr: 134

Mathis, Thomas #39

StartNr: 22

4. Januar 2020 15:22

AUT

Unterschrift des Schützen

Meyton Elektronik

Ergebnis: **628.7** (598)

Serien: 104.5 104.8 104.9 105.9 104.6 104.0

Zähler: 58 2 0 0 0 0 0 0 0 0



Innenzehner: 52

weiteste: 314 (60), 276 (14), 249 (8)

beste Teiler 31.0 (6.) 33.8 (46.) 39.2 (33.)

Trefferlage 0.13 mm rechts, 0.14 mm hoch

Streuwert 0.96, horizontal: 1.01, vertikal: 0.90




Serie 1:

10.7 *	10.6 *	10.5 *	10.8 *	10.1 ↗
10.8 *	10.4 *	10.0 ↑	10.5 *	10.1 ←

beste Teiler 31.0 (6.) 46.4 (4.) 57.5 (1.)

Trefferlage 0.07 mm links, 0.47 mm hoch

Streuwert 1.03, horizontal: 0.97, vertikal: 1.08




Serie 2:

10.6 *	10.5 *	10.4 *	9.8 →	10.6 *
10.7 *	10.5 *	10.7 *	10.7 *	10.3 *

beste Teiler 52.6 (16.) 63.0 (19.) 75.1 (18.)

Trefferlage 0.52 mm rechts, 0.00 mm

Streuwert 0.90, horizontal: 1.06, vertikal: 0.72




Serie 3:

10.6 *	10.4 *	10.0 ←	10.5 *	10.7 *
10.2 *	10.5 *	10.8 *	10.7 *	10.5 *

beste Teiler 49.2 (28.) 62.0 (25.) 65.3 (29.)

Trefferlage 0.11 mm rechts, 0.03 mm hoch

Streuwert 0.96, horizontal: 1.19, vertikal: 0.65




Serie 4:

10.3 *	10.5 *	10.8 *	10.4 *	10.6 *
10.5 *	10.7 *	10.7 *	10.6 *	10.8 *

beste Teiler 39.2 (33.) 49.6 (40.) 51.5 (37.)

Trefferlage 0.07 mm rechts, 0.02 mm tief

Streuwert 0.74, horizontal: 0.64, vertikal: 0.83




Serie 5:

10.8 *	10.0 ↘	10.7 *	10.2 *	10.5 *
10.8 *	10.7 *	10.2 *	10.3 *	10.4 *

beste Teiler 33.8 (46.) 43.3 (41.) 51.1 (47.)

Trefferlage 0.01 mm rechts, 0.07 mm tief

Streuwert 1.04, horizontal: 0.83, vertikal: 1.22



Serie 6:

10.2 *	10.5 *	10.6 *	10.6 *	10.7 *
10.0 ↗	10.5 *	10.6 *	10.6 *	9.7 ←

beste Teiler 74.6 (55.) 89.0 (58.) 95.4 (54.)

Trefferlage 0.17 mm rechts, 0.45 mm hoch

Streuwert 1.15, horizontal: 1.38, vertikal: 0.85

LG 60 ZR – Wertung – Männer

StandNr: 140

Schmirl, Alexander #148

StartNr: 23



4. Januar 2020 15:37

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **623.3** (595)
 Serien: 105.7 104.1 104.5 103.5 102.8 102.7
 Zähler: 55 5 0 0 0 0 0 0 0 0
 Innenzehner: 49
 weiteste: 340 (51), 312 (34), 287 (41)
 beste Teiler 22.4 (9.) 53.1 (12.) 57.2 (4.)
 Trefferlage 0.17 mm links, 0.15 mm hoch
 Streuwert 1.10, horizontal: 1.01, vertikal: 1.18




Serie 1:
 10.4 * 10.5 * 10.6 * 10.7 * 10.7 *
 10.5 * 10.5 * 10.4 * 10.9 * 10.5 *
 beste Teiler 22.4 (9.) 57.2 (4.) 69.1 (5.)
 Trefferlage 0.00 mm , 0.24 mm tief
 Streuwert 0.72, horizontal: 0.64, vertikal: 0.80




Serie 2:
 10.6 * 10.7 * 10.6 * 10.0 ↘ 10.5 *
 10.1 ↘ 9.9 ↙ 10.5 * 10.6 * 10.6 *
 beste Teiler 53.1 (12.) 77.7 (13.) 82.1 (19.)
 Trefferlage 0.63 mm links, 0.46 mm hoch
 Streuwert 0.94, horizontal: 0.95, vertikal: 0.92




Serie 3:
 10.6 * 10.2 * 10.3 * 10.5 * 10.4 *
 10.7 * 10.2 * 10.5 * 10.4 * 10.7 *
 beste Teiler 62.6 (30.) 67.7 (26.) 80.2 (21.)
 Trefferlage 0.03 mm links, 0.28 mm tief
 Streuwert 0.98, horizontal: 0.81, vertikal: 1.12



Serie 4:
 10.2 * 10.2 * 10.3 * 9.7 ↑ 10.6 *
 10.7 * 10.3 * 10.6 * 10.4 * 10.5 *
 beste Teiler 70.2 (36.) 82.8 (35.) 92.0 (38.)
 Trefferlage 0.09 mm links, 0.31 mm hoch
 Streuwert 1.21, horizontal: 0.82, vertikal: 1.51



Serie 5:
 9.8 ↗ 10.6 * 10.5 * 10.4 * 10.0 ↘
 10.5 * 10.2 * 10.6 * 10.1 ↘ 10.1 ↑
 beste Teiler 78.2 (42.) 90.2 (48.) 104.6 (46.)
 Trefferlage 0.15 mm links, 0.35 mm hoch
 Streuwert 1.30, horizontal: 1.22, vertikal: 1.38



Serie 6:
 9.6 → 10.6 * 10.4 * 10.5 * 10.3 *
 9.9 ↓ 10.3 * 10.4 * 10.1 ↘ 10.6 *
 beste Teiler 86.0 (52.) 96.8 (60.) 111.0 (54.)
 Trefferlage 0.11 mm links, 0.31 mm hoch
 Streuwert 1.38, horizontal: 1.49, vertikal: 1.26

LG 60 ZR – Wertung – **Männer**

StandNr: 135

Pickl, Bernhard #294

StartNr: 24



4. Januar 2020 15:20

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 625.8 (598)
Serien: 104.3 105.9 103.5 104.7 105.4 102.0
Zähler: 58 2 0 0 0 0 0 0 0 0
Innenzehner: 50
weiteste: 278 (60), 258 (57), 231 (44)
beste Teiler 24.5 (34.) 35.4 (18.) 51.2 (20.)
Trefferlage 0.24 mm links, 0.05 mm tief
Streuwert 1.00, horizontal: 1.03, vertikal: 0.98




Serie 1:
 10.2 * 10.5 * 10.3 * 10.5 * 10.5 *
 10.3 * 10.6 * 10.4 * 10.6 * 10.4 *
beste Teiler 87.0 (9.) 100.1 (7.) 103.8 (5.)
Trefferlage 0.07 mm links, 0.06 mm tief
Streuwert 1.01, horizontal: 1.09, vertikal: 0.93




Serie 2:
 10.5 * 10.6 * 10.4 * 10.5 * 10.7 *
 10.5 * 10.7 * 10.8 * 10.5 * 10.7 *
beste Teiler 35.4 (18.) 51.2 (20.) 57.0 (17.)
Trefferlage 0.12 mm rechts, 0.23 mm tief
Streuwert 0.71, horizontal: 0.62, vertikal: 0.78




Serie 3:
 10.7 * 10.6 * 10.1 ↗ 10.0 ← 10.7 *
 10.5 * 10.1 ↘ 10.5 * 10.3 * 10.0 ↓
beste Teiler 56.7 (21.) 73.7 (25.) 77.8 (22.)
Trefferlage 0.28 mm links, 0.00 mm
Streuwert 1.18, horizontal: 1.23, vertikal: 1.13



Serie 4:
 10.7 * 10.2 * 10.4 * 10.9 * 10.1 ↓
 10.3 * 10.6 * 10.5 * 10.7 * 10.3 *
beste Teiler 24.5 (34.) 58.0 (31.) 70.7 (39.)
Trefferlage 0.42 mm links, 0.11 mm tief
Streuwert 0.93, horizontal: 0.72, vertikal: 1.09



Serie 5:
 10.6 * 10.5 * 10.6 * 10.0 ✓ 10.7 *
 10.7 * 10.4 * 10.7 * 10.5 * 10.7 *
beste Teiler 62.3 (45.) 64.9 (46.) 72.8 (48.)
Trefferlage 0.00 mm, 0.37 mm tief
Streuwert 0.84, horizontal: 1.01, vertikal: 0.62



Serie 6:
 10.2 * 10.3 * 10.3 * 10.1 ↖ 10.1 ←
 10.3 * 9.9 ✓ 10.6 * 10.4 * 9.8 ↗
beste Teiler 91.1 (58.) 134.6 (59.) 153.5 (52.)
Trefferlage 0.84 mm links, 0.42 mm hoch
Streuwert 1.25, horizontal: 1.27, vertikal: 1.23

LG 60 ZR – Wertung – **Männer**

StandNr: 137

Strempfl, Martin #31

StartNr: 25



4. Januar 2020 15:36

AUT


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **624.4** (595)
 Serien: 104.0 105.2 103.7 106.0 102.3 103.2
 Zähler: 55 5 0 0 0 0 0 0 0 0
 Innenzehner: 53
 weiteste: 358 (50), 322 (41), 305 (4)
 beste Teiler 15.2 (47.) 19.2 (34.) 26.3 (24.)
 Trefferlage 0.03 mm links, 0.15 mm hoch
 Streuwert 1.09, horizontal: 1.09, vertikal: 1.10




Serie 1:
 10.7 * 10.6 * 10.5 * 9.7 ↘ 10.8 *
 10.4 * 10.3 * 10.4 * 10.3 * 10.3 *
 beste Teiler 34.0 (5.) 58.0 (1.) 81.0 (2.)
 Trefferlage 0.59 mm links, 0.22 mm hoch
 Streuwert 1.04, horizontal: 1.15, vertikal: 0.91




Serie 2:
 10.5 * 10.4 * 10.5 * 10.6 * 10.7 *
 10.4 * 10.0 ↙ 10.7 * 10.7 * 10.7 *
 beste Teiler 53.0 (18.) 66.2 (15.) 70.3 (19.)
 Trefferlage 0.33 mm links, 0.19 mm tief
 Streuwert 0.86, horizontal: 0.74, vertikal: 0.97




Serie 3:
 10.4 * 10.5 * 10.4 * 10.8 * 10.3 *
 10.2 * 9.9 ← 10.4 * 10.2 * 10.6 *
 beste Teiler 26.3 (24.) 82.3 (30.) 106.6 (22.)
 Trefferlage 0.29 mm links, 0.37 mm hoch
 Streuwert 1.07, horizontal: 1.42, vertikal: 0.51



Serie 4:
 10.8 * 10.8 * 10.3 * 10.9 * 10.5 *
 10.6 * 10.6 * 10.6 * 10.2 * 10.7 *
 beste Teiler 19.2 (34.) 48.1 (32.) 50.3 (31.)
 Trefferlage 0.01 mm links, 0.09 mm tief
 Streuwert 0.75, horizontal: 0.57, vertikal: 0.90



Serie 5:
 9.7 ↘ 10.6 * 10.5 * 10.5 * 10.3 *
 10.3 * 10.9 * 9.8 ↗ 10.2 * 9.5 ↑
 beste Teiler 15.2 (47.) 92.7 (42.) 110.5 (43.)
 Trefferlage 0.70 mm rechts, 0.18 mm hoch
 Streuwert 1.46, horizontal: 1.06, vertikal: 1.77



Serie 6:
 10.3 * 10.2 * 10.0 ↘ 10.4 * 10.4 *
 10.2 * 10.6 * 10.2 * 10.2 * 10.7 *
 beste Teiler 69.6 (60.) 83.3 (57.) 127.9 (54.)
 Trefferlage 0.34 mm rechts, 0.44 mm hoch
 Streuwert 1.14, horizontal: 1.04, vertikal: 1.24

LG 60 ZR – Wertung – Männer

StandNr: 136

Blamauer, Nikolaus #132

StartNr: 26

4. Januar 2020 15:10

AUT

Unterschrift des Schützen

Meyton Elektronik