





Ergebnis: **507** (532.3)
 Serien: 85 89 83 83 87 80
 Zähler: 11 20 18 8 2 1 0 0 0 0
 Innenzehner: 5
 weiteste: 4106 (27), 3384 (54), 3238 (60)
 beste Teiler 270.5 (48.) 281.8 (11.) 408.8 (3.)
 Trefferlage 2.50 mm links, 4.37 mm hoch
 Streuwert 12.75, horizontal: 13.01, vertikal: 12.48




Serie 1:
 9.6 ↑ 7.7 ← 10.4 * 8.4 ← 8.3 ↑
 7.6 ↑ 9.1 ↑ 8.3 ← 9.6 ↗ 10.4 *
 beste Teiler 408.8 (3.) 418.8 (10.) 1070.6 (9.)
 Trefferlage 4.66 mm links, 6.40 mm hoch
 Streuwert 12.03, horizontal: 12.84, vertikal: 11.15




Serie 2:
 10.6 * 8.5 ← 9.4 ↗ 8.9 ↘ 9.5 ↓
 10.3 ↗ 8.2 ↘ 8.7 ↘ 10.1 ↘ 9.6 ↗
 beste Teiler 281.8 (11.) 528.3 (16.) 649.8 (19.)
 Trefferlage 2.92 mm links, 4.15 mm hoch
 Streuwert 9.72, horizontal: 11.37, vertikal: 7.72




Serie 3:
 8.4 ← 9.7 ↘ 10.4 * 9.1 ↘ 8.4 ↘
 9.7 ↑ 5.8 ↗ 9.8 ↑ 9.0 → 7.7 ←
 beste Teiler 446.5 (23.) 881.8 (28.) 962.9 (22.)
 Trefferlage 0.97 mm rechts, 1.80 mm hoch
 Streuwert 14.70, horizontal: 15.19, vertikal: 14.19



Serie 4:
 8.4 ↑ 9.6 ← 8.3 ↑ 9.0 ↗ 9.0 ↑
 7.6 ↑ 9.0 ↘ 8.7 ↘ 9.0 → 7.3 ↘
 beste Teiler 1059.2 (32.) 1525.8 (35.) 1533.3 (34.)
 Trefferlage 1.62 mm links, 11.49 mm hoch
 Streuwert 11.78, horizontal: 10.78, vertikal: 12.70



Serie 5:
 8.5 ↑ 7.8 ↘ 8.1 ↑ 8.7 ↑ 8.1 ↘
 10.2 ↗ 8.2 → 10.6 * 10.0 ↑ 10.0 ↓
 beste Teiler 270.5 (48.) 589.8 (46.) 792.3 (49.)
 Trefferlage 0.81 mm links, 7.93 mm hoch
 Streuwert 11.44, horizontal: 11.06, vertikal: 11.82



Serie 6:
 9.4 → 8.5 ← 7.4 ↘ 6.7 ← 9.4 ←
 10.2 ← 9.8 ↘ 9.2 ↗ 7.5 ← 6.9 ↓
 beste Teiler 640.0 (56.) 938.5 (57.) 1201.5 (51.)
 Trefferlage 5.96 mm links, 5.55 mm tief
 Streuwert 15.05, horizontal: 17.59, vertikal: 11.98

LP 60 – Wertung – **Frauen**

StandNr: 104

Venier, Judith #106

StartNr: 4



4. Januar 2020 17:06

T – SG Tarrenz


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **530** (557.5)
 Serien: 86 88 85 91 91 89
 Zähler: 14 25 18 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2786 (2), 2697 (33), 2624 (44)
 beste Teiler 79.2 (30.) 262.9 (48.) 331.8 (37.)
 Trefferlage 2.65 mm rechts, 1.35 mm tief
 Streuwert 10.24, horizontal: 10.54, vertikal: 9.92




Serie 1:
 9.1 ↗ 7.5 ↘ 9.3 ↑ 9.4 ↖ 8.5 ↗
 10.5 * 9.6 ↖ 9.6 ↗ 8.9 ↖ 8.9 ↘
 beste Teiler 339.5 (6.) 1069.9 (7.) 1088.8 (8.)
 Trefferlage 1.95 mm rechts, 1.30 mm hoch
 Streuwert 11.57, horizontal: 11.98, vertikal: 11.14




Serie 2:
 10.5 * 8.8 ↗ 8.6 ↓ 10.1 ↘ 9.3 ↖
 8.3 ↘ 9.3 ↘ 9.7 → 8.6 → 9.2 →
 beste Teiler 399.1 (11.) 659.8 (14.) 1018.7 (18.)
 Trefferlage 7.03 mm rechts, 3.61 mm tief
 Streuwert 9.22, horizontal: 9.12, vertikal: 9.31




Serie 3:
 8.7 ↗ 9.3 ↗ 8.9 ↓ 9.6 ↘ 8.6 ↘
 8.7 → 9.9 ↘ 8.0 ↖ 8.0 ↗ 10.9 *
 beste Teiler 79.2 (30.) 843.9 (27.) 1047.2 (24.)
 Trefferlage 6.54 mm rechts, 0.95 mm hoch
 Streuwert 11.33, horizontal: 11.95, vertikal: 10.68



Serie 4:
 9.4 ↘ 9.2 → 7.6 ↖ 10.2 ↓ 9.4 ↖
 10.1 ↖ 10.5 * 9.2 ↓ 10.1 ↘ 8.7 ↓
 beste Teiler 331.8 (37.) 601.0 (34.) 687.0 (36.)
 Trefferlage 0.47 mm links, 5.45 mm tief
 Streuwert 9.44, horizontal: 10.46, vertikal: 8.30



Serie 5:
 9.8 → 10.1 → 10.0 ↓ 7.7 ↑ 9.5 ↖
 10.0 ↓ 9.8 ↑ 10.6 * 9.8 ↗ 8.9 ↖
 beste Teiler 262.9 (48.) 669.5 (42.) 766.4 (46.)
 Trefferlage 0.14 mm rechts, 2.32 mm hoch
 Streuwert 9.05, horizontal: 7.66, vertikal: 10.26



Serie 6:
 8.1 ↖ 10.0 ↘ 9.4 → 8.6 ↘ 8.8 ↖
 9.2 ↓ 9.2 ↗ 9.5 ↓ 10.2 ↖ 9.6 ↗
 beste Teiler 640.4 (59.) 728.3 (52.) 1093.3 (60.)
 Trefferlage 0.73 mm rechts, 3.66 mm tief
 Streuwert 10.44, horizontal: 11.41, vertikal: 9.37

LP 60 – Wertung – **Junioren**

StandNr: 108

Lerchner, Stefan #161

StartNr: 8



4. Januar 2020 17:21

NÖ


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 511 (536.9)
Serien: 89 87 87 77 86 85
Zähler: 14 22 13 7 2 0 2 0 0 0
Innenzehner: 6
weiteste: 5055 (35), 5009 (32), 3894 (49)
beste Teiler 235.4 (5.) 309.7 (44.) 367.4 (42.)
Trefferlage 3.52 mm links, 1.59 mm tief
Streuwert 13.41, horizontal: 14.12, vertikal: 12.66




Serie 1:
 9.7 ↗ 10.0 ↑ 9.2 ← 6.7 ← 10.7 *
 9.6 ↘ 9.6 ↓ 9.3 ← 8.8 ↘ 10.4 *
beste Teiler 235.4 (5.) 458.0 (10.) 721.5 (2.)
Trefferlage 4.37 mm links, 2.91 mm tief
Streuwert 10.51, horizontal: 12.74, vertikal: 7.66




Serie 2:
 9.2 → 8.1 ← 8.5 ↘ 9.9 ↘ 10.1 ↑
 7.1 → 8.6 ↘ 9.9 ← 10.0 ← 9.4 ↘
beste Teiler 698.0 (15.) 768.4 (19.) 860.7 (14.)
Trefferlage 0.62 mm links, 0.72 mm tief
Streuwert 12.49, horizontal: 15.15, vertikal: 9.09




Serie 3:
 7.4 ↘ 8.7 ↘ 8.0 ← 10.4 * 9.1 ↓
 8.1 ↑ 10.1 ← 10.0 → 8.4 ↗ 9.0 ↘
beste Teiler 412.1 (24.) 672.0 (27.) 726.3 (28.)
Trefferlage 5.32 mm links, 1.20 mm tief
Streuwert 12.80, horizontal: 10.80, vertikal: 14.53



Serie 4:
 10.0 ← 4.7 ↘ 8.5 ↗ 9.9 ← 4.6 ↘
 9.4 ← 9.9 ↘ 8.7 ← 9.8 ↗ 7.8 ↓
beste Teiler 740.7 (31.) 809.8 (37.) 848.6 (34.)
Trefferlage 10.02 mm links, 8.47 mm tief
Streuwert 16.84, horizontal: 16.60, vertikal: 17.07



Serie 5:
 8.6 ↓ 10.5 * 7.8 ↗ 10.6 * 9.4 ←
 7.4 ← 9.8 ↑ 10.0 ↓ 6.1 → 10.4 *
beste Teiler 309.7 (44.) 367.4 (42.) 418.5 (50.)
Trefferlage 1.75 mm rechts, 0.81 mm tief
Streuwert 14.17, horizontal: 17.83, vertikal: 9.15



Serie 6:
 7.8 ← 9.0 ↘ 10.1 ↘ 8.8 ↑ 9.9 ↑
 8.0 ↑ 9.3 ↘ 9.8 ↘ 9.3 ↓ 7.0 ↘
beste Teiler 681.6 (53.) 847.9 (55.) 913.2 (58.)
Trefferlage 2.56 mm links, 4.52 mm hoch
Streuwert 12.99, horizontal: 10.62, vertikal: 14.99

LP 60 – Wertung – **Junioren**

StandNr: 111

Kurz, Niclas #163

StartNr: 11



4. Januar 2020 17:15

T – SG Schwoich


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **548** (575.5)
 Serien: 98 90 88 89 94 89
 Zähler: 19 33 6 1 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3443 (25), 2794 (12), 2161 (51)
 beste Teiler 89.5 (9.) 309.0 (42.) 314.0 (7.)
 Trefferlage 0.76 mm rechts, 1.37 mm tief
 Streuwert 8.69, horizontal: 8.52, vertikal: 8.86




Serie 1:
 10.0 ↗ 10.1 ↘ 10.3 ↖ 9.8 ↓ 10.1 ↗
 10.0 ↖ 10.6 * 9.2 ↗ 10.8 * 10.5 *
 beste Teiler 89.5 (9.) 314.0 (7.) 348.4 (10.)
 Trefferlage 1.31 mm rechts, 0.57 mm hoch
 Streuwert 5.39, horizontal: 5.30, vertikal: 5.48




Serie 2:
 8.9 ↖ 7.5 ↗ 9.8 ↓ 9.9 ↗ 9.0 ↖
 10.0 ↗ 10.4 * 9.0 ↗ 9.9 ↗ 10.4 *
 beste Teiler 446.8 (20.) 457.4 (17.) 733.9 (16.)
 Trefferlage 0.27 mm links, 2.82 mm tief
 Streuwert 9.92, horizontal: 10.53, vertikal: 9.27




Serie 3:
 9.9 ↓ 8.9 ↘ 9.3 ↑ 9.2 ↓ 6.6 ↗
 9.2 ← 10.3 ↗ 9.7 → 9.2 ↓ 10.1 ↓
 beste Teiler 534.9 (27.) 699.0 (30.) 836.6 (21.)
 Trefferlage 0.86 mm links, 1.95 mm tief
 Streuwert 11.54, horizontal: 10.42, vertikal: 12.56



Serie 4:
 8.6 ↑ 10.3 ↖ 9.4 → 9.5 → 8.9 ↓
 9.8 ↗ 9.9 ↑ 9.8 ↘ 9.4 ← 9.8 ↓
 beste Teiler 498.1 (32.) 814.4 (37.) 907.9 (40.)
 Trefferlage 1.81 mm rechts, 1.15 mm tief
 Streuwert 8.65, horizontal: 7.32, vertikal: 9.81



Serie 5:
 9.2 → 10.6 * 9.2 ↓ 9.2 → 9.9 ↓
 10.2 ↓ 10.2 ↗ 10.3 ↖ 9.5 ↓ 9.5 ↖
 beste Teiler 309.0 (42.) 526.2 (48.) 561.4 (47.)
 Trefferlage 3.77 mm rechts, 3.03 mm tief
 Streuwert 6.76, horizontal: 6.41, vertikal: 7.10



Serie 6:
 8.2 ↗ 9.5 ↓ 9.9 ← 9.7 ↖ 9.2 →
 10.2 ↓ 8.9 ↖ 9.4 ← 9.1 ↑ 9.6 ←
 beste Teiler 598.2 (56.) 879.6 (53.) 970.8 (54.)
 Trefferlage 1.16 mm links, 0.11 mm hoch
 Streuwert 9.88, horizontal: 10.64, vertikal: 9.05



LP 60 – Wertung – **Junioren**
StandNr: 112
Putz, Korbinian #158

StartNr: 12
4. Januar 2020 17:25
OOE – SV Oberwang


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **497** (523.1)
 Serien: 77 81 81 91 81 86
 Zähler: 5 22 20 12 0 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4332 (9), 3175 (8), 3159 (4)
 beste Teiler 324.0 (32.) 495.1 (24.) 529.0 (38.)
 Trefferlage 3.19 mm links, 2.44 mm hoch
 Streuwert 13.68, horizontal: 11.71, vertikal: 15.40




Serie 1:
 7.0 ↘ 9.8 ↓ 9.3 ↓ 7.0 ↓ 7.2 ↗
 9.4 ← 9.9 ↓ 7.0 ↓ 5.5 ↘ 8.8 ↓
 beste Teiler 808.8 (7.) 883.2 (2.) 1273.1 (6.)
 Trefferlage 9.11 mm links, 7.69 mm tief
 Streuwert 16.88, horizontal: 12.38, vertikal: 20.40




Serie 2:
 8.0 ↓ 7.2 ← 8.7 ↗ 9.0 ↘ 7.5 ↓
 9.4 ↑ 9.9 ↘ 7.6 ↗ 9.8 ↓ 8.8 ↓
 beste Teiler 829.1 (17.) 930.0 (19.) 1277.2 (16.)
 Trefferlage 4.92 mm links, 5.31 mm tief
 Streuwert 14.19, horizontal: 12.25, vertikal: 15.90




Serie 3:
 7.8 ↑ 8.4 ↘ 8.1 ↘ 10.3 ↓ 8.2 ↗
 7.8 ↗ 8.2 ↘ 8.6 → 8.4 ← 9.7 ←
 beste Teiler 495.1 (24.) 970.1 (30.) 1880.8 (28.)
 Trefferlage 6.13 mm links, 6.54 mm hoch
 Streuwert 13.54, horizontal: 15.00, vertikal: 11.89



Serie 4:
 9.4 ↗ 10.5 * 9.4 ↑ 9.8 → 9.1 ↓
 9.4 ↑ 9.7 ← 10.3 ↑ 9.1 → 8.4 ↗
 beste Teiler 324.0 (32.) 529.0 (38.) 925.7 (34.)
 Trefferlage 4.21 mm rechts, 4.46 mm hoch
 Streuwert 7.93, horizontal: 6.80, vertikal: 8.92



Serie 5:
 7.7 ↘ 8.9 ↑ 8.8 ↘ 10.2 ↗ 9.0 ←
 8.2 ↗ 7.7 ↑ 7.1 ↑ 9.0 → 8.8 ↗
 beste Teiler 594.9 (44.) 1534.9 (49.) 1535.2 (45.)
 Trefferlage 3.07 mm links, 11.56 mm hoch
 Streuwert 12.25, horizontal: 10.60, vertikal: 13.70



Serie 6:
 8.2 ↑ 8.4 ↗ 9.5 ↘ 8.3 ↑ 10.2 ←
 8.6 ↘ 8.7 → 9.5 → 9.7 ↑ 9.2 ↓
 beste Teiler 610.4 (55.) 988.5 (59.) 1189.1 (53.)
 Trefferlage 0.14 mm links, 5.10 mm hoch
 Streuwert 11.42, horizontal: 9.38, vertikal: 13.16

LP 60 – Wertung – **Juniorinnen**

StandNr: 109

Geiger, Finian #297

StartNr: 9



4. Januar 2020 17:17

NÖ


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **534** (559.4)
 Serien: 87 92 95 88 87 85
 Zähler: 16 29 8 7 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2899 (39), 2740 (7), 2726 (56)
 beste Teiler 140.0 (43.) 252.7 (25.) 277.7 (58.)
 Trefferlage 5.69 mm links, 0.16 mm tief
 Streuwert 9.78, horizontal: 8.15, vertikal: 11.17




Serie 1:
 10.5 * 9.1 ↓ 9.2 ← 9.3 ← 8.7 ↘
 9.0 ↑ 7.5 ↓ 8.4 ↘ 8.1 ↘ 10.4 *
 beste Teiler 328.9 (1.) 468.5 (10.) 1307.1 (4.)
 Trefferlage 7.39 mm links, 0.19 mm hoch
 Streuwert 11.42, horizontal: 6.04, vertikal: 14.97




Serie 2:
 9.5 ← 9.2 ↓ 9.6 ↘ 9.3 → 9.6 ↘
 10.1 ↘ 9.9 ↓ 10.3 ↓ 9.5 ↘ 9.6 ↘
 beste Teiler 545.4 (18.) 696.1 (16.) 854.4 (17.)
 Trefferlage 1.87 mm links, 3.15 mm tief
 Streuwert 7.46, horizontal: 7.73, vertikal: 7.19




Serie 3:
 9.5 ← 9.0 ↑ 10.2 ↓ 9.0 ↘ 10.6 *
 9.8 ← 10.2 → 9.7 ↘ 10.3 ← 10.5 *
 beste Teiler 252.7 (25.) 365.5 (30.) 499.3 (29.)
 Trefferlage 3.14 mm links, 0.39 mm hoch
 Streuwert 6.75, horizontal: 6.31, vertikal: 7.16



Serie 4:
 10.2 ↓ 8.1 ← 9.3 ← 10.3 → 7.8 ↘
 9.5 ↘ 9.2 ↘ 9.2 ↘ 7.3 ↑ 10.3 ↘
 beste Teiler 495.3 (34.) 504.7 (40.) 590.0 (31.)
 Trefferlage 5.88 mm links, 4.62 mm hoch
 Streuwert 11.09, horizontal: 11.85, vertikal: 10.27



Serie 5:
 9.6 ↘ 7.8 ↘ 10.8 * 9.7 ↓ 9.2 ↘
 9.2 ↑ 8.1 ↘ 9.9 ↓ 8.5 ↓ 9.4 ↑
 beste Teiler 140.0 (43.) 851.7 (48.) 1002.3 (44.)
 Trefferlage 5.14 mm links, 0.13 mm tief
 Streuwert 10.74, horizontal: 6.73, vertikal: 13.62



Serie 6:
 8.6 ↓ 7.9 ↘ 10.2 ← 9.4 ← 7.8 ↘
 7.5 ↘ 10.5 * 10.6 * 8.2 ↘ 9.7 ↘
 beste Teiler 277.7 (58.) 372.8 (57.) 595.9 (53.)
 Trefferlage 10.70 mm links, 2.90 mm tief
 Streuwert 10.37, horizontal: 7.70, vertikal: 12.47

LP 60 – Wertung – **Juniorinnen**

StandNr: 110

Djordjevic, Melanie #168

StartNr: 10



4. Januar 2020 17:20

V – SSV Rankweil


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **536** (558.8)
 Serien: 85 88 94 89 90 90
 Zähler: 14 31 12 3 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2701 (3), 2595 (31), 2562 (7)
 beste Teiler 192.3 (35.) 376.0 (51.) 403.7 (41.)
 Trefferlage 0.99 mm rechts, 2.99 mm hoch
 Streuwert 10.04, horizontal: 9.86, vertikal: 10.20




Serie 1:
 9.1 ↘ 9.7 ↙ 7.6 ↗ 9.2 → 9.9 ↘
 8.8 ↙ 7.7 ↑ 9.9 ↖ 9.1 ↖ 9.5 ↑
 beste Teiler 828.3 (5.) 846.3 (8.) 980.4 (2.)
 Trefferlage 2.63 mm links, 2.63 mm hoch
 Streuwert 11.82, horizontal: 10.13, vertikal: 13.30




Serie 2:
 9.2 ↘ 9.7 ↗ 9.0 → 10.1 ↘ 9.7 ↗
 8.1 ↘ 9.6 ↑ 8.0 ↖ 8.0 ↘ 9.7 ↘
 beste Teiler 708.9 (14.) 965.3 (15.) 988.4 (12.)
 Trefferlage 4.24 mm rechts, 4.15 mm tief
 Streuwert 10.99, horizontal: 10.82, vertikal: 11.16




Serie 3:
 9.2 ↓ 10.2 ← 9.2 ↑ 10.1 ↗ 9.3 ↑
 9.2 ↑ 9.5 ↑ 9.5 ↖ 10.0 ↖ 10.4 *
 beste Teiler 434.7 (30.) 632.7 (22.) 677.9 (24.)
 Trefferlage 1.82 mm links, 4.41 mm hoch
 Streuwert 7.46, horizontal: 5.21, vertikal: 9.17



Serie 4:
 7.7 → 9.5 ← 9.0 ↗ 9.7 ↗ 10.7 *
 9.0 ↘ 10.4 * 8.8 ↑ 9.2 ↘ 9.4 ↗
 beste Teiler 192.3 (35.) 419.4 (37.) 1040.3 (34.)
 Trefferlage 3.23 mm rechts, 5.59 mm hoch
 Streuwert 9.56, horizontal: 10.94, vertikal: 7.94



Serie 5:
 10.4 * 9.2 ↗ 8.2 ↖ 8.1 ↑ 10.3 ↘
 9.1 ↘ 9.6 ↘ 8.8 ↗ 10.3 ↑ 9.9 ↖
 beste Teiler 403.7 (41.) 522.3 (45.) 528.7 (49.)
 Trefferlage 1.33 mm links, 5.11 mm hoch
 Streuwert 9.66, horizontal: 9.64, vertikal: 9.68



Serie 6:
 10.5 * 10.0 ↘ 10.1 ↗ 10.1 → 8.4 →
 8.5 → 8.5 ↘ 9.6 ↗ 9.1 ↖ 8.5 ↗
 beste Teiler 376.0 (51.) 697.2 (53.) 708.7 (54.)
 Trefferlage 4.26 mm rechts, 4.38 mm hoch
 Streuwert 9.65, horizontal: 10.93, vertikal: 8.16

LP 60 – Wertung – **Juniorinnen**

StandNr: 113

Schrotter, Marie #169

StartNr: 13



4. Januar 2020 17:27

V – SSV Rankweil


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **542** (569.0)
 Serien: 87 92 90 93 90 90
 Zähler: 14 35 10 1 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2568 (2), 2298 (53), 2254 (39)
 beste Teiler 39.3 (40.) 182.0 (7.) 235.7 (43.)
 Trefferlage 1.90 mm rechts, 0.00 mm
 Streuwert 9.17, horizontal: 8.16, vertikal: 10.09




Serie 1:
 9.8 ↘ 7.7 ↓ 9.2 ← 9.2 ↗ 8.7 ↓
 9.3 ↓ 10.7 * 9.5 ↑ 9.7 ← 8.7 →
 beste Teiler 182.0 (7.) 890.9 (1.) 1026.9 (9.)
 Trefferlage 0.18 mm rechts, 3.82 mm tief
 Streuwert 10.67, horizontal: 9.17, vertikal: 11.98




Serie 2:
 9.3 ↘ 9.8 ↗ 9.7 ↗ 9.3 ↑ 10.1 ↘
 9.2 ↗ 9.7 ↓ 10.2 ↗ 9.5 ↓ 9.8 ←
 beste Teiler 619.0 (18.) 657.0 (15.) 919.2 (12.)
 Trefferlage 1.43 mm links, 3.23 mm tief
 Streuwert 7.50, horizontal: 6.18, vertikal: 8.61




Serie 3:
 8.4 ↗ 9.2 ↑ 9.9 → 9.6 → 10.4 *
 9.7 ↑ 9.4 → 9.3 → 9.8 ↘ 9.5 ↘
 beste Teiler 417.5 (25.) 845.0 (23.) 926.4 (29.)
 Trefferlage 6.76 mm rechts, 3.72 mm hoch
 Streuwert 6.96, horizontal: 6.32, vertikal: 7.55



Serie 4:
 10.6 * 9.8 ↑ 9.3 ↘ 9.7 ↑ 10.6 *
 10.0 ← 9.2 ↓ 9.0 ↓ 8.1 ↗ 10.9 *
 beste Teiler 39.3 (40.) 291.2 (35.) 311.2 (31.)
 Trefferlage 0.93 mm links, 1.16 mm hoch
 Streuwert 8.67, horizontal: 7.30, vertikal: 9.85



Serie 5:
 9.1 ↓ 9.1 ↑ 10.7 * 9.3 ↗ 8.7 →
 8.2 ↓ 8.9 ↑ 9.0 ↗ 10.2 → 10.0 ↓
 beste Teiler 235.7 (43.) 595.8 (49.) 751.6 (50.)
 Trefferlage 3.43 mm rechts, 1.97 mm hoch
 Streuwert 10.22, horizontal: 7.01, vertikal: 12.64



Serie 6:
 8.8 ↗ 10.2 ↘ 8.1 ↗ 10.6 * 9.4 →
 10.6 * 9.6 → 9.7 ↘ 9.2 ↗ 8.1 ↑
 beste Teiler 261.0 (54.) 289.7 (56.) 575.2 (52.)
 Trefferlage 3.42 mm rechts, 0.14 mm hoch
 Streuwert 10.04, horizontal: 10.75, vertikal: 9.28



LP 60 – Wertung – **Männer**
StandNr: 105
Wagner, Philipp #296

StartNr: 5
4. Januar 2020 17:16
NÖ


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **548** (580.4)
 Serien: 94 89 90 95 86 94
 Zähler: 22 25 12 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 2594 (45), 2308 (44), 2010 (46)
 beste Teiler 101.9 (12.) 114.8 (52.) 121.6 (18.)
 Trefferlage 5.41 mm rechts, 1.39 mm hoch
 Streuwert 7.43, horizontal: 7.10, vertikal: 7.76




Serie 1:
 9.8 ↘ 10.3 ↑ 9.8 ↓ 10.0 ↖ 9.7 ↑
 9.7 ↘ 8.8 ↗ 10.2 ↘ 10.0 ↗ 10.2 ↑
 beste Teiler 522.3 (2.) 585.2 (8.) 638.9 (10.)
 Trefferlage 1.79 mm rechts, 1.00 mm hoch
 Streuwert 6.78, horizontal: 5.13, vertikal: 8.11




Serie 2:
 8.7 ↘ 10.8 * 8.6 ↖ 10.2 ↘ 9.3 →
 8.5 ↗ 9.8 ↗ 10.8 * 8.8 ↗ 9.5 →
 beste Teiler 101.9 (12.) 121.6 (18.) 614.9 (14.)
 Trefferlage 7.46 mm rechts, 3.65 mm hoch
 Streuwert 7.76, horizontal: 8.18, vertikal: 7.31




Serie 3:
 9.9 ↘ 8.8 ↘ 9.5 → 9.0 ↗ 9.5 ↗
 10.6 * 9.8 ↑ 9.9 ↘ 9.5 ↗ 9.8 ↗
 beste Teiler 320.0 (26.) 822.2 (21.) 846.3 (28.)
 Trefferlage 7.66 mm rechts, 2.16 mm hoch
 Streuwert 6.01, horizontal: 3.29, vertikal: 7.84



Serie 4:
 10.7 * 10.5 * 9.5 → 10.4 * 10.7 *
 9.8 ↗ 9.8 ↓ 8.5 ↘ 10.4 * 10.5 *
 beste Teiler 236.4 (31.) 237.1 (35.) 335.2 (40.)
 Trefferlage 1.23 mm rechts, 1.67 mm tief
 Streuwert 6.35, horizontal: 7.27, vertikal: 5.27



Serie 5:
 10.4 * 10.0 ↗ 9.8 ↑ 8.1 ↗ 7.7 ↗
 8.4 ↘ 8.6 ↑ 9.6 ↘ 8.6 ↗ 9.4 →
 beste Teiler 403.6 (41.) 793.6 (42.) 942.0 (43.)
 Trefferlage 9.94 mm rechts, 4.60 mm hoch
 Streuwert 9.25, horizontal: 7.83, vertikal: 10.48



Serie 6:
 9.9 → 10.8 * 10.1 ↗ 10.6 * 9.6 →
 8.9 ↗ 9.1 ↗ 10.6 * 9.2 ↘ 10.4 *
 beste Teiler 114.8 (52.) 253.4 (54.) 295.4 (58.)
 Trefferlage 4.36 mm rechts, 1.38 mm tief
 Streuwert 6.43, horizontal: 6.58, vertikal: 6.27

LP 60 – Wertung – **Männer**

StandNr: 106

Engensteiner, Rene #95

StartNr: 6



4. Januar 2020 17:40

T – SG Tarrenz


Unterschrift des Schützen

Meyton Elektronik


Ergebnis:	546	(573.8)					
Serien:	89	95	90	88	92	92	
Zähler:	17	32	11	0	0	0	0
Innenzehner:	7						
weiteste:	2352 (38), 2337 (21), 2230 (40)						
beste Teiler	58.6 (24.) 117.0 (28.) 226.5 (39.)						
Trefferlage	1.86 mm links, 0.00 mm						
Streuwert	8.64, horizontal: 8.76, vertikal: 8.53						




Serie 1:					
	9.0 ↗	9.9 ↗	9.8 ↗	8.4 ↗	9.6 ↗
	9.4 ↖	10.1 ↘	9.2 ↑	8.5 ↖	9.4 ↗
beste Teiler	687.4 (7.) 840.1 (2.) 886.9 (3.)				
Trefferlage	2.17 mm rechts, 2.78 mm hoch				
Streuwert	9.74, horizontal: 11.40, vertikal: 7.73				




Serie 2:					
	10.4 *	9.6 ←	9.6 ↖	10.5 *	10.1 ↖
	9.6 ↖	10.0 →	9.1 ↘	10.1 ↑	9.6 ↑
beste Teiler	373.0 (14.) 420.2 (11.) 643.2 (15.)				
Trefferlage	1.64 mm links, 0.96 mm hoch				
Streuwert	6.80, horizontal: 7.88, vertikal: 5.51				




Serie 3:					
	8.0 ↖	9.8 ↑	9.7 ↑	10.9 *	9.7 ↗
	8.9 ↖	9.2 ↑	10.8 *	9.7 ↘	9.6 ↘
beste Teiler	58.6 (24.) 117.0 (28.) 908.0 (22.)				
Trefferlage	1.87 mm links, 2.63 mm hoch				
Streuwert	8.82, horizontal: 9.54, vertikal: 8.03				



Serie 4:					
	8.7 ↘	9.7 ↓	10.0 ↓	8.9 ↓	8.9 ↗
	9.7 →	10.3 ↘	8.0 ↖	10.7 *	8.2 ↖
beste Teiler	226.5 (39.) 513.1 (37.) 748.8 (33.)				
Trefferlage	2.42 mm links, 3.51 mm tief				
Streuwert	10.60, horizontal: 8.97, vertikal: 12.02				



Serie 5:					
	9.1 ↘	9.2 ↗	10.6 *	9.8 ↑	8.5 ↓
	8.9 ↖	9.6 ↖	10.2 ←	10.0 ↑	10.1 ↖
beste Teiler	258.5 (43.) 631.0 (48.) 680.2 (50.)				
Trefferlage	4.05 mm links, 1.09 mm hoch				
Streuwert	8.36, horizontal: 7.69, vertikal: 8.98				



Serie 6:					
	9.7 ↘	9.8 ↘	10.6 *	9.8 ↘	9.7 ↘
	9.3 ↓	9.0 ↖	9.3 ↖	10.0 ↓	9.3 ↖
beste Teiler	241.5 (53.) 748.9 (59.) 881.3 (52.)				
Trefferlage	3.37 mm links, 3.94 mm tief				
Streuwert	7.11, horizontal: 7.31, vertikal: 6.90				

LP 60 – Wertung – **Männer**
StandNr: 107
Werba, Peter #91

StartNr: 7
4. Januar 2020 17:36
W – HSV Wien

Unterschrift des Schützen

Meyton Elektronik