





Ergebnis: **377** (395.1)
 Serien: 94 95 94 94 9
 Zähler: 19 20 2 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2251 (7), 1701 (31), 1590 (12)
 beste Teiler 110.0 (8.) 129.6 (9.) 178.9 (11.)
 Trefferlage 2.20 mm rechts, 0.20 mm tief
 Streuwert 6.96, horizontal: 7.35, vertikal: 6.54




Serie 1:
 9.2 ↗ 9.9 ↓ 9.6 ↗ 10.2 ↘ 10.3 ↓
 10.7 * 8.1 → 10.8 * 10.8 * 9.4 ↙
 beste Teiler 110.0 (8.) 129.6 (9.) 228.4 (6.)
 Trefferlage 3.92 mm rechts, 1.35 mm tief
 Streuwert 7.28, horizontal: 8.41, vertikal: 5.94




Serie 2:
 10.7 * 9.0 ↗ 10.1 ↓ 9.9 ↓ 9.4 →
 10.6 * 9.8 ↑ 10.0 ↙ 9.9 ↙ 10.2 ↓
 beste Teiler 178.9 (11.) 314.2 (16.) 582.3 (20.)
 Trefferlage 1.40 mm rechts, 0.66 mm tief
 Streuwert 6.46, horizontal: 6.61, vertikal: 6.32



Serie 3:
 9.1 ↘ 9.8 ↙ 9.7 ↘ 9.6 ↗ 10.5 *
 10.3 ← 10.6 * 10.2 ↗ 9.2 ↙ 9.2 →
 beste Teiler 284.9 (27.) 321.0 (25.) 560.2 (26.)
 Trefferlage 0.33 mm rechts, 0.61 mm tief
 Streuwert 7.50, horizontal: 8.00, vertikal: 6.96





Serie 4:
 8.8 ↗ 9.4 → 10.0 ↗ 10.6 * 10.2 ↑
 10.6 * 9.0 ↙ 9.9 ↗ 10.0 ↗ 9.8 ↓
 beste Teiler 250.8 (34.) 311.2 (36.) 596.9 (35.)
 Trefferlage 2.78 mm rechts, 0.82 mm hoch
 Streuwert 7.22, horizontal: 7.21, vertikal: 7.24




Serie 5:
 9.5 ↗
 beste Teiler
 Trefferlage 6.08 mm rechts, 9.83 mm hoch
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00


Ergebnis: **387** (404.4)
 Serien: 96 98 96 97 10
 Zähler: 29 11 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 1661 (1), 1543 (39), 1280 (3)
 beste Teiler 62.2 (40.) 231.2 (16.) 297.0 (11.)
 Trefferlage 0.21 mm links, 0.07 mm hoch
 Streuwert 5.38, horizontal: 6.15, vertikal: 4.48




Serie 1:
 8.9 → 10.3 ↑ 9.4 → 10.1 ↖ 10.3 ↘
 10.6 * 10.0 ↓ 10.4 * 9.6 ↗ 10.2 ↗
 beste Teiler 304.6 (6.) 441.0 (8.) 524.1 (5.)
 Trefferlage 3.65 mm rechts, 2.12 mm hoch
 Streuwert 5.83, horizontal: 7.20, vertikal: 4.02




Serie 2:
 10.6 * 10.1 ↖ 9.9 ↘ 10.4 * 10.6 *
 10.7 * 10.3 ↑ 10.4 * 9.6 ↑ 10.4 *
 beste Teiler 231.2 (16.) 297.0 (11.) 314.0 (15.)
 Trefferlage 2.20 mm links, 1.09 mm hoch
 Streuwert 3.96, horizontal: 2.49, vertikal: 5.03



Serie 3:
 9.6 ↙ 10.3 ↘ 9.8 ↖ 9.9 ↖ 10.5 *
 10.3 ↗ 10.4 * 10.1 → 9.9 ↙ 10.0 ↙
 beste Teiler 369.2 (25.) 426.9 (27.) 528.2 (22.)
 Trefferlage 2.68 mm links, 0.68 mm tief
 Streuwert 5.02, horizontal: 6.27, vertikal: 3.32





Serie 4:
 10.2 ↑ 10.4 * 9.7 ↘ 10.1 ↙ 10.4 *
 10.1 ↖ 10.3 ↘ 9.7 ↗ 9.0 ↘ 10.9 *
 beste Teiler 62.2 (40.) 435.5 (32.) 465.5 (35.)
 Trefferlage 0.58 mm rechts, 2.45 mm tief
 Streuwert 5.69, horizontal: 6.47, vertikal: 4.79




Serie 5:
 10.5 *
 beste Teiler
 Trefferlage 2.45 mm links, 2.10 mm hoch
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00


Ergebnis: **366** (385.4)
 Serien: 89 91 95 91 9
 Zähler: 14 19 8 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 1975 (1), 1918 (20), 1818 (39)
 beste Teiler 340.8 (29.) 374.4 (15.) 461.8 (30.)
 Trefferlage 3.55 mm links, 4.77 mm hoch
 Streuwert 7.16, horizontal: 7.91, vertikal: 6.33




Serie 1:
 8.5 ↗ 9.6 ↗ 8.7 ↑ 9.8 ↘ 8.8 ↘
 10.3 ↗ 9.5 ↘ 10.2 ↘ 8.8 ← 10.3 ↑
 beste Teiler 527.7 (10.) 528.6 (6.) 617.0 (8.)
 Trefferlage 2.44 mm links, 8.27 mm hoch
 Streuwert 7.42, horizontal: 9.03, vertikal: 5.35




Serie 2:
 10.2 ↗ 9.8 ↗ 10.0 ↘ 9.3 ← 10.5 *
 9.6 ↘ 9.3 ← 8.9 ↑ 9.8 ↘ 8.6 ←
 beste Teiler 374.4 (15.) 610.2 (11.) 777.4 (13.)
 Trefferlage 6.72 mm links, 3.21 mm hoch
 Streuwert 6.88, horizontal: 7.09, vertikal: 6.65



Serie 3:
 9.3 ↘ 9.1 ↘ 9.8 ↘ 10.0 ← 10.3 ↗
 9.6 ↘ 9.8 ↘ 10.3 ↘ 10.5 * 10.4 *
 beste Teiler 340.8 (29.) 461.8 (30.) 491.4 (28.)
 Trefferlage 5.05 mm links, 2.04 mm hoch
 Streuwert 5.42, horizontal: 2.87, vertikal: 7.11





Serie 4:
 10.4 * 9.8 ↑ 9.0 ↘ 9.5 ↘ 8.8 ↗
 10.0 ↗ 9.7 ↗ 9.7 ← 8.7 ← 10.2 ↗
 beste Teiler 473.8 (31.) 630.4 (40.) 761.6 (36.)
 Trefferlage 1.64 mm links, 5.65 mm hoch
 Streuwert 7.71, horizontal: 9.49, vertikal: 5.37




Serie 5:
 9.3 →
 beste Teiler
 Trefferlage 12.64 mm rechts, 3.77 mm hoch
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00


Ergebnis: **372** (386.6)
 Serien: 89 92 94 97 6
 Zähler: 19 15 5 1 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2536 (3), 2342 (12), 2254 (8)
 beste Teiler 79.6 (17.) 304.6 (23.) 313.0 (19.)
 Trefferlage 2.28 mm rechts, 4.12 mm hoch
 Streuwert 8.55, horizontal: 8.22, vertikal: 8.87




Serie 1:
 9.4 ↗ 10.0 ↘ 7.8 ↗ 10.5 * 8.7 ↗
 10.1 ↗ 9.7 ↑ 8.1 ↖ 9.1 ↗ 9.1 ↑
 beste Teiler 381.0 (4.) 711.4 (6.) 741.4 (2.)
 Trefferlage 2.98 mm rechts, 7.46 mm hoch
 Streuwert 9.53, horizontal: 11.08, vertikal: 7.69




Serie 2:
 9.9 ↘ 8.0 ↗ 9.4 ↗ 10.0 ↑ 9.3 ↓
 9.7 → 10.9 * 10.0 ↗ 10.6 * 8.9 ↘
 beste Teiler 79.6 (17.) 313.0 (19.) 744.5 (18.)
 Trefferlage 3.08 mm rechts, 4.21 mm hoch
 Streuwert 8.09, horizontal: 8.14, vertikal: 8.04



Serie 3:
 9.9 ↗ 10.4 * 10.6 * 9.1 ↖ 9.9 ↗
 10.2 ↘ 9.9 ↘ 8.3 ↗ 10.0 ↗ 10.1 ↘
 beste Teiler 304.6 (23.) 465.8 (22.) 583.5 (26.)
 Trefferlage 2.04 mm rechts, 0.41 mm hoch
 Streuwert 7.45, horizontal: 7.79, vertikal: 7.10



Serie 4:
 10.1 ↓ 10.5 * 10.2 ↗ 10.1 ↓ 9.1 ↘
 9.0 ↗ 10.2 ↓ 9.5 ↑ 10.2 → 10.1 →
 beste Teiler 329.8 (32.) 564.9 (33.) 606.0 (37.)
 Trefferlage 2.02 mm rechts, 1.51 mm hoch
 Streuwert 6.52, horizontal: 6.15, vertikal: 6.87





Serie 5:
 6.7 ↑
 beste Teiler 7.92 mm links, 33.03 mm hoch
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (391.3)
 Serien: 94 93 91 95 9
 Zähler: 18 18 5 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 1971 (14), 1839 (13), 1802 (21)
 beste Teiler 166.4 (24.) 175.1 (35.) 287.0 (11.)
 Trefferlage 2.99 mm rechts, 1.02 mm hoch
 Streuwert 7.30, horizontal: 7.40, vertikal: 7.20



Serie 1:

8.7 ↗ 9.7 → 10.3 ↑ 10.0 → 9.8 ↗
 10.3 ↘ 10.4 * 9.7 → 10.4 ↘ 9.3 ↘


beste Teiler 472.3 (7.) 476.6 (9.) 496.7 (3.)
 Trefferlage 2.65 mm rechts, 1.18 mm hoch
 Streuwert 6.90, horizontal: 7.70, vertikal: 5.99



Serie 2:

10.6 * 9.1 → 8.7 → 8.5 ↗ 10.5 *
 10.4 * 9.3 ↓ 9.8 ↘ 10.3 ↑ 10.2 →


beste Teiler 287.0 (11.) 323.3 (15.) 452.6 (16.)
 Trefferlage 3.48 mm rechts, 3.07 mm hoch
 Streuwert 7.80, horizontal: 8.15, vertikal: 7.43



Serie 3:

8.7 ↗ 9.8 ↘ 9.3 ↘ 10.7 * 9.0 ↗
 10.2 ↘ 10.1 ↑ 8.8 ↓ 9.3 ↘ 9.1 ←


beste Teiler 166.4 (24.) 577.9 (26.) 658.3 (27.)
 Trefferlage 3.29 mm rechts, 1.76 mm tief
 Streuwert 9.04, horizontal: 8.72, vertikal: 9.35



Serie 4:

10.6 * 9.4 → 10.2 ↗ 9.6 ↘ 10.7 *
 9.8 ↗ 10.1 ↘ 9.7 ↓ 10.6 * 9.6 →

beste Teiler 175.1 (35.) 290.5 (31.) 301.1 (39.)
 Trefferlage 2.84 mm rechts, 0.60 mm hoch
 Streuwert 5.80, horizontal: 6.34, vertikal: 5.21



Serie 5:



9.6 ↑

beste Teiler
 Trefferlage 0.12 mm rechts, 10.98 mm hoch
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (377.3)
 Serien: 89 86 94 91 8
 Zähler: 12 20 6 2 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3560 (13), 2832 (4), 2496 (10)
 beste Teiler 108.2 (32.) 271.6 (23.) 461.8 (22.)
 Trefferlage 1.54 mm links, 3.76 mm tief
 Streuwert 9.70, horizontal: 8.86, vertikal: 10.48




Serie 1:
 9.2 ↑ 9.3 ↘ 8.9 ↓ 7.4 ↗ 10.3 ←
 10.3 ← 10.1 ↗ 10.3 ↑ 9.3 ↓ 7.8 ↓
 beste Teiler 495.3 (5.) 502.1 (6.) 502.8 (8.)
 Trefferlage 0.53 mm rechts, 3.02 mm tief
 Streuwert 11.21, horizontal: 6.74, vertikal: 14.35




Serie 2:
 8.8 ↘ 10.3 ↖ 6.5 ↗ 9.8 ↖ 9.5 ↓
 9.9 ↗ 9.5 ↓ 9.3 ↖ 9.8 → 8.6 ↗
 beste Teiler 529.6 (12.) 854.8 (16.) 919.9 (19.)
 Trefferlage 1.83 mm links, 3.99 mm tief
 Streuwert 11.69, horizontal: 11.56, vertikal: 11.81



Serie 3:
 10.0 ↗ 10.4 * 10.6 * 9.3 ↓ 9.4 ↗
 10.2 ↑ 9.3 → 9.3 ↖ 9.9 → 9.9 ↓
 beste Teiler 271.6 (23.) 461.8 (22.) 635.5 (26.)
 Trefferlage 0.62 mm links, 1.42 mm tief
 Streuwert 7.18, horizontal: 7.34, vertikal: 7.02



Serie 4:
 10.1 ↗ 10.8 * 9.5 ← 9.0 ← 8.0 ↓
 10.1 ↘ 9.1 ↓ 9.2 ↘ 9.9 ↖ 8.4 ←
 beste Teiler 108.2 (32.) 663.7 (31.) 701.6 (36.)
 Trefferlage 2.88 mm links, 6.11 mm tief
 Streuwert 9.07, horizontal: 9.30, vertikal: 8.83





Serie 5:
 8.7 ←
 beste Teiler
 Trefferlage 15.44 mm links, 8.90 mm tief
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (386.3)
 Serien: 93 91 92 91 9
 Zähler: 14 20 7 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 1851 (30), 1839 (24), 1729 (15)
 beste Teiler 198.0 (6.) 342.1 (2.) 366.4 (19.)
 Trefferlage 3.10 mm links, 2.02 mm tief
 Streuwert 7.68, horizontal: 7.15, vertikal: 8.18




Serie 1:
 9.0 ↙ 10.5 * 9.4 ↗ 9.6 ↘ 9.7 ↙
 10.7 * 10.0 ← 10.4 * 9.7 ↗ 8.9 ↘
 beste Teiler 198.0 (6.) 342.1 (2.) 455.6 (8.)
 Trefferlage 1.09 mm links, 0.88 mm tief
 Streuwert 7.68, horizontal: 8.68, vertikal: 6.53




Serie 2:
 10.1 ↑ 9.8 ↙ 9.3 ↓ 9.6 ↙ 8.8 ↑
 9.5 ↘ 10.0 ↙ 9.4 ↑ 10.5 * 8.9 ↓
 beste Teiler 366.4 (19.) 713.2 (11.) 727.5 (17.)
 Trefferlage 2.74 mm links, 0.79 mm tief
 Streuwert 8.44, horizontal: 4.09, vertikal: 11.21



Serie 3:
 10.1 ↘ 10.2 ↘ 9.2 ← 8.7 ↙ 9.7 ↓
 10.5 * 9.3 ↓ 9.3 ↘ 10.1 ↑ 8.6 ↓
 beste Teiler 386.3 (26.) 571.8 (22.) 650.3 (21.)
 Trefferlage 3.59 mm links, 4.79 mm tief
 Streuwert 7.81, horizontal: 5.28, vertikal: 9.70



Serie 4:
 8.8 → 9.6 ← 10.3 ↙ 8.9 ↙ 9.7 ↙
 9.6 ← 10.5 * 9.7 ↘ 9.5 ← 10.2 ↗
 beste Teiler 392.0 (37.) 554.5 (33.) 593.8 (40.)
 Trefferlage 3.94 mm links, 1.85 mm tief
 Streuwert 7.50, horizontal: 9.46, vertikal: 4.79





Serie 5:
 9.3 ←
 beste Teiler
 Trefferlage 13.60 mm links, 0.29 mm hoch
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (373.1)
 Serien: 84 88 91 91 7
 Zähler: 10 18 8 5 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2875 (3), 2599 (6), 2597 (9)
 beste Teiler 54.7 (26.) 146.9 (31.) 277.4 (40.)
 Trefferlage 2.59 mm links, 5.43 mm hoch
 Streuwert 9.99, horizontal: 9.42, vertikal: 10.52




Serie 1:
 8.5 ↘ 10.0 ↗ 7.4 ↘ 9.4 ↗ 10.0 ↗
 7.7 ↗ 9.7 ← 9.4 ↑ 7.7 ← 8.9 ↘
 beste Teiler 772.1 (2.) 796.0 (5.) 1026.0 (7.)
 Trefferlage 6.48 mm links, 9.99 mm hoch
 Streuwert 10.37, horizontal: 10.03, vertikal: 10.70




Serie 2:
 8.1 ← 10.0 ← 9.2 ↑ 9.3 ↘ 8.2 ↘
 8.9 ↘ 9.9 ↘ 9.6 ↘ 9.6 ↘ 9.1 ↗
 beste Teiler 790.7 (12.) 821.8 (17.) 1042.5 (19.)
 Trefferlage 6.89 mm links, 3.97 mm hoch
 Streuwert 9.30, horizontal: 8.80, vertikal: 9.78



Serie 3:
 10.5 * 9.4 ↘ 8.1 ↑ 10.1 ↑ 10.1 ↘
 10.9 * 9.1 ↑ 8.9 ↗ 8.7 ↑ 9.6 ←
 beste Teiler 54.7 (26.) 328.9 (21.) 662.6 (24.)
 Trefferlage 2.70 mm rechts, 5.48 mm hoch
 Streuwert 8.62, horizontal: 6.06, vertikal: 10.58



Serie 4:
 10.8 * 9.9 ↑ 9.4 ↘ 9.8 ↓ 9.6 ↗
 9.7 ↑ 7.8 ↑ 9.5 ↗ 10.0 ↘ 10.6 *
 beste Teiler 146.9 (31.) 277.4 (40.) 726.7 (39.)
 Trefferlage 2.52 mm rechts, 4.35 mm hoch
 Streuwert 7.85, horizontal: 5.18, vertikal: 9.81



Serie 5:
 7.3 ↘
 beste Teiler
 Trefferlage 24.91 mm links, 15.19 mm tief
 Streuwert 0.00, horizontal: 0.00, vertikal: 0.00

Unterschrift des Schützen

Meyton Elektronik