




Ergebnis: **353** (369.7)
 Serien: 85 88 87 93
 Zähler: 7 23 7 2 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3691 (4), 3194 (9), 2641 (19)
 beste Teiler 133.0 (1.) 359.7 (31.) 484.6 (38.)
 Trefferlage 2.23 mm rechts, 5.34 mm tief
 Streuwert 10.13, horizontal: 7.62, vertikal: 12.13



Serie 1:

10.8 * 8.9 ↘ 9.4 ↑ 6.3 ↓ 9.1 ↓
 9.3 → 9.5 ↙ 9.0 ↓ 7.0 ↑ 9.0 ↓


beste Teiler 133.0 (1.) 1160.4 (7.) 1230.9 (3.)
 Trefferlage 1.54 mm rechts, 6.10 mm tief
 Streuwert 13.80, horizontal: 6.32, vertikal: 18.47



Serie 2:

9.6 ↙ 9.2 → 9.3 ← 9.0 ↓ 9.5 ↗
 9.2 ↙ 8.8 → 10.2 ↑ 7.6 ↓ 9.6 →


beste Teiler 585.3 (18.) 1076.5 (11.) 1106.6 (20.)
 Trefferlage 2.05 mm rechts, 4.13 mm tief
 Streuwert 10.58, horizontal: 10.12, vertikal: 11.03



Serie 3:

9.7 → 10.3 ↘ 9.9 → 8.3 ↓ 9.3 ↓
 9.7 ↗ 8.7 ↓ 9.3 ↘ 8.9 ↓ 8.9 ↙

beste Teiler 517.4 (22.) 819.7 (23.) 985.6 (26.)
 Trefferlage 1.91 mm rechts, 6.27 mm tief
 Streuwert 9.19, horizontal: 7.09, vertikal: 10.90



Serie 4:



10.5 * 9.4 ↓ 9.1 ↓ 10.1 ↙ 9.1 ↘
 9.9 → 10.1 ↓ 10.3 ← 9.5 ↓ 8.4 →

beste Teiler 359.7 (31.) 484.6 (38.) 648.4 (34.)
 Trefferlage 3.42 mm rechts, 4.84 mm tief
 Streuwert 7.41, horizontal: 7.55, vertikal: 7.27

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (367.5)
 Serien: 81 91 92 88
 Zähler: 10 17 9 3 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3935 (9), 2960 (4), 2624 (1)
 beste Teiler 160.0 (22.) 434.6 (20.) 467.8 (24.)
 Trefferlage 0.31 mm links, 1.31 mm hoch
 Streuwert 11.40, horizontal: 11.97, vertikal: 10.80



Serie 1:

7.7 ↙ 7.9 ↗ 9.8 ➡ 7.3 ← 8.7 ↘
 9.1 ↗ 10.1 ↘ 9.7 ↘ 6.0 ↓ 9.7 ↗


beste Teiler 675.0 (7.) 895.0 (3.) 993.4 (8.)
 Trefferlage 2.92 mm links, 0.37 mm tief
 Streuwert 15.76, horizontal: 16.08, vertikal: 15.43



Serie 2:

9.6 ← 10.0 ← 8.3 ↑ 8.6 ← 10.1 ↑
 9.5 ↑ 8.0 ↑ 9.1 ↘ 10.2 ← 10.4 *


beste Teiler 434.6 (20.) 594.8 (19.) 714.6 (15.)
 Trefferlage 1.65 mm links, 4.72 mm hoch
 Streuwert 9.75, horizontal: 9.11, vertikal: 10.36



Serie 3:

9.3 ➡ 10.8 * 9.4 ➡ 10.4 * 9.6 ↓
 9.3 ↘ 10.1 ↙ 8.5 ↓ 10.0 ➡ 8.6 ➡

beste Teiler 160.0 (22.) 467.8 (24.) 700.0 (27.)
 Trefferlage 4.31 mm rechts, 3.34 mm tief
 Streuwert 8.22, horizontal: 8.26, vertikal: 8.19



Serie 4:



9.4 ↘ 8.8 ↙ 9.1 ↗ 9.0 ➡ 8.6 ←
 8.4 ↘ 10.1 ↗ 9.3 ↑ 9.9 ↗ 9.1 ➡

beste Teiler 691.8 (37.) 828.6 (39.) 1208.9 (31.)
 Trefferlage 0.98 mm links, 4.24 mm hoch
 Streuwert 10.51, horizontal: 13.32, vertikal: 6.60

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **369** (386.7)
 Serien: 89 94 93 93
 Zähler: 13 23 4 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2253 (8), 2092 (1), 1917 (30)
 beste Teiler 246.4 (27.) 381.2 (24.) 414.4 (29.)
 Trefferlage 0.68 mm links, 1.23 mm tief
 Streuwert 7.92, horizontal: 7.86, vertikal: 7.98



Serie 1:

8.3 ↓ 9.8 ↘ 10.2 ↓ 9.5 ↗ 8.7 ←
 9.8 ↘ 9.6 → 8.1 → 10.3 ↖ 9.7 ↙


beste Teiler 545.4 (9.) 637.0 (3.) 918.4 (6.)
 Trefferlage 2.06 mm rechts, 4.08 mm tief
 Streuwert 9.58, horizontal: 10.41, vertikal: 8.67



Serie 2:

10.0 ↓ 9.4 → 9.2 ↖ 9.3 ↑ 9.8 →
 10.0 ↑ 9.4 ← 10.2 ↓ 9.7 ↗ 10.0 ↗


beste Teiler 578.3 (18.) 740.6 (16.) 780.3 (20.)
 Trefferlage 1.82 mm rechts, 4.27 mm hoch
 Streuwert 6.82, horizontal: 6.96, vertikal: 6.67



Serie 3:

10.0 ← 9.6 ↙ 9.3 ↘ 10.5 * 9.7 ←
 9.6 ↙ 10.6 * 9.4 ↙ 10.4 * 8.6 ↙

beste Teiler 246.4 (27.) 381.2 (24.) 414.4 (29.)
 Trefferlage 4.61 mm links, 4.91 mm tief
 Streuwert 6.17, horizontal: 7.03, vertikal: 5.17



Serie 4:



9.9 ↑ 10.1 → 9.4 ↓ 10.3 ↖ 9.5 ↑
 10.4 * 9.7 ← 9.8 ↙ 9.1 ↙ 9.8 ↖

beste Teiler 432.3 (36.) 493.7 (34.) 653.4 (32.)
 Trefferlage 2.01 mm links, 0.22 mm tief
 Streuwert 6.99, horizontal: 5.18, vertikal: 8.41

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **306** (322.9)
 Serien: 84 75 73 74
 Zähler: 3 8 13 9 3 3 1 0 0 0
 Innenzehner: 1
 weiteste: 5435 (28), 4667 (13), 4448 (26)
 beste Teiler 413.0 (21.) 744.2 (7.) 752.5 (27.)
 Trefferlage 2.18 mm rechts, 4.32 mm tief
 Streuwert 17.98, horizontal: 16.75, vertikal: 19.14



Serie 1:

9.3 ↙ 9.1 ↗ 9.3 ↓ 9.9 ← 8.9 ↘
 9.1 ↓ 10.0 ↘ 7.7 ↗ 8.7 ↑ 6.6 ↗


beste Teiler 744.2 (7.) 870.9 (4.) 1320.5 (1.)
 Trefferlage 5.92 mm rechts, 0.87 mm hoch
 Streuwert 13.00, horizontal: 12.40, vertikal: 13.58



Serie 2:

8.6 → 6.8 ↓ 5.1 ↗ 8.7 ← 9.0 ↗
 8.5 ↑ 8.1 → 8.3 → 8.6 ↑ 7.4 ↓


beste Teiler 1582.7 (15.) 1774.4 (14.) 1893.6 (11.)
 Trefferlage 8.71 mm rechts, 2.09 mm hoch
 Streuwert 18.20, horizontal: 14.82, vertikal: 21.04



Serie 3:

10.4 * 8.0 ↙ 9.1 ↖ 7.9 ↘ 8.1 ↗
 5.4 ↓ 10.0 → 4.2 ↙ 5.5 → 7.6 ↖

beste Teiler 413.0 (21.) 752.5 (27.) 1491.5 (23.)
 Trefferlage 3.06 mm links, 8.85 mm tief
 Streuwert 21.95, horizontal: 22.00, vertikal: 21.90



Serie 4:



6.0 ↙ 7.7 ↓ 8.2 ← 7.7 ← 7.6 ↑
 7.8 ↘ 8.4 → 9.8 ↓ 8.5 ↓ 7.3 ↓

beste Teiler 908.8 (38.) 1955.1 (39.) 2014.5 (37.)
 Trefferlage 2.83 mm links, 11.40 mm tief
 Streuwert 16.78, horizontal: 15.39, vertikal: 18.06

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (374.9)
 Serien: 90 84 92 90
 Zähler: 7 24 7 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2605 (14), 2410 (1), 2133 (15)
 beste Teiler 113.7 (2.) 358.9 (38.) 600.4 (22.)
 Trefferlage 1.35 mm rechts, 0.74 mm hoch
 Streuwert 9.66, horizontal: 8.85, vertikal: 10.40



Serie 1:

7.9 ↗ 10.8 * 10.1 ↘ 9.5 ↑ 8.9 ↘
 9.0 ↑ 9.4 ↙ 10.1 ↓ 9.6 ↗ 9.4 ↗


beste Teiler 113.7 (2.) 646.2 (8.) 704.7 (3.)
 Trefferlage 1.15 mm rechts, 6.43 mm hoch
 Streuwert 8.63, horizontal: 9.07, vertikal: 8.16



Serie 2:

8.8 → 9.5 ↘ 8.9 ↘ 7.7 ↓ 8.3 ↗
 9.1 ↘ 9.0 ↙ 9.2 ↑ 8.9 ↗ 9.2 ↘


beste Teiler 1170.3 (12.) 1374.8 (18.) 1424.0 (20.)
 Trefferlage 3.97 mm rechts, 2.92 mm tief
 Streuwert 12.27, horizontal: 12.49, vertikal: 12.06



Serie 3:

9.2 ↓ 10.2 ↓ 9.6 ↘ 9.4 ↗ 9.6 ↘
 10.2 → 9.9 ↘ 9.5 ↑ 9.7 → 9.1 ↘

beste Teiler 600.4 (22.) 625.2 (26.) 824.8 (27.)
 Trefferlage 0.22 mm links, 0.46 mm hoch
 Streuwert 8.06, horizontal: 7.40, vertikal: 8.67



Serie 4:



9.6 ↓ 8.7 ↓ 9.6 ↗ 8.9 ↑ 9.4 ↘
 9.6 ↑ 9.4 ↘ 10.5 * 10.0 ↓ 9.5 ↓

beste Teiler 358.9 (38.) 790.9 (39.) 1091.5 (33.)
 Trefferlage 0.53 mm rechts, 1.00 mm tief
 Streuwert 9.01, horizontal: 5.96, vertikal: 11.26

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **308** (327.1)
 Serien: 74 78 79 77
 Zähler: 4 9 8 13 4 1 0 1 0 0
 Innenzehner: 1
 weiteste: 5786 (19), 4085 (4), 3467 (3)
 beste Teiler 331.8 (14.) 610.1 (7.) 630.2 (11.)
 Trefferlage 5.23 mm rechts, 5.51 mm hoch
 Streuwert 16.79, horizontal: 14.95, vertikal: 18.46



Serie 1:

7.9 ↘ 6.8 ↘ 6.6 ↙ 5.8 ↑ 8.9 ↓
 8.5 ↓ 10.2 → 9.3 ↘ 8.8 ← 7.4 ↑


beste Teiler 610.1 (7.) 1300.3 (8.) 1665.7 (5.)
 Trefferlage 6.52 mm rechts, 3.66 mm tief
 Streuwert 18.18, horizontal: 15.10, vertikal: 20.80



Serie 2:

10.2 ↗ 9.5 ← 7.0 ↘ 10.5 * 8.0 ←
 7.6 ↗ 9.5 ← 8.3 ↘ 3.7 ↗ 7.6 ↑


beste Teiler 331.8 (14.) 630.2 (11.) 1126.9 (12.)
 Trefferlage 3.76 mm rechts, 6.87 mm hoch
 Streuwert 18.94, horizontal: 20.18, vertikal: 17.60



Serie 3:

9.0 ↑ 9.3 ↓ 7.0 ↓ 8.6 ↑ 7.5 ↑
 9.8 ↙ 7.0 ↑ 9.3 ↘ 7.5 ↗ 7.7 →

beste Teiler 889.7 (26.) 1333.3 (28.) 1350.8 (22.)
 Trefferlage 5.69 mm rechts, 6.74 mm hoch
 Streuwert 15.73, horizontal: 11.71, vertikal: 18.92



Serie 4:



6.8 ↗ 8.5 ← 8.3 ↙ 7.7 ↑ 9.8 ↗
 10.0 ↗ 6.8 ↗ 7.7 ↑ 9.1 ↗ 7.6 ↑

beste Teiler 787.1 (36.) 887.2 (35.) 1464.4 (39.)
 Trefferlage 4.96 mm rechts, 12.12 mm hoch
 Streuwert 14.51, horizontal: 13.81, vertikal: 15.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333** (355.1)
 Serien: 84 85 86 78
 Zähler: 2 18 15 3 1 0 1 0 0 0
 Innenzehner: 1
 weiteste: 4846 (36), 3393 (35), 3133 (7)
 beste Teiler 186.4 (19.) 688.7 (10.) 831.1 (22.)
 Trefferlage 4.59 mm links, 2.96 mm hoch
 Streuwert 12.69, horizontal: 12.52, vertikal: 12.86




Serie 1:
 9.3 ↙ 8.4 ↓ 9.4 ← 9.2 ↘ 8.9 ←
 7.9 ↗ 7.0 ↖ 9.7 ↘ 8.6 ↖ 10.1 ↓
 beste Teiler 688.7 (10.) 996.5 (8.) 1218.0 (3.)
 Trefferlage 7.76 mm links, 0.16 mm hoch
 Streuwert 12.10, horizontal: 12.84, vertikal: 11.31



Serie 2:
 8.7 ← 9.7 ← 8.2 → 8.0 ↗ 9.2 ↖
 8.9 ↘ 9.8 ↖ 8.8 ↗ 10.7 * 8.7 ↗
 beste Teiler 186.4 (19.) 896.1 (17.) 1014.7 (12.)
 Trefferlage 1.52 mm links, 1.78 mm hoch
 Streuwert 12.02, horizontal: 12.94, vertikal: 11.02



Serie 3:
 8.5 ↖ 9.9 ↑ 9.8 ← 9.8 ← 7.4 ↖
 9.5 ↗ 8.4 ↖ 9.9 ↘ 9.5 ↗ 9.9 ↑
 beste Teiler 831.1 (22.) 831.8 (30.) 851.4 (28.)
 Trefferlage 5.91 mm links, 6.01 mm hoch
 Streuwert 9.26, horizontal: 11.74, vertikal: 5.82





Serie 4:
 8.8 ← 8.5 ↑ 9.2 ↖ 8.4 ↗ 6.7 ↓
 4.9 ↑ 9.3 ↖ 8.6 ← 9.5 ↖ 9.4 ↘
 beste Teiler 1169.5 (39.) 1280.4 (40.) 1282.5 (37.)
 Trefferlage 3.16 mm links, 3.88 mm hoch
 Streuwert 17.25, horizontal: 13.53, vertikal: 20.30


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **342** (357.3)
 Serien: 82 80 92 88
 Zähler: 7 17 10 4 1 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4682 (18), 3418 (8), 3089 (19)
 beste Teiler 132.7 (23.) 261.1 (32.) 535.4 (28.)
 Trefferlage 3.85 mm rechts, 4.71 mm hoch
 Streuwert 12.48, horizontal: 13.34, vertikal: 11.55




Serie 1:
 7.6 ↘ 9.1 ↗ 8.5 → 8.7 ↗ 8.3 ↗
 9.0 ↙ 8.0 ↑ 6.7 → 10.1 ↑ 9.9 ↗
 beste Teiler 690.5 (9.) 861.7 (10.) 1466.8 (2.)
 Trefferlage 9.42 mm rechts, 6.23 mm hoch
 Streuwert 12.70, horizontal: 10.94, vertikal: 14.24



Serie 2:
 7.7 ↗ 9.6 → 9.0 ← 10.1 ← 7.8 ↗
 9.1 ↑ 9.9 ↘ 5.1 ↗ 7.1 ← 8.7 ↗
 beste Teiler 695.3 (14.) 878.6 (17.) 1058.9 (12.)
 Trefferlage 4.78 mm rechts, 8.23 mm hoch
 Streuwert 15.94, horizontal: 18.46, vertikal: 12.93



Serie 3:
 9.6 ↑ 9.0 → 10.8 * 9.5 ← 9.0 ↘
 8.9 → 10.0 ↙ 10.3 ↘ 9.4 ← 9.2 ←
 beste Teiler 132.7 (23.) 535.4 (28.) 732.3 (27.)
 Trefferlage 2.70 mm links, 0.49 mm hoch
 Streuwert 8.68, horizontal: 11.05, vertikal: 5.36



Serie 4:
 8.0 → 10.6 * 9.5 ↘ 8.1 ↗ 9.2 ↘
 9.5 → 9.6 ↘ 8.5 ↘ 10.2 ← 8.4 ↑
 beste Teiler 261.1 (32.) 589.6 (39.) 1089.2 (37.)
 Trefferlage 3.93 mm rechts, 3.86 mm hoch
 Streuwert 11.14, horizontal: 10.27, vertikal: 11.96

Unterschrift des Schützen

Meyton Elektronik