





Ergebnis: 397 (418.1)
Serien: 99 100 100 98
Zähler: 37 3 0 0 0 0 0 0 0 0
Innenzehner: 35
weiteste: 266 (31), 258 (9), 253 (34)
beste Teiler 35.0 (38.) 38.0 (19.) 40.2 (6.)
Trefferlage 0.27 mm links, 0.13 mm hoch
Streuwert 1.00, horizontal: 0.78, vertikal: 1.18




Serie 1:
 10.7 * 10.8 * 10.2 * 10.7 * 10.2 *
 10.8 * 10.5 * 10.7 * 9.9 ↘ 10.3 *
beste Teiler 40.2 (6.) 40.7 (2.) 60.4 (4.)
Trefferlage 0.33 mm links, 0.28 mm hoch
Streuwert 0.98, horizontal: 0.77, vertikal: 1.16



Serie 2:
 10.2 * 10.2 * 10.5 * 10.0 ↘ 10.6 *
 10.6 * 10.7 * 10.5 * 10.8 * 10.2 *
beste Teiler 38.0 (19.) 61.4 (17.) 92.4 (16.)
Trefferlage 0.13 mm links, 0.08 mm hoch
Streuwert 1.07, horizontal: 0.99, vertikal: 1.14





Serie 3:
 10.5 * 10.5 * 10.8 * 10.6 * 10.8 *
 10.3 * 10.7 * 10.5 * 10.8 * 10.5 *
beste Teiler 41.6 (23.) 44.5 (25.) 47.2 (29.)
Trefferlage 0.12 mm links, 0.11 mm tief
Streuwert 0.73, horizontal: 0.56, vertikal: 0.88




Serie 4:
 9.9 ↑ 10.5 * 10.2 * 9.9 ↙ 10.2 *
 10.4 * 10.1 ↓ 10.8 * 10.8 * 10.2 *
beste Teiler 35.0 (38.) 45.4 (39.) 112.9 (32.)
Trefferlage 0.49 mm links, 0.28 mm hoch
Streuwert 1.25, horizontal: 0.82, vertikal: 1.57

Unterschrift des Schützen


Ergebnis: **387** (405.9)
 Serien: 97 97 98 95
 Zähler: 28 11 1 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 542 (14), 387 (37), 357 (36)
 beste Teiler 59.3 (29.) 78.2 (38.) 84.6 (16.)
 Trefferlage 0.21 mm rechts, 0.02 mm tief
 Streuwert 1.60, horizontal: 1.66, vertikal: 1.54




Serie 1:
 10.6 * 9.9 ↘ 10.4 * 10.4 * 10.2 *
 10.3 * 10.4 * 10.5 * 9.9 ↘ 9.9 ←
 beste Teiler 92.0 (1.) 120.1 (8.) 131.6 (7.)
 Trefferlage 0.59 mm rechts, 0.13 mm tief
 Streuwert 1.34, horizontal: 1.49, vertikal: 1.16



Serie 2:
 10.0 ↓ 10.2 * 10.2 * 8.8 ↗ 9.9 ↘
 10.6 * 10.0 ← 10.1 ↑ 10.3 * 10.3 *
 beste Teiler 84.6 (16.) 164.3 (19.) 172.6 (20.)
 Trefferlage 0.06 mm links, 0.01 mm tief
 Streuwert 1.92, horizontal: 1.96, vertikal: 1.88



Serie 3:
 9.7 ↓ 10.3 * 10.4 * 9.8 ↗ 10.4 *
 10.3 * 10.6 * 10.4 * 10.7 * 10.4 *
 beste Teiler 59.3 (29.) 85.0 (27.) 135.9 (28.)
 Trefferlage 0.02 mm links, 0.35 mm hoch
 Streuwert 1.28, horizontal: 0.88, vertikal: 1.59





Serie 4:
 10.4 * 10.4 * 9.7 ↗ 10.4 * 9.8 ↓
 9.5 ↙ 9.4 ↗ 10.6 * 9.6 ← 10.2 *
 beste Teiler 78.2 (38.) 138.5 (31.) 138.9 (32.)
 Trefferlage 0.37 mm rechts, 0.29 mm tief
 Streuwert 1.92, horizontal: 2.17, vertikal: 1.63


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 390 (409.0)
Serien: 99 97 96 98
Zähler: 31 8 1 0 0 0 0 0 0 0
Innenzehner: 27
weiteste: 511 (22), 475 (37), 447 (12)
beste Teiler 10.6 (38.) 32.2 (4.) 61.0 (11.)
Trefferlage 0.10 mm links, 0.09 mm hoch
Streuwert 1.57, horizontal: 1.89, vertikal: 1.17




Serie 1:
 10.4 * 10.5 * 10.4 * 10.8 * 10.7 *
 10.5 * 9.9 ↘ 10.3 * 10.6 * 10.6 *
beste Teiler 32.2 (4.) 75.9 (5.) 88.1 (9.)
Trefferlage 0.45 mm links, 0.01 mm tief
Streuwert 0.96, horizontal: 0.84, vertikal: 1.08



Serie 2:
 10.7 * 9.2 → 10.7 * 10.0 → 9.4 ↗
 10.3 * 10.6 * 10.2 * 9.7 ↗ 10.4 *
beste Teiler 61.0 (11.) 72.3 (13.) 83.1 (17.)
Trefferlage 0.66 mm rechts, 0.76 mm hoch
Streuwert 1.67, horizontal: 2.18, vertikal: 0.91




Serie 3:
 10.1 ↘ 8.9 ← 10.1 ↘ 10.6 * 10.3 *
 10.7 * 9.9 ↘ 10.5 * 9.4 ↓ 10.2 *
beste Teiler 74.6 (26.) 100.2 (24.) 104.0 (28.)
Trefferlage 0.57 mm links, 0.23 mm tief
Streuwert 1.86, horizontal: 2.10, vertikal: 1.58



Serie 4:
 9.8 ← 10.4 * 10.6 * 10.3 * 10.2 *
 10.0 → 9.1 → 10.9 * 10.7 * 10.4 *
beste Teiler 10.6 (38.) 69.3 (39.) 83.8 (33.)
Trefferlage 0.04 mm links, 0.12 mm tief
Streuwert 1.62, horizontal: 2.13, vertikal: 0.85

Unterschrift des Schützen





A target diagram with concentric circles. A cluster of five shots is in the center. Three shots are labeled with scores: 38, 40, and 36. The shot with a score of 40 is the most central.

Serie 4:				
10.9 *	10.4 *	10.6 *	10.2 *	9.9 ↗
9.3 ↘	10.0 ↙	10.0 ↖	10.0 ↚	10.6 *
beste Teiler	18.6 (31.) 88.0 (40.) 94.5 (33.)			
Trefferlage	0.12 mm links, 0.02 mm hoch			
Streuwert	1.63, horizontal: 1.96, vertikal: 1.21			

Unterschrift des Schützen


Ergebnis: **386** (404.3)
 Serien: 98 96 95 97
 Zähler: 27 12 1 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 510 (19), 426 (39), 411 (10)
 beste Teiler 3.6 (35.) 41.5 (3.) 42.4 (14.)
 Trefferlage 0.39 mm links, 0.27 mm hoch
 Streuwert 1.70, horizontal: 1.98, vertikal: 1.36



Serie 1:

10.4 *	10.1 ↑	10.8 *	10.1 ↗	9.8 ↑
10.6 *	10.3 *	10.6 *	10.0 ↘	9.3 ↓


beste Teiler 41.5 (3.) 78.1 (8.) 99.8 (6.)
 Trefferlage 0.48 mm rechts, 0.06 mm hoch
 Streuwert 1.56, horizontal: 1.01, vertikal: 1.96



Serie 2:

10.5 *	10.4 *	10.3 *	10.8 *	10.7 *
10.7 *	9.8 ↗	10.1 ↑	8.9 ←	9.6 ←


beste Teiler 42.4 (14.) 65.9 (15.) 68.7 (16.)
 Trefferlage 0.63 mm links, 0.49 mm hoch
 Streuwert 1.67, horizontal: 2.12, vertikal: 1.05



Serie 3:

9.7 ←	10.0 ↗	10.4 *	9.4 ↖	9.9 ↓
9.4 ←	10.2 *	9.5 →	10.4 *	10.2 *

beste Teiler 137.4 (29.) 145.7 (23.) 178.7 (27.)
 Trefferlage 0.34 mm links, 0.09 mm hoch
 Streuwert 2.04, horizontal: 2.57, vertikal: 1.30



Serie 4:



10.7 *	10.1 ↗	10.0 ↑	9.9 ←	10.9 *
10.5 *	9.5 ↖	10.6 *	9.2 ↖	10.0 →

beste Teiler 3.6 (35.) 64.3 (31.) 91.1 (38.)
 Trefferlage 1.07 mm links, 0.46 mm hoch
 Streuwert 1.54, horizontal: 1.87, vertikal: 1.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (402.2)
 Serien: 96 96 97 98
 Zähler: 27 13 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 478 (23), 471 (18), 447 (7)
 beste Teiler 22.0 (19.) 78.5 (22.) 79.6 (8.)
 Trefferlage 0.71 mm links, 0.46 mm hoch
 Streuwert 1.70, horizontal: 1.73, vertikal: 1.67




Serie 1:
 10.0 ← 9.9 ↘ 9.7 ↗ 10.6 * 10.5 *
 9.8 ← 9.2 ← 10.6 * 10.0 ↗ 10.4 *
 beste Teiler 79.6 (8.) 98.0 (4.) 125.7 (5.)
 Trefferlage 1.18 mm links, 0.65 mm hoch
 Streuwert 1.55, horizontal: 1.87, vertikal: 1.14



Serie 2:
 10.0 ↓ 10.3 * 9.4 ↘ 9.9 ↘ 10.6 *
 10.6 * 10.2 * 9.1 ↗ 10.9 * 9.5 ↘
 beste Teiler 22.0 (19.) 96.2 (16.) 97.9 (15.)
 Trefferlage 0.94 mm links, 0.01 mm hoch
 Streuwert 1.85, horizontal: 1.52, vertikal: 2.12



Serie 3:
 10.3 * 10.6 * 9.0 ↗ 10.2 * 10.3 *
 9.8 ↗ 9.3 ← 10.6 * 10.0 ↗ 10.5 *
 beste Teiler 78.5 (22.) 87.4 (28.) 119.8 (30.)
 Trefferlage 0.53 mm links, 0.90 mm hoch
 Streuwert 1.71, horizontal: 1.70, vertikal: 1.72





Serie 4:
 10.0 → 10.0 ↗ 10.5 * 10.2 * 10.2 *
 10.1 ↓ 10.3 * 9.3 ↘ 10.3 * 9.5 ←
 beste Teiler 111.6 (33.) 158.4 (39.) 163.2 (37.)
 Trefferlage 0.21 mm links, 0.30 mm hoch
 Streuwert 1.79, horizontal: 1.91, vertikal: 1.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (403.8)
 Serien: 97 98 95 97
 Zähler: 29 9 2 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 651 (28), 560 (32), 490 (24)
 beste Teiler 13.8 (26.) 45.1 (22.) 76.5 (21.)
 Trefferlage 0.65 mm links, 0.53 mm hoch
 Streuwert 1.74, horizontal: 1.93, vertikal: 1.54




Serie 1:
 10.2 * 10.4 * 9.7 ↖ 10.4 * 9.7 ↗
 9.9 → 10.6 * 10.6 * 10.6 * 10.5 *
 beste Teiler 87.3 (9.) 97.0 (7.) 97.1 (8.)
 Trefferlage 0.00 mm , 0.69 mm hoch
 Streuwert 1.37, horizontal: 1.59, vertikal: 1.11



Serie 2:
 9.1 ← 10.5 * 10.2 * 10.5 * 10.3 *
 10.3 * 9.9 ↓ 10.0 ↘ 10.6 * 10.6 *
 beste Teiler 78.7 (20.) 84.5 (19.) 107.4 (14.)
 Trefferlage 0.24 mm links, 0.23 mm tief
 Streuwert 1.56, horizontal: 1.83, vertikal: 1.24



Serie 3:
 10.6 * 10.8 * 10.1 ↗ 9.0 ↖ 9.2 ↖
 10.9 * 10.3 * 8.3 ↖ 9.5 ↖ 10.0 ↖
 beste Teiler 13.8 (26.) 45.1 (22.) 76.5 (21.)
 Trefferlage 1.65 mm links, 1.22 mm hoch
 Streuwert 1.99, horizontal: 2.01, vertikal: 1.96





Serie 4:
 10.4 * 8.7 ↖ 10.1 ↑ 10.2 * 10.2 *
 9.5 ↖ 10.0 ← 10.5 * 10.6 * 10.3 *
 beste Teiler 94.9 (39.) 113.3 (38.) 133.9 (31.)
 Trefferlage 0.71 mm links, 0.45 mm hoch
 Streuwert 1.85, horizontal: 2.10, vertikal: 1.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **388** (406.4)
 Serien: 97 95 97 99
 Zähler: 30 8 2 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 662 (13), 596 (18), 360 (30)
 beste Teiler 37.3 (40.) 43.8 (12.) 47.1 (27.)
 Trefferlage 0.36 mm rechts, 0.46 mm hoch
 Streuwert 1.68, horizontal: 2.11, vertikal: 1.09




Serie 1:
 10.3 * 10.0 ↗ 9.9 → 10.1 → 10.7 *
 9.7 ↘ 10.0 ↘ 10.4 * 10.2 * 9.6 ↗
 beste Teiler 72.2 (5.) 130.6 (8.) 173.4 (1.)
 Trefferlage 0.49 mm rechts, 0.89 mm hoch
 Streuwert 1.56, horizontal: 1.86, vertikal: 1.17



Serie 2:
 10.6 * 10.8 * 8.3 ↘ 10.2 * 10.3 *
 10.2 * 10.4 * 8.6 → 10.1 ↘ 9.7 ↘
 beste Teiler 43.8 (12.) 93.7 (11.) 129.0 (17.)
 Trefferlage 1.14 mm rechts, 0.06 mm hoch
 Streuwert 2.28, horizontal: 2.96, vertikal: 1.30



Serie 3:
 9.8 ↘ 9.5 ↘ 10.7 * 10.6 * 10.5 *
 10.2 * 10.8 * 10.8 * 10.6 * 9.5 →
 beste Teiler 47.1 (27.) 49.0 (28.) 57.9 (23.)
 Trefferlage 0.23 mm rechts, 0.52 mm hoch
 Streuwert 1.46, horizontal: 1.87, vertikal: 0.88



Serie 4:
 10.6 * 10.2 * 10.6 * 9.8 ↘ 10.2 *
 10.2 * 10.2 * 10.1 ↘ 10.6 * 10.8 *
 beste Teiler 37.3 (40.) 83.2 (31.) 90.9 (33.)
 Trefferlage 0.39 mm links, 0.39 mm hoch
 Streuwert 1.24, horizontal: 1.47, vertikal: 0.96

Unterschrift des Schützen

Meyton Elektronik