




Ergebnis: **373** (393.0)
 Serien: 94 92 93 94
 Zähler: 17 20 2 1 0 0 0 0 0 0
 Innenzehner: 11
 weiteste: 2771 (14), 1769 (29), 1754 (35)
 beste Teiler 111.8 (34.) 204.4 (38.) 305.8 (17.)
 Trefferlage 0.64 mm links, 0.92 mm hoch
 Streuwert 7.46, horizontal: 7.40, vertikal: 7.52



Serie 1:

9.6 ↗ 10.3 ↘ 9.2 ↙ 9.6 → 9.7 ↑
 9.9 ↘ 10.4 * 10.3 ↘ 9.8 → 10.0 ↘


beste Teiler 444.0 (7.) 489.3 (8.) 505.9 (2.)
 Trefferlage 2.39 mm rechts, 1.77 mm hoch
 Streuwert 6.42, horizontal: 6.30, vertikal: 6.53



Serie 2:

9.0 ↘ 9.3 ← 9.3 ↓ 7.5 ↗ 10.4 *
 10.4 * 10.6 * 10.4 * 9.7 ↗ 9.6 ↗


beste Teiler 305.8 (17.) 431.3 (16.) 459.7 (15.)
 Trefferlage 0.66 mm rechts, 3.65 mm hoch
 Streuwert 9.17, horizontal: 8.49, vertikal: 9.80



Serie 3:

10.1 ← 9.7 → 9.3 ← 10.3 ↙ 9.3 ↙
 10.4 * 9.7 → 10.3 → 8.7 ← 9.6 ←

beste Teiler 420.8 (26.) 492.1 (28.) 525.8 (24.)
 Trefferlage 3.18 mm links, 2.27 mm tief
 Streuwert 7.29, horizontal: 9.51, vertikal: 3.96



Serie 4:



9.9 ↘ 9.0 ↙ 9.9 ↙ 10.8 * 8.8 ↑
 10.5 * 10.6 * 10.7 * 10.5 * 9.9 ←

beste Teiler 111.8 (34.) 204.4 (38.) 313.3 (37.)
 Trefferlage 2.45 mm links, 0.52 mm hoch
 Streuwert 6.43, horizontal: 3.53, vertikal: 8.39


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (389.1)
 Serien: 93 94 93 93
 Zähler: 17 19 4 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2374 (12), 2124 (36), 1878 (21)
 beste Teiler 58.8 (30.) 276.5 (29.) 330.0 (32.)
 Trefferlage 0.86 mm rechts, 0.91 mm tief
 Streuwert 7.93, horizontal: 7.27, vertikal: 8.55




Serie 1:
 10.4 * 9.5 ↘ 10.4 * 9.2 ↗ 9.0 ↘
 10.0 ↑ 9.9 ↘ 9.3 ↗ 9.2 ↖ 9.7 ↘
 beste Teiler 414.0 (1.) 429.7 (3.) 750.1 (6.)
 Trefferlage 0.26 mm rechts, 1.88 mm hoch
 Streuwert 8.09, horizontal: 8.36, vertikal: 7.80



Serie 2:
 10.1 → 8.0 → 10.3 → 9.3 ↓ 9.6 ↓
 9.9 ↘ 10.3 → 9.8 ↖ 10.4 * 10.1 ←
 beste Teiler 460.4 (19.) 486.3 (13.) 491.8 (17.)
 Trefferlage 1.63 mm rechts, 2.67 mm tief
 Streuwert 7.68, horizontal: 9.14, vertikal: 5.88



Serie 3:
 8.6 ↓ 10.5 * 9.8 ↑ 8.8 ↖ 9.7 ↘
 9.1 ↗ 10.5 * 10.3 ↖ 10.6 * 10.9 *
 beste Teiler 58.8 (30.) 276.5 (29.) 353.9 (22.)
 Trefferlage 0.52 mm links, 0.80 mm tief
 Streuwert 7.87, horizontal: 3.69, vertikal: 10.50





Serie 4:
 9.5 ↗ 10.5 * 9.0 ↗ 10.2 ← 9.4 ↖
 8.3 ↓ 10.4 * 9.0 ↘ 9.5 ↘ 10.1 ←
 beste Teiler 330.0 (32.) 432.7 (37.) 598.1 (34.)
 Trefferlage 2.09 mm rechts, 2.07 mm tief
 Streuwert 8.78, horizontal: 7.55, vertikal: 9.86

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (390.8)
 Serien: 92 94 95 94
 Zähler: 21 14 4 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2602 (5), 2046 (40), 1882 (15)
 beste Teiler 274.0 (2.) 307.0 (23.) 318.1 (26.)
 Trefferlage 1.47 mm links, 0.78 mm tief
 Streuwert 7.61, horizontal: 6.95, vertikal: 8.21



Serie 1:

9.5 ← 10.6 * 10.1 ↑ 10.1 ↑ 7.7 ↘
 9.9 ↗ 9.8 ← 10.0 → 9.0 ↓ 9.4 ↗


beste Teiler 274.0 (2.) 657.1 (4.) 686.8 (3.)
 Trefferlage 1.64 mm links, 1.42 mm tief
 Streuwert 8.99, horizontal: 7.85, vertikal: 10.00



Serie 2:

10.3 ↑ 10.1 ↘ 9.2 ↘ 10.1 ↘ 8.6 ↘
 10.1 ← 10.5 * 9.4 ↓ 8.7 ↑ 10.0 →


beste Teiler 382.6 (17.) 488.0 (11.) 682.3 (14.)
 Trefferlage 1.67 mm links, 0.99 mm tief
 Streuwert 8.30, horizontal: 5.94, vertikal: 10.13



Serie 3:

9.5 ← 9.9 ↘ 10.6 * 10.0 ← 9.8 ↑
 10.6 * 10.3 ↓ 9.4 ↘ 9.6 ↗ 10.0 ↓

beste Teiler 307.0 (23.) 318.1 (26.) 481.5 (27.)
 Trefferlage 2.92 mm links, 0.19 mm hoch
 Streuwert 5.96, horizontal: 5.84, vertikal: 6.08



Serie 4:



10.0 ↓ 10.3 ↗ 9.7 ↘ 10.1 → 10.5 *
 10.3 ↗ 10.0 ↘ 9.8 → 8.9 ↘ 8.4 ←

beste Teiler 336.6 (35.) 507.2 (32.) 514.3 (36.)
 Trefferlage 0.33 mm rechts, 0.93 mm tief
 Streuwert 7.85, horizontal: 8.51, vertikal: 7.12


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **366** (385.9)
 Serien: 92 93 89 92
 Zähler: 11 25 3 1 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2424 (28), 1823 (2), 1787 (17)
 beste Teiler 107.6 (14.) 133.1 (7.) 313.5 (5.)
 Trefferlage 0.35 mm links, 0.14 mm tief
 Streuwert 8.15, horizontal: 8.10, vertikal: 8.20




Serie 1:
 9.6 ↙ 8.7 ↗ 10.0 ↗ 9.7 ↑ 10.6 *
 9.1 ↓ 10.8 * 9.8 ↗ 9.6 ↙ 9.9 ↑
 beste Teiler 133.1 (7.) 313.5 (5.) 799.7 (3.)
 Trefferlage 2.59 mm links, 2.28 mm hoch
 Streuwert 7.39, horizontal: 4.79, vertikal: 9.28



Serie 2:
 10.5 * 10.1 ↗ 9.0 ↘ 10.8 * 9.9 ↗
 9.7 ↘ 8.7 ← 9.4 → 10.4 * 9.0 ↓
 beste Teiler 107.6 (14.) 343.7 (11.) 428.9 (19.)
 Trefferlage 0.02 mm links, 2.35 mm tief
 Streuwert 7.99, horizontal: 8.23, vertikal: 7.74



Serie 3:
 9.1 ↘ 9.1 ↑ 9.3 ↑ 9.7 ↗ 9.9 ↗
 9.7 ↗ 10.0 → 7.9 ↙ 9.7 ↗ 9.8 ↓
 beste Teiler 749.6 (27.) 822.5 (25.) 910.1 (30.)
 Trefferlage 1.58 mm rechts, 1.06 mm hoch
 Streuwert 9.60, horizontal: 9.18, vertikal: 10.00





Serie 4:
 9.8 ↑ 10.0 ↗ 10.0 ← 10.0 → 9.4 ↗
 8.8 → 9.8 ↗ 9.5 ↙ 9.2 → 9.9 ↗
 beste Teiler 769.8 (34.) 775.4 (32.) 796.0 (33.)
 Trefferlage 0.37 mm links, 1.56 mm tief
 Streuwert 8.04, horizontal: 9.98, vertikal: 5.45

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **366** (386.1)
 Serien: 90 92 91 93
 Zähler: 12 22 6 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2088 (18), 1953 (25), 1853 (30)
 beste Teiler 236.4 (35.) 329.4 (23.) 401.2 (16.)
 Trefferlage 2.15 mm rechts, 2.70 mm hoch
 Streuwert 7.69, horizontal: 8.57, vertikal: 6.70




Serie 1:

8.9 ↙	9.8 ↘	10.2 ↑	9.3 ↑	9.3 ↗
10.3 ↘	8.8 ↖	10.1 ↙	8.9 ↗	9.7 →
beste Teiler	504.2 (6.) 598.2 (3.) 655.1 (8.)			
Trefferlage	0.68 mm rechts, 2.54 mm hoch			
Streuwert	8.82, horizontal: 8.57, vertikal: 9.07			




Serie 2:

9.2 →	9.0 ↘	9.6 ↗	10.2 ↘	10.0 ↖
10.4 *	9.6 ↗	8.3 ↘	9.9 ↗	9.8 →
beste Teiler	401.2 (16.) 584.4 (14.) 743.2 (15.)			
Trefferlage	3.89 mm rechts, 1.26 mm hoch			
Streuwert	8.20, horizontal: 9.00, vertikal: 7.32			



Serie 3:

9.7 ↗	10.0 ↗	10.5 *	9.7 ↗	8.5 ↗
9.9 ↗	9.5 ↘	9.6 ↑	10.0 ↘	8.6 ↗
beste Teiler	329.4 (23.) 763.5 (22.) 799.1 (29.)			
Trefferlage	4.91 mm rechts, 7.53 mm hoch			
Streuwert	5.59, horizontal: 7.56, vertikal: 2.33			





Serie 4:

10.3 ↘	9.9 ↖	9.2 ↖	10.4 *	10.7 *
9.7 ↘	9.5 ↖	9.6 ↘	9.9 →	9.6 ↖
beste Teiler	236.4 (35.) 432.6 (34.) 538.5 (31.)			
Trefferlage	0.88 mm links, 0.52 mm tief			
Streuwert	6.91, horizontal: 9.08, vertikal: 3.63			

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **370** (387.7)
 Serien: 93 91 92 94
 Zähler: 11 28 1 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 1810 (13), 1557 (27), 1546 (16)
 beste Teiler 37.4 (38.) 203.0 (30.) 214.7 (39.)
 Trefferlage 2.47 mm links, 0.36 mm tief
 Streuwert 7.71, horizontal: 7.29, vertikal: 8.11




Serie 1:

9.3 ↓	9.6 ↗	9.9 ↖	9.2 ↓	9.5 →
10.6 *	10.1 ←	10.6 *	9.9 ↑	9.5 ←
beste Teiler	257.7 (6.) 281.1 (8.) 682.5 (7.)			
Trefferlage	1.34 mm links, 0.44 mm tief			
Streuwert	7.24, horizontal: 6.53, vertikal: 7.90			




Serie 2:

9.1 ↗	9.8 ↘	8.7 ↗	9.5 ↑	9.1 ↖
9.0 →	10.6 *	9.2 ↓	9.9 ↖	10.0 ↖
beste Teiler	281.0 (17.) 733.3 (20.) 867.6 (19.)			
Trefferlage	4.33 mm links, 1.44 mm tief			
Streuwert	8.64, horizontal: 7.71, vertikal: 9.48			



Serie 3:

9.2 ↖	9.5 ↘	9.7 ↗	9.2 →	9.2 ↓
9.5 ↖	9.0 ↖	10.2 ↗	9.1 ↓	10.7 *
beste Teiler	203.0 (30.) 637.4 (28.) 976.2 (23.)			
Trefferlage	3.27 mm links, 1.45 mm tief			
Streuwert	8.63, horizontal: 8.44, vertikal: 8.82			





Serie 4:

9.9 ↖	9.7 ↗	9.1 ←	9.2 →	9.8 ↓
9.2 ↗	10.2 ↓	10.9 *	10.7 *	10.6 *
beste Teiler	37.4 (38.) 214.7 (39.) 295.6 (40.)			
Trefferlage	0.96 mm links, 1.90 mm hoch			
Streuwert	6.90, horizontal: 6.96, vertikal: 6.85			

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (383.3)
 Serien: 95 89 92 92
 Zähler: 12 24 4 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2262 (18), 2222 (28), 2047 (11)
 beste Teiler 85.0 (22.) 190.7 (4.) 314.2 (15.)
 Trefferlage 3.08 mm links, 3.98 mm hoch
 Streuwert 7.87, horizontal: 8.06, vertikal: 7.67



Serie 1:

9.5 ↑ 10.5 * 9.7 ↑ 10.7 * 9.9 ↘
 10.1 ↗ 10.3 ↑ 9.2 ↙ 9.3 ← 10.0 ↑


beste Teiler 190.7 (4.) 359.2 (2.) 528.4 (7.)
 Trefferlage 1.28 mm links, 3.01 mm hoch
 Streuwert 6.36, horizontal: 6.78, vertikal: 5.91



Serie 2:

8.4 ↘ 9.6 ↘ 9.2 ↘ 9.0 ↗ 10.6 *
 9.3 ↑ 9.4 ↘ 8.1 ↘ 9.3 ↙ 9.8 ↘


beste Teiler 314.2 (15.) 902.5 (20.) 1096.6 (12.)
 Trefferlage 3.53 mm links, 5.71 mm hoch
 Streuwert 9.54, horizontal: 8.01, vertikal: 10.86



Serie 3:

9.9 ↗ 10.8 * 9.3 ↘ 9.0 ← 9.8 ↘
 9.1 ↙ 10.3 ← 8.2 ← 9.7 → 10.2 ↓

beste Teiler 85.0 (22.) 492.0 (27.) 612.9 (30.)
 Trefferlage 5.24 mm links, 0.89 mm hoch
 Streuwert 8.04, horizontal: 9.55, vertikal: 6.17



Serie 4:



9.4 ↗ 9.8 ↘ 8.6 ↑ 10.0 ↙ 9.0 ↘
 10.0 ← 9.1 ↑ 9.3 → 9.6 ↘ 10.3 ↘

beste Teiler 530.0 (40.) 724.8 (34.) 766.0 (36.)
 Trefferlage 2.27 mm links, 6.32 mm hoch
 Streuwert 7.52, horizontal: 8.40, vertikal: 6.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **348** (366.3)
 Serien: 85 91 84 88
 Zähler: 11 15 8 4 1 1 0 0 0 0
 Innenzehner: 3
 weiteste: 4047 (36), 3231 (1), 3138 (18)
 beste Teiler 287.2 (20.) 335.2 (14.) 433.3 (34.)
 Trefferlage 1.79 mm rechts, 4.93 mm hoch
 Streuwert 11.38, horizontal: 8.72, vertikal: 13.52




Serie 1:
 6.9 ↑ 10.2 ← 9.2 → 9.5 ← 9.8 ↘
 8.4 ↑ 10.2 → 8.9 ↑ 7.9 ↗ 9.4 ←
 beste Teiler 621.0 (7.) 629.7 (2.) 952.4 (5.)
 Trefferlage 0.08 mm rechts, 7.74 mm hoch
 Streuwert 11.43, horizontal: 9.69, vertikal: 12.94



Serie 2:
 10.1 ↑ 9.6 ↗ 8.8 ↗ 10.5 * 10.2 ↗
 9.3 ↗ 8.6 ↘ 7.0 ↗ 10.0 ↑ 10.6 *
 beste Teiler 287.2 (20.) 335.2 (14.) 599.8 (15.)
 Trefferlage 4.44 mm rechts, 5.59 mm hoch
 Streuwert 9.37, horizontal: 7.95, vertikal: 10.60



Serie 3:
 7.7 ↘ 9.6 ↑ 8.6 ↓ 8.0 ↗ 10.2 ↘
 9.2 ↓ 9.5 ↘ 7.8 ↘ 9.5 ↘ 8.0 ↘
 beste Teiler 612.7 (25.) 1073.0 (22.) 1130.5 (27.)
 Trefferlage 2.62 mm rechts, 1.00 mm tief
 Streuwert 13.56, horizontal: 10.65, vertikal: 15.95



Serie 4:
 10.2 ↗ 10.0 ↗ 9.8 ↑ 10.4 * 9.6 ↗
 5.9 ↑ 8.3 ↗ 9.7 ↘ 9.6 ↓ 9.6 ←
 beste Teiler 433.3 (34.) 608.8 (31.) 773.9 (32.)
 Trefferlage 0.02 mm rechts, 7.39 mm hoch
 Streuwert 11.10, horizontal: 6.58, vertikal: 14.25

Unterschrift des Schützen

Meyton Elektronik