





Ergebnis: 395 (415.0)
Serien: 100 99 97 99
Zähler: 35 5 0 0 0 0 0 0 0 0
Innenzehner: 33
weiteste: 363 (29), 345 (30), 284 (28)
beste Teiler 32.6 (14.) 43.9 (35.) 44.0 (26.)
Trefferlage 0.11 mm links, 0.09 mm tief
Streuwert 1.17, horizontal: 1.37, vertikal: 0.94




Serie 1:
 10.2 * 10.2 * 10.5 * 10.1 ↙ 10.4 *
 10.4 * 10.6 * 10.5 * 10.6 * 10.6 *
beste Teiler 77.6 (10.) 98.4 (9.) 100.2 (7.)
Trefferlage 0.00 mm , 0.12 mm tief
Streuwert 1.07, horizontal: 1.22, vertikal: 0.90



Serie 2:
 10.6 * 10.7 * 10.1 ↗ 10.8 * 10.2 *
 9.9 ↙ 10.7 * 10.2 * 10.5 * 10.6 *
beste Teiler 32.6 (14.) 58.8 (17.) 70.6 (12.)
Trefferlage 0.37 mm links, 0.33 mm tief
Streuwert 1.04, horizontal: 1.18, vertikal: 0.87





Serie 3:
 10.5 * 10.5 * 10.6 * 10.5 * 10.4 *
 10.8 * 10.6 * 9.8 ↙ 9.5 → 9.6 ↘
beste Teiler 44.0 (26.) 95.0 (27.) 97.2 (23.)
Trefferlage 0.10 mm rechts, 0.07 mm tief
Streuwert 1.51, horizontal: 1.73, vertikal: 1.24




Serie 4:
 10.3 * 10.5 * 10.2 * 9.9 ↙ 10.8 *
 10.5 * 10.2 * 10.6 * 10.2 * 10.6 *
beste Teiler 43.9 (35.) 77.1 (38.) 94.6 (40.)
Trefferlage 0.17 mm links, 0.14 mm hoch
Streuwert 1.15, horizontal: 1.43, vertikal: 0.77

Unterschrift des Schützen


Ergebnis: 397 (413.8)
Serien: 98 100 100 99
Zähler: 37 3 0 0 0 0 0 0 0 0
Innenzehner: 30
weiteste: 371 (2), 359 (1), 260 (33)
beste Teiler 35.7 (16.) 50.0 (15.) 54.0 (35.)
Trefferlage 0.39 mm links, 0.37 mm hoch
Streuwert 1.16, horizontal: 1.14, vertikal: 1.18




Serie 1:
 9.5 ↘ 9.5 ↘ 10.5 * 10.0 ↗ 10.5 *
 10.4 * 10.6 * 10.3 * 10.1 ↗ 10.4 *
beste Teiler 77.2 (7.) 118.3 (5.) 123.9 (3.)
Trefferlage 0.67 mm links, 0.97 mm hoch
Streuwert 1.33, horizontal: 1.62, vertikal: 0.98



Serie 2:
 10.3 * 10.4 * 10.5 * 10.7 * 10.8 *
 10.8 * 10.6 * 10.2 * 10.3 * 10.5 *
beste Teiler 35.7 (16.) 50.0 (15.) 60.8 (14.)
Trefferlage 0.25 mm links, 0.50 mm hoch
Streuwert 0.81, horizontal: 0.59, vertikal: 0.98





Serie 3:
 10.0 ← 10.0 ↙ 10.5 * 10.4 * 10.4 *
 10.2 * 10.6 * 10.3 * 10.1 ↗ 10.3 *
beste Teiler 96.7 (27.) 120.5 (23.) 137.4 (24.)
Trefferlage 1.01 mm links, 0.09 mm tief
Streuwert 1.10, horizontal: 0.70, vertikal: 1.39




Serie 4:
 10.7 * 10.7 * 9.9 ↘ 10.5 * 10.7 *
 10.0 ↘ 10.5 * 10.0 ↑ 10.5 * 10.6 *
beste Teiler 54.0 (35.) 68.4 (32.) 70.2 (31.)
Trefferlage 0.37 mm rechts, 0.11 mm hoch
Streuwert 1.11, horizontal: 1.01, vertikal: 1.20

Unterschrift des Schützen


Ergebnis: 392 (408.6)
Serien: 99 96 97 100
Zähler: 32 8 0 0 0 0 0 0 0 0
Innenzehner: 21
weiteste: 362 (25), 357 (10), 337 (19)
beste Teiler 36.7 (32.) 50.0 (39.) 69.6 (29.)
Trefferlage 0.26 mm links, 0.32 mm hoch
Streuwert 1.42, horizontal: 1.24, vertikal: 1.58




Serie 1:
 10.1 ↖ 10.4 * 10.6 * 10.3 * 10.6 *
 10.1 → 10.2 * 10.0 ↖ 10.6 * 9.5 ↖
beste Teiler 83.0 (5.) 83.6 (3.) 95.5 (9.)
Trefferlage 0.19 mm links, 0.61 mm hoch
Streuwert 1.36, horizontal: 1.57, vertikal: 1.12



Serie 2:
 10.5 * 9.8 ↖ 10.0 ↖ 10.1 ↗ 9.8 ↘
 10.0 ↗ 9.9 ↓ 10.5 * 9.6 ↑ 10.1 ↗
beste Teiler 101.5 (18.) 113.4 (11.) 213.3 (20.)
Trefferlage 0.17 mm links, 0.63 mm tief
Streuwert 1.74, horizontal: 1.06, vertikal: 2.23



Serie 3:
 10.3 * 10.1 ↓ 10.2 * 10.1 ↖ 9.5 ↗
 9.8 ↖ 9.9 ← 10.1 → 10.7 * 10.6 *
beste Teiler 69.6 (29.) 96.8 (30.) 169.0 (21.)
Trefferlage 0.47 mm links, 0.42 mm hoch
Streuwert 1.59, horizontal: 1.56, vertikal: 1.62





Serie 4:
 10.5 * 10.8 * 10.2 * 10.6 * 10.6 *
 10.4 * 10.5 * 10.0 ↑ 10.8 * 10.2 *
beste Teiler 36.7 (32.) 50.0 (39.) 95.7 (34.)
Trefferlage 0.21 mm links, 0.89 mm hoch
Streuwert 0.75, horizontal: 0.77, vertikal: 0.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 391 (408.3)
Serien: 98 98 98 97
Zähler: 31 9 0 0 0 0 0 0 0 0
Innenzehner: 27
weiteste: 459 (8), 459 (20), 448 (26)
beste Teiler 8.2 (28.) 64.0 (24.) 70.4 (19.)
Trefferlage 0.50 mm rechts, 0.80 mm hoch
Streuwert 1.43, horizontal: 1.50, vertikal: 1.35




Serie 1:
 10.1 ↘ 10.5 * 10.6 * 10.4 * 10.2 *
 10.6 * 10.6 * 9.1 ↑ 10.5 * 9.4 ↗
beste Teiler 77.0 (6.) 98.3 (7.) 99.2 (3.)
Trefferlage 0.18 mm rechts, 0.61 mm hoch
Streuwert 1.63, horizontal: 1.49, vertikal: 1.76



Serie 2:
 10.4 * 10.3 * 9.6 ↑ 10.6 * 10.0 ↑
 10.5 * 10.2 * 10.0 ↑ 10.7 * 9.1 →
beste Teiler 70.4 (19.) 93.4 (14.) 114.9 (16.)
Trefferlage 0.53 mm rechts, 0.86 mm hoch
Streuwert 1.59, horizontal: 1.71, vertikal: 1.45





Serie 3:
 10.3 * 10.5 * 10.3 * 10.7 * 10.5 *
 9.2 ↗ 10.6 * 10.9 * 9.3 → 10.5 *
beste Teiler 8.2 (28.) 64.0 (24.) 98.8 (27.)
Trefferlage 0.90 mm rechts, 0.72 mm hoch
Streuwert 1.36, horizontal: 1.51, vertikal: 1.19




Serie 4:
 10.4 * 10.3 * 10.2 * 10.6 * 10.7 *
 10.0 ↑ 9.9 → 9.7 ↗ 9.9 ↘ 10.4 *
beste Teiler 75.1 (35.) 96.1 (34.) 138.2 (31.)
Trefferlage 0.41 mm rechts, 1.02 mm hoch
Streuwert 1.26, horizontal: 1.44, vertikal: 1.05

Unterschrift des Schützen


Ergebnis: 394 (414.4)
Serien: 98 99 99 98
Zähler: 34 6 0 0 0 0 0 0 0 0
Innenzehner: 31
weiteste: 431 (19), 352 (9), 318 (34)
beste Teiler 23.3 (28.) 40.0 (1.) 46.1 (18.)
Trefferlage 0.49 mm rechts, 0.01 mm tief
Streuwert 1.20, horizontal: 1.40, vertikal: 0.95




Serie 1:
 10.8 * 9.7 → 10.5 * 10.1 → 10.4 *
 10.3 * 10.7 * 10.7 * 9.5 → 10.6 *
beste Teiler 40.0 (1.) 59.2 (8.) 63.1 (7.)
Trefferlage 0.94 mm rechts, 0.22 mm hoch
Streuwert 1.17, horizontal: 1.39, vertikal: 0.89



Serie 2:
 10.4 * 10.6 * 10.5 * 10.4 * 10.6 *
 10.5 * 10.3 * 10.8 * 9.2 → 10.7 *
beste Teiler 46.1 (18.) 66.9 (20.) 77.0 (12.)
Trefferlage 0.26 mm rechts, 0.18 mm tief
Streuwert 1.27, horizontal: 1.58, vertikal: 0.86



Serie 3:
 10.1 ↓ 10.7 * 10.7 * 10.6 * 10.5 *
 10.0 ← 9.8 → 10.9 * 10.6 * 10.7 *
beste Teiler 23.3 (28.) 58.4 (23.) 65.2 (22.)
Trefferlage 0.10 mm rechts, 0.20 mm tief
Streuwert 1.11, horizontal: 1.23, vertikal: 0.97





Serie 4:
 10.5 * 10.6 * 10.3 * 9.7 → 10.4 *
 10.2 * 9.9 → 10.3 * 10.3 * 10.3 *
beste Teiler 77.8 (32.) 121.0 (31.) 132.5 (35.)
Trefferlage 0.66 mm rechts, 0.10 mm hoch
Streuwert 1.30, horizontal: 1.45, vertikal: 1.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 385 (407.7)
Serien: 95 97 99 94
Zähler: 28 9 3 0 0 0 0 0 0 0
Innenzehner: 25
weiteste: 538 (38), 522 (6), 509 (19)
beste Teiler 39.2 (13.) 54.3 (31.) 60.0 (25.)
Trefferlage 0.77 mm links, 0.61 mm hoch
Streuwert 1.48, horizontal: 1.62, vertikal: 1.31




Serie 1:
 10.5 * 10.5 * 10.6 * 9.4 ↘ 10.5 *
 8.9 ← 9.9 ↗ 9.9 ↗ 10.6 * 10.5 *
beste Teiler 80.0 (3.) 99.3 (9.) 103.3 (1.)
Trefferlage 0.61 mm links, 0.94 mm hoch
Streuwert 1.66, horizontal: 2.23, vertikal: 0.72



Serie 2:
 10.5 * 9.9 ↘ 10.8 * 10.6 * 10.5 *
 10.7 * 10.2 * 10.3 * 8.9 ↘ 10.5 *
beste Teiler 39.2 (13.) 74.0 (16.) 90.7 (14.)
Trefferlage 0.69 mm links, 0.19 mm hoch
Streuwert 1.48, horizontal: 1.28, vertikal: 1.66





Serie 3:
 10.6 * 10.3 * 10.1 ← 10.5 * 10.7 *
 10.1 ↘ 9.7 ↘ 10.0 ↑ 10.6 * 10.5 *
beste Teiler 60.0 (25.) 77.1 (29.) 91.5 (21.)
Trefferlage 0.55 mm links, 0.78 mm hoch
Streuwert 1.12, horizontal: 0.94, vertikal: 1.28




Serie 4:
 10.7 * 10.6 * 10.7 * 10.2 * 9.9 ←
 9.7 ↘ 9.6 ← 8.8 ↘ 9.9 ← 10.3 *
beste Teiler 54.3 (31.) 71.0 (33.) 80.2 (32.)
Trefferlage 1.23 mm links, 0.53 mm hoch
Streuwert 1.71, horizontal: 1.90, vertikal: 1.49

Unterschrift des Schützen


Ergebnis: 391 (411.5)
Serien: 97 99 97 98
Zähler: 31 9 0 0 0 0 0 0 0 0
Innenzehner: 26
weiteste: 390 (35), 388 (23), 343 (40)
beste Teiler 40.4 (30.) 47.0 (11.) 48.0 (20.)
Trefferlage 0.44 mm rechts, 0.46 mm tief
Streuwert 1.30, horizontal: 1.26, vertikal: 1.35




Serie 1:
 10.4 * 10.7 * 10.6 * 10.5 * 9.9 ↘
 9.9 ↗ 10.4 * 9.8 ↗ 10.2 * 10.5 *
beste Teiler 55.0 (2.) 94.5 (3.) 102.1 (4.)
Trefferlage 0.62 mm rechts, 0.57 mm tief
Streuwert 1.20, horizontal: 1.20, vertikal: 1.20



Serie 2:
 10.8 * 10.5 * 10.0 ← 10.0 ← 10.1 ↑
 10.3 * 10.7 * 10.1 ↗ 9.8 ↘ 10.8 *
beste Teiler 47.0 (11.) 48.0 (20.) 60.3 (17.)
Trefferlage 0.13 mm links, 0.14 mm hoch
Streuwert 1.36, horizontal: 1.37, vertikal: 1.36



Serie 3:
 10.8 * 10.4 * 9.4 ↗ 9.9 ↘ 10.6 *
 10.7 * 10.5 * 10.4 * 9.9 ↘ 10.8 *
beste Teiler 40.4 (30.) 50.3 (21.) 69.4 (26.)
Trefferlage 0.27 mm rechts, 0.74 mm tief
Streuwert 1.29, horizontal: 1.09, vertikal: 1.46





Serie 4:
 10.7 * 10.5 * 10.2 * 10.1 ↘ 9.4 ↗
 10.2 * 10.3 * 10.4 * 10.7 * 9.6 ↘
beste Teiler 57.7 (39.) 68.7 (31.) 117.2 (32.)
Trefferlage 1.00 mm rechts, 0.67 mm tief
Streuwert 1.32, horizontal: 1.24, vertikal: 1.39


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 383 (401.4)
Serien: 96 95 98 94
Zähler: 23 17 0 0 0 0 0 0 0 0
Innenzehner: 18
weiteste: 491 (22), 472 (31), 456 (40)
beste Teiler 21.1 (33.) 40.1 (18.) 61.8 (8.)
Trefferlage 0.03 mm links, 0.31 mm tief
Streuwert 1.84, horizontal: 1.78, vertikal: 1.90




Serie 1:
 9.4 ↙ 9.7 ↗ 9.8 ↘ 10.7 * 9.6 ↓
 10.3 * 10.2 * 10.7 * 10.3 * 10.6 *
beste Teiler 61.8 (8.) 64.8 (4.) 90.2 (10.)
Trefferlage 0.27 mm rechts, 0.56 mm tief
Streuwert 1.68, horizontal: 1.50, vertikal: 1.85



Serie 2:
 10.0 ↘ 9.9 ↖ 10.5 * 9.8 ← 9.3 ↗
 10.0 ↑ 9.8 ↘ 10.8 * 9.8 ↓ 10.0 ↖
beste Teiler 40.1 (18.) 108.7 (13.) 228.6 (16.)
Trefferlage 0.33 mm links, 0.49 mm tief
Streuwert 1.87, horizontal: 1.83, vertikal: 1.92



Serie 3:
 10.4 * 9.0 ↗ 10.4 * 10.3 * 10.5 *
 10.0 ↘ 10.5 * 10.2 * 9.7 ↗ 10.7 *
beste Teiler 75.7 (30.) 117.4 (25.) 122.0 (27.)
Trefferlage 1.07 mm rechts, 0.82 mm hoch
Streuwert 1.37, horizontal: 1.51, vertikal: 1.21



Serie 4:
 9.1 ↓ 10.3 * 10.9 * 10.3 * 9.5 ↗
 10.0 ↗ 9.5 ↓ 9.9 ↖ 9.9 ↖ 9.1 ↗
beste Teiler 21.1 (33.) 163.3 (34.) 167.5 (32.)
Trefferlage 1.14 mm links, 1.02 mm tief
Streuwert 2.00, horizontal: 1.72, vertikal: 2.25

Unterschrift des Schützen

Meyton Elektronik