





Ergebnis: **367** (388.3)
 Serien: 92 93 91 91
 Zähler: 10 27 3 0 0 0 0 0 0 0
 Innenzehner: 5
 weiteste: 2379 (30), 2170 (24), 1674 (40)
 beste Teiler 78.7 (19.) 199.7 (35.) 332.4 (3.)
 Trefferlage 0.52 mm rechts, 0.23 mm tief
 Streuwert 7.87, horizontal: 8.31, vertikal: 7.42




Serie 1:
 10.5 * 9.2 ↑ 10.5 * 9.9 ← 9.7 ←
 9.4 ↘ 9.9 ↓ 9.3 ↙ 9.5 ↘ 9.8 ↘
 beste Teiler 332.4 (3.) 392.8 (1.) 857.5 (7.)
 Trefferlage 4.75 mm links, 2.20 mm hoch
 Streuwert 6.45, horizontal: 5.85, vertikal: 6.99



Serie 2:
 9.5 ↗ 9.9 ↘ 9.2 → 10.1 ↘ 10.2 ↑
 9.8 ← 9.7 ↑ 9.8 ↘ 10.9 * 9.2 ↘
 beste Teiler 78.7 (19.) 620.2 (15.) 676.6 (14.)
 Trefferlage 4.62 mm rechts, 0.19 mm tief
 Streuwert 6.42, horizontal: 6.66, vertikal: 6.16



Serie 3:
 10.3 ↙ 9.7 ↗ 10.2 ↘ 8.2 ↙ 9.9 ↘
 9.8 ↙ 9.9 ↙ 10.5 * 9.0 ↘ 8.0 ←
 beste Teiler 386.4 (28.) 510.6 (21.) 577.2 (23.)
 Trefferlage 1.01 mm links, 4.16 mm tief
 Streuwert 9.08, horizontal: 10.75, vertikal: 7.04





Serie 4:
 9.3 → 9.6 ↘ 9.6 ↑ 9.8 ↑ 10.7 *
 9.9 ↓ 9.6 ↘ 9.2 ↓ 10.2 ↑ 8.9 ↗
 beste Teiler 199.7 (35.) 587.7 (39.) 822.8 (36.)
 Trefferlage 3.23 mm rechts, 1.21 mm hoch
 Streuwert 7.75, horizontal: 6.66, vertikal: 8.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **373** (391.9)
 Serien: 93 93 95 92
 Zähler: 15 23 2 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2133 (3), 1845 (1), 1456 (29)
 beste Teiler 224.3 (28.) 246.4 (23.) 289.2 (2.)
 Trefferlage 0.65 mm links, 0.11 mm hoch
 Streuwert 7.21, horizontal: 6.30, vertikal: 8.01




Serie 1:
 8.6 ↙ 10.6 * 8.3 ↗ 10.2 ↗ 9.6 ↘
 9.6 ↘ 10.2 ↑ 10.2 ↘ 9.3 ↓ 10.1 ↘
 beste Teiler 289.2 (2.) 591.2 (4.) 620.1 (8.)
 Trefferlage 2.10 mm links, 0.49 mm tief
 Streuwert 8.63, horizontal: 7.19, vertikal: 9.86



Serie 2:
 9.4 ↘ 10.3 ↑ 9.2 ↘ 9.5 ↓ 9.7 →
 9.8 ↑ 10.3 ↘ 10.3 ↘ 9.7 ↑ 9.6 ↘
 beste Teiler 501.9 (18.) 546.9 (12.) 558.3 (17.)
 Trefferlage 0.80 mm links, 0.34 mm hoch
 Streuwert 7.38, horizontal: 5.96, vertikal: 8.57



Serie 3:
 9.8 ↘ 10.1 → 10.6 * 9.6 ↑ 9.8 ↓
 10.2 ↗ 10.2 ↘ 10.7 * 9.1 ↘ 9.7 ↑
 beste Teiler 224.3 (28.) 246.4 (23.) 582.8 (26.)
 Trefferlage 0.32 mm rechts, 0.69 mm tief
 Streuwert 6.35, horizontal: 4.29, vertikal: 7.89





Serie 4:
 9.7 ↘ 9.7 ↑ 9.5 ↗ 9.8 → 9.6 ↘
 10.4 * 9.2 ↘ 9.9 → 10.2 ↘ 9.6 ↘
 beste Teiler 416.7 (36.) 576.2 (39.) 855.3 (38.)
 Trefferlage 0.04 mm links, 1.29 mm hoch
 Streuwert 7.24, horizontal: 7.92, vertikal: 6.50

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (387.9)
 Serien: 93 92 95 92
 Zähler: 17 20 1 2 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 3010 (5), 2518 (37), 2380 (38)
 beste Teiler 120.2 (36.) 323.7 (29.) 338.9 (40.)
 Trefferlage 2.22 mm rechts, 1.65 mm tief
 Streuwert 8.15, horizontal: 8.91, vertikal: 7.31



Serie 1:

9.0 ↖ 10.5 * 10.3 → 9.5 ↓ 7.2 ↗
 9.9 ↘ 10.2 ↙ 9.8 ↙ 10.1 ↘ 10.2 ↑


beste Teiler 392.5 (2.) 541.2 (3.) 567.2 (7.)
 Trefferlage 1.74 mm rechts, 0.68 mm tief
 Streuwert 9.30, horizontal: 10.13, vertikal: 8.39



Serie 2:

9.3 → 9.7 ↘ 9.2 → 9.7 ↖ 9.9 ↗
 9.3 ↙ 9.3 ↓ 10.0 ↗ 10.5 * 9.4 ↓


beste Teiler 371.3 (19.) 729.4 (18.) 875.7 (15.)
 Trefferlage 2.48 mm rechts, 3.78 mm tief
 Streuwert 7.44, horizontal: 7.77, vertikal: 7.11



Serie 3:

9.8 ↗ 9.6 ↙ 9.6 ↙ 9.8 ↗ 10.3 ↘
 9.2 ↗ 10.2 ↙ 10.0 ↖ 10.5 * 10.4 *

beste Teiler 323.7 (29.) 440.5 (30.) 543.3 (25.)
 Trefferlage 0.60 mm links, 0.86 mm hoch
 Streuwert 6.50, horizontal: 6.13, vertikal: 6.84





Serie 4:

10.4 * 9.1 ↘ 9.3 ↖ 10.1 ↙ 10.5 *
 10.8 * 7.8 → 8.0 ↘ 9.0 → 10.5 *


beste Teiler 120.2 (36.) 338.9 (40.) 341.3 (35.)
 Trefferlage 5.26 mm rechts, 2.99 mm tief
 Streuwert 9.29, horizontal: 11.12, vertikal: 7.00

Unterschrift des Schützen


Ergebnis: **363** (382.9)
 Serien: 88 90 93 92
 Zähler: 14 19 3 4 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2725 (10), 2594 (2), 2531 (22)
 beste Teiler 96.1 (33.) 140.0 (14.) 214.8 (15.)
 Trefferlage 1.27 mm rechts, 2.40 mm hoch
 Streuwert 9.00, horizontal: 8.75, vertikal: 9.24




Serie 1:
 10.5 * 7.7 ↑ 9.6 ↘ 8.6 → 10.2 ←
 9.6 → 10.5 * 9.3 ↑ 9.7 → 7.5 ↑
 beste Teiler 349.1 (7.) 383.7 (1.) 607.6 (5.)
 Trefferlage 4.85 mm rechts, 5.13 mm hoch
 Streuwert 10.07, horizontal: 7.21, vertikal: 12.28



Serie 2:
 9.9 → 9.4 ↗ 9.5 → 10.8 * 10.7 *
 9.9 ← 9.1 ↗ 9.4 → 7.9 ← 9.4 ←
 beste Teiler 140.0 (14.) 214.8 (15.) 805.2 (16.)
 Trefferlage 0.82 mm rechts, 1.79 mm hoch
 Streuwert 9.25, horizontal: 12.51, vertikal: 3.82



Serie 3:
 10.2 ↗ 7.8 ↑ 10.3 ↑ 9.9 ↘ 10.2 ←
 9.0 ↘ 9.2 ↓ 9.5 ↘ 10.1 ← 10.6 *
 beste Teiler 272.2 (30.) 555.4 (23.) 564.8 (25.)
 Trefferlage 1.29 mm links, 3.96 mm hoch
 Streuwert 8.36, horizontal: 5.21, vertikal: 10.61





Serie 4:
 10.0 ↘ 9.1 ↗ 10.8 * 9.9 ↘ 9.5 →
 10.3 ← 10.1 ↓ 8.7 ↘ 8.9 ↗ 9.6 ↗
 beste Teiler 96.1 (33.) 488.1 (36.) 674.9 (37.)
 Trefferlage 0.69 mm rechts, 1.27 mm tief
 Streuwert 8.35, horizontal: 8.59, vertikal: 8.10


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (381.0)
 Serien: 92 91 86 91
 Zähler: 12 18 8 2 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2488 (21), 2452 (26), 2320 (19)
 beste Teiler 122.4 (1.) 185.1 (13.) 217.4 (35.)
 Trefferlage 0.31 mm links, 3.12 mm tief
 Streuwert 9.10, horizontal: 9.42, vertikal: 8.77




Serie 1:
 10.8 * 9.0 ↘ 9.7 ↓ 9.7 ← 10.2 →
 8.6 ← 8.8 ↑ 10.1 ↗ 10.4 * 9.6 ↓
 beste Teiler 122.4 (1.) 413.1 (9.) 622.6 (5.)
 Trefferlage 0.24 mm links, 1.94 mm tief
 Streuwert 8.53, horizontal: 8.78, vertikal: 8.28



Serie 2:
 10.6 * 10.5 * 10.7 * 9.6 ← 9.1 ↑
 9.9 ↘ 9.8 ↗ 9.9 ↑ 8.1 ↓ 8.8 ↗
 beste Teiler 185.1 (13.) 279.3 (11.) 328.8 (12.)
 Trefferlage 2.02 mm rechts, 2.88 mm hoch
 Streuwert 8.61, horizontal: 7.63, vertikal: 9.50



Serie 3:
 7.8 ↘ 8.7 ↘ 10.4 * 9.5 ↓ 9.7 ↗
 7.9 ← 10.0 ← 9.7 ↓ 8.1 ↓ 9.0 ↘
 beste Teiler 428.0 (23.) 773.0 (27.) 972.8 (25.)
 Trefferlage 0.52 mm rechts, 8.03 mm tief
 Streuwert 10.70, horizontal: 13.08, vertikal: 7.60





Serie 4:
 9.7 ↗ 9.1 ↓ 10.4 * 8.8 ← 10.7 *
 9.6 → 9.8 ← 9.3 ↓ 10.0 ↓ 8.9 ↗
 beste Teiler 217.4 (35.) 475.2 (33.) 771.1 (39.)
 Trefferlage 3.55 mm links, 5.40 mm tief
 Streuwert 7.15, horizontal: 7.72, vertikal: 6.53

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **340** (358.9)
 Serien: 86 81 83 90
 Zähler: 10 10 10 10 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3001 (11), 2943 (26), 2787 (13)
 beste Teiler 152.7 (36.) 275.3 (38.) 298.2 (27.)
 Trefferlage 6.40 mm links, 9.58 mm tief
 Streuwert 9.84, horizontal: 10.27, vertikal: 9.38



Serie 1:

7.9 ↙ 9.1 ↙ 9.5 ↙ 8.7 ↘ 8.4 ↙
 9.2 ↙ 9.9 ↘ 10.2 ↘ 9.7 ↙ 8.3 ↙


beste Teiler 635.9 (8.) 855.5 (7.) 1028.5 (9.)
 Trefferlage 6.31 mm links, 7.81 mm tief
 Streuwert 9.13, horizontal: 11.80, vertikal: 5.26



Serie 2:

7.2 ↙ 9.1 ↙ 7.5 ↙ 10.1 ↓ 9.6 ↓
 7.6 ↙ 7.8 ↙ 9.5 ↙ 8.0 ↓ 8.8 ↙


beste Teiler 662.4 (14.) 1055.6 (15.) 1197.8 (18.)
 Trefferlage 13.72 mm links, 11.84 mm tief
 Streuwert 8.04, horizontal: 8.73, vertikal: 7.30



Serie 3:

7.9 ↙ 8.4 ↘ 8.9 ↙ 7.6 ↙ 10.0 ↙
 7.3 ↓ 10.6 * 8.6 ↙ 9.7 ↘ 9.8 ↗

beste Teiler 298.2 (27.) 753.5 (25.) 932.1 (30.)
 Trefferlage 4.86 mm links, 9.59 mm tief
 Streuwert 11.31, horizontal: 10.34, vertikal: 12.20



Serie 4:



10.1 ↗ 7.7 ↙ 10.0 ↘ 10.3 ↘ 7.8 ↓
 10.8 * 8.5 ↓ 10.6 * 8.1 ↓ 10.1 ↗

beste Teiler 152.7 (36.) 275.3 (38.) 559.9 (34.)
 Trefferlage 0.70 mm links, 9.09 mm tief
 Streuwert 9.47, horizontal: 6.08, vertikal: 11.93


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (381.0)
 Serien: 93 90 91 89
 Zähler: 13 18 8 1 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 2442 (31), 2275 (39), 2217 (33)
 beste Teiler 192.0 (35.) 193.0 (6.) 248.0 (37.)
 Trefferlage 2.56 mm rechts, 0.48 mm hoch
 Streuwert 9.17, horizontal: 8.06, vertikal: 10.15




Serie 1:
 9.4 ↘ 10.4 * 8.3 ↗ 9.8 ↖ 10.2 ↙
 10.7 * 10.4 * 9.6 ← 9.0 ↗ 9.2 ←
 beste Teiler 193.0 (6.) 408.0 (7.) 448.8 (2.)
 Trefferlage 0.80 mm links, 2.37 mm hoch
 Streuwert 8.29, horizontal: 8.43, vertikal: 8.16



Serie 2:
 8.3 ↑ 9.3 → 8.8 ↙ 9.9 ↘ 8.8 ↑
 10.3 ↗ 9.3 ↘ 10.0 → 10.5 * 9.2 ↙
 beste Teiler 361.9 (19.) 484.3 (16.) 763.9 (18.)
 Trefferlage 1.34 mm rechts, 0.06 mm tief
 Streuwert 9.79, horizontal: 8.14, vertikal: 11.20



Serie 3:
 9.5 ↘ 9.7 ← 9.7 → 9.7 ↗ 10.6 *
 9.3 ↘ 10.6 * 9.0 ↗ 8.5 ↘ 9.5 ↓
 beste Teiler 261.8 (27.) 301.8 (25.) 972.6 (22.)
 Trefferlage 4.75 mm rechts, 2.80 mm tief
 Streuwert 7.72, horizontal: 6.23, vertikal: 8.96





Serie 4:
 7.9 ↑ 10.5 * 8.2 ↙ 9.3 ↘ 10.7 *
 8.7 ↗ 10.6 * 9.0 ↗ 8.1 ↗ 10.5 *
 beste Teiler 192.0 (35.) 248.0 (37.) 359.6 (40.)
 Trefferlage 4.96 mm rechts, 2.44 mm hoch
 Streuwert 10.80, horizontal: 8.91, vertikal: 12.41


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (374.0)
 Serien: 92 90 86 87
 Zähler: 8 21 9 2 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2996 (23), 2580 (22), 2279 (39)
 beste Teiler 315.8 (5.) 334.4 (35.) 343.0 (27.)
 Trefferlage 0.98 mm rechts, 4.88 mm hoch
 Streuwert 9.55, horizontal: 8.28, vertikal: 10.66




Serie 1:
 9.0 ↖ 9.1 ↑ 9.7 ↑ 8.4 ↙ 10.6 *
 9.7 ↖ 9.2 ← 10.1 ↖ 9.6 ↘ 10.2 ←
 beste Teiler 315.8 (5.) 603.1 (10.) 706.4 (8.)
 Trefferlage 5.75 mm links, 4.67 mm hoch
 Streuwert 7.26, horizontal: 6.46, vertikal: 7.98



Serie 2:
 10.1 → 9.3 ↗ 9.7 ↗ 8.8 → 9.7 ↘
 10.1 ↗ 8.2 ↑ 9.9 ↖ 9.9 ↘ 9.1 ↖
 beste Teiler 710.5 (11.) 711.2 (16.) 814.0 (18.)
 Trefferlage 3.04 mm rechts, 5.62 mm hoch
 Streuwert 8.24, horizontal: 7.24, vertikal: 9.14



Serie 3:
 9.9 → 7.7 ↖ 7.2 ↗ 8.5 ↓ 9.7 ↘
 10.2 ↘ 10.5 * 9.9 ↗ 9.4 → 8.8 ↑
 beste Teiler 343.0 (27.) 584.0 (26.) 802.4 (28.)
 Trefferlage 3.39 mm rechts, 4.33 mm hoch
 Streuwert 11.50, horizontal: 7.50, vertikal: 14.43



Serie 4:
 9.8 ↘ 8.9 ↖ 9.2 ↖ 8.8 → 10.5 *
 9.4 ↘ 9.3 ↓ 9.2 ↗ 8.1 ↑ 8.6 ↗
 beste Teiler 334.4 (35.) 948.4 (31.) 1279.1 (36.)
 Trefferlage 3.27 mm rechts, 4.89 mm hoch
 Streuwert 10.38, horizontal: 8.91, vertikal: 11.66

Unterschrift des Schützen

Meyton Elektronik