





Ergebnis: **385** (404.2)
 Serien: 97 95 96 97
 Zähler: 25 15 0 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 489 (15), 462 (14), 422 (13)
 beste Teiler 9.8 (18.) 21.1 (40.) 29.0 (6.)
 Trefferlage 0.53 mm rechts, 0.03 mm hoch
 Streuwert 1.73, horizontal: 1.76, vertikal: 1.69




Serie 1:
 10.5 * 9.7 ↘ 10.4 * 10.3 * 10.4 *
 10.8 * 10.4 * 10.0 ↘ 9.9 ↖ 9.4 ↗
 beste Teiler 29.0 (6.) 116.6 (1.) 134.7 (5.)
 Trefferlage 0.70 mm rechts, 0.19 mm hoch
 Streuwert 1.52, horizontal: 1.54, vertikal: 1.51



Serie 2:
 9.4 ↖ 10.6 * 9.3 ↑ 9.1 ↗ 9.0 ↗
 10.8 * 9.8 → 10.9 * 10.1 ↘ 10.2 *
 beste Teiler 9.8 (18.) 47.0 (16.) 78.7 (12.)
 Trefferlage 0.85 mm rechts, 0.84 mm hoch
 Streuwert 2.12, horizontal: 2.37, vertikal: 1.82



Serie 3:
 10.5 * 9.4 ↑ 9.7 ↖ 10.0 ↖ 9.8 ↗
 10.4 * 10.2 * 9.5 ↘ 10.4 * 10.5 *
 beste Teiler 114.9 (30.) 115.3 (21.) 127.4 (26.)
 Trefferlage 0.08 mm rechts, 0.33 mm hoch
 Streuwert 1.84, horizontal: 1.86, vertikal: 1.81





Serie 4:
 10.8 * 10.0 ↙ 9.7 ↓ 9.8 ↘ 10.6 *
 10.5 * 10.5 * 9.8 ↘ 10.2 * 10.9 *
 beste Teiler 21.1 (40.) 37.1 (31.) 95.3 (35.)
 Trefferlage 0.49 mm rechts, 1.23 mm tief
 Streuwert 1.10, horizontal: 1.24, vertikal: 0.94


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 383 (400.4)
Serien: 96 98 95 94
Zähler: 24 15 1 0 0 0 0 0 0 0
Innenzehner: 18
weiteste: 552 (7), 456 (34), 406 (26)
beste Teiler 77.1 (16.) 83.4 (14.) 87.2 (12.)
Trefferlage 0.17 mm rechts, 0.88 mm hoch
Streuwert 1.72, horizontal: 1.66, vertikal: 1.78




Serie 1:
 10.2 * 9.6 → 10.3 * 10.3 * 10.1 ↗
 9.7 ↙ 8.7 ↘ 10.1 ↘ 10.5 * 10.4 *
beste Teiler 122.5 (9.) 131.6 (10.) 156.4 (4.)
Trefferlage 0.28 mm links, 0.78 mm hoch
Streuwert 1.90, horizontal: 2.02, vertikal: 1.76



Serie 2:
 9.4 ↘ 10.6 * 10.2 * 10.6 * 10.3 *
 10.6 * 10.2 * 10.4 * 9.9 ↑ 10.0 ↓
beste Teiler 77.1 (16.) 83.4 (14.) 87.2 (12.)
Trefferlage 0.05 mm rechts, 0.80 mm hoch
Streuwert 1.39, horizontal: 0.94, vertikal: 1.73





Serie 3:
 10.5 * 9.8 ← 9.5 ↑ 10.1 ↘ 10.3 *
 9.3 ↗ 10.2 * 10.1 ↑ 9.7 → 9.7 ↗
beste Teiler 102.1 (21.) 157.3 (25.) 190.0 (27.)
Trefferlage 0.88 mm rechts, 0.98 mm hoch
Streuwert 1.78, horizontal: 1.94, vertikal: 1.59




Serie 4:
 9.8 ↑ 9.9 ↘ 9.8 ↘ 9.1 ↑ 9.7 ↗
 10.3 * 9.6 ↙ 10.5 * 10.4 * 10.0 ↘
beste Teiler 114.5 (38.) 126.0 (39.) 175.1 (36.)
Trefferlage 0.01 mm rechts, 0.95 mm hoch
Streuwert 1.92, horizontal: 1.53, vertikal: 2.25

Unterschrift des Schützen


Ergebnis: **390** (405.8)
 Serien: 100 95 96 99
 Zähler: 30 10 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 481 (21), 412 (28), 407 (23)
 beste Teiler 33.0 (26.) 50.0 (31.) 66.4 (32.)
 Trefferlage 0.06 mm links, 0.22 mm hoch
 Streuwert 1.61, horizontal: 1.74, vertikal: 1.47




Serie 1:
 10.3 * 10.1 ↘ 10.0 → 10.3 * 10.5 *
 10.6 * 10.3 * 10.0 ↗ 10.4 * 10.3 *
 beste Teiler 100.7 (6.) 112.5 (5.) 132.9 (9.)
 Trefferlage 0.51 mm rechts, 0.20 mm hoch
 Streuwert 1.21, horizontal: 1.41, vertikal: 0.97



Serie 2:
 10.6 * 9.4 ↗ 9.8 ↘ 9.7 → 10.2 *
 9.8 ↖ 10.5 * 10.1 ↗ 10.1 ↘ 9.9 ↖
 beste Teiler 99.4 (11.) 102.4 (17.) 180.7 (15.)
 Trefferlage 1.01 mm links, 0.21 mm tief
 Streuwert 1.73, horizontal: 1.91, vertikal: 1.52





Serie 3:
 9.0 ↖ 10.1 ↑ 9.3 → 10.3 * 10.4 *
 10.8 * 9.9 ↘ 9.3 ↖ 10.6 * 10.2 *
 beste Teiler 33.0 (26.) 81.5 (29.) 150.8 (25.)
 Trefferlage 0.12 mm rechts, 0.86 mm hoch
 Streuwert 1.97, horizontal: 1.84, vertikal: 2.09




Serie 4:
 10.8 * 10.7 * 10.4 * 9.5 → 10.1 ↗
 10.3 * 10.2 * 10.2 * 10.6 * 10.2 *
 beste Teiler 50.0 (31.) 66.4 (32.) 82.4 (39.)
 Trefferlage 0.10 mm rechts, 0.07 mm hoch
 Streuwert 1.36, horizontal: 1.63, vertikal: 1.02

Unterschrift des Schützen


Ergebnis: **382** (400.0)
 Serien: 97 96 95 94
 Zähler: 22 18 0 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 460 (22), 458 (36), 450 (40)
 beste Teiler 30.4 (13.) 56.4 (30.) 69.3 (5.)
 Trefferlage 0.27 mm rechts, 0.71 mm hoch
 Streuwert 1.79, horizontal: 1.71, vertikal: 1.87




Serie 1:
 10.4 * 10.1 ↗ 10.2 * 9.2 ↑ 10.7 *
 9.6 → 10.5 * 10.3 * 10.2 * 9.8 →
 beste Teiler 69.3 (5.) 117.6 (7.) 127.7 (1.)
 Trefferlage 1.02 mm rechts, 0.91 mm hoch
 Streuwert 1.43, horizontal: 1.39, vertikal: 1.48



Serie 2:
 9.9 ↖ 10.5 * 10.8 * 10.1 ↓ 10.5 *
 9.7 ↖ 10.3 * 9.8 ↖ 9.7 ↘ 10.2 *
 beste Teiler 30.4 (13.) 114.4 (15.) 124.7 (12.)
 Trefferlage 0.17 mm links, 0.42 mm hoch
 Streuwert 1.62, horizontal: 1.17, vertikal: 1.97



Serie 3:
 10.2 * 9.1 ↖ 10.2 * 9.8 ↓ 9.9 ↖
 10.4 * 10.1 ↘ 9.6 → 9.2 ↑ 10.7 *
 beste Teiler 56.4 (30.) 141.3 (26.) 182.9 (21.)
 Trefferlage 0.08 mm links, 0.23 mm hoch
 Streuwert 2.08, horizontal: 2.14, vertikal: 2.02





Serie 4:
 10.5 * 10.1 → 10.2 * 9.6 ← 9.9 ↗
 9.1 ↗ 10.2 * 9.7 ↖ 9.8 ↘ 9.2 ↑
 beste Teiler 103.0 (31.) 185.5 (37.) 199.7 (33.)
 Trefferlage 0.33 mm rechts, 1.27 mm hoch
 Streuwert 2.02, horizontal: 1.94, vertikal: 2.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (405.8)
 Serien: 96 98 95 97
 Zähler: 26 14 0 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 470 (15), 434 (24), 407 (22)
 beste Teiler 10.2 (14.) 19.2 (1.) 43.7 (30.)
 Trefferlage 0.26 mm links, 0.55 mm hoch
 Streuwert 1.62, horizontal: 1.61, vertikal: 1.62




Serie 1:
 10.9 * 10.4 * 10.0 ↙ 10.1 ↘ 10.8 *
 9.7 ↖ 9.9 ↑ 10.6 * 9.5 ↖ 9.9 ↗
 beste Teiler 19.2 (1.) 50.0 (5.) 77.1 (8.)
 Trefferlage 0.73 mm links, 0.09 mm hoch
 Streuwert 1.58, horizontal: 1.57, vertikal: 1.59



Serie 2:
 10.1 ↑ 10.4 * 10.5 * 10.9 * 9.1 ↗
 10.5 * 9.9 ↘ 10.2 * 10.0 ↑ 10.8 *
 beste Teiler 10.2 (14.) 49.8 (20.) 102.9 (13.)
 Trefferlage 0.53 mm links, 1.02 mm hoch
 Streuwert 1.37, horizontal: 1.01, vertikal: 1.65



Serie 3:
 10.2 * 9.3 ↑ 9.6 ↑ 9.2 ↘ 10.8 *
 10.2 * 9.9 ↖ 10.5 * 9.8 ↑ 10.8 *
 beste Teiler 43.7 (30.) 46.9 (25.) 115.9 (28.)
 Trefferlage 0.26 mm links, 0.48 mm hoch
 Streuwert 1.96, horizontal: 1.50, vertikal: 2.33





Serie 4:
 10.2 * 9.7 → 10.1 → 9.8 → 9.7 ↖
 10.0 → 10.5 * 10.2 * 10.5 * 10.6 *
 beste Teiler 79.4 (40.) 105.1 (39.) 107.3 (37.)
 Trefferlage 0.48 mm rechts, 0.59 mm hoch
 Streuwert 1.55, horizontal: 2.14, vertikal: 0.44

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (405.7)
 Serien: 94 98 98 96
 Zähler: 27 12 1 0 0 0 0 0 0 0
 Innenzehner: 25
 weiteste: 601 (7), 408 (11), 404 (32)
 beste Teiler 28.0 (38.) 50.9 (39.) 53.2 (8.)
 Trefferlage 0.20 mm rechts, 0.21 mm hoch
 Streuwert 1.68, horizontal: 1.88, vertikal: 1.45



Serie 1:

9.6 ↑	9.9 ↘	9.8 ←	10.6 *	10.1 ↗
10.7 *	8.5 ↗	10.7 *	9.9 ↘	10.2 *


beste Teiler 53.2 (8.) 70.2 (6.) 82.3 (4.)
 Trefferlage 0.70 mm rechts, 0.08 mm hoch
 Streuwert 2.04, horizontal: 2.26, vertikal: 1.78



Serie 2:

9.3 →	10.6 *	10.7 *	10.2 *	10.3 *
9.4 ←	10.4 *	10.3 *	10.2 *	10.3 *


beste Teiler 64.8 (13.) 87.8 (12.) 126.0 (17.)
 Trefferlage 0.07 mm rechts, 0.02 mm hoch
 Streuwert 1.65, horizontal: 2.09, vertikal: 1.06



Serie 3:

9.6 ↑	10.3 *	10.2 *	10.5 *	10.6 *
10.5 *	10.2 *	10.0 ↑	10.4 *	9.9 ↑

beste Teiler 91.7 (25.) 111.5 (26.) 115.0 (24.)
 Trefferlage 0.32 mm rechts, 0.37 mm hoch
 Streuwert 1.40, horizontal: 0.81, vertikal: 1.80



Serie 4:



10.4 *	9.3 →	9.6 ↘	10.7 *	9.5 ↘
10.5 *	10.5 *	10.8 *	10.8 *	9.7 ←

beste Teiler 28.0 (38.) 50.9 (39.) 64.8 (34.)
 Trefferlage 0.28 mm links, 0.37 mm hoch
 Streuwert 1.73, horizontal: 2.13, vertikal: 1.21

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: 383 (402.7)
Serien: 95 96 96 96
Zähler: 23 17 0 0 0 0 0 0 0 0
Innenzehner: 20
weiteste: 432 (8), 420 (31), 376 (24)
beste Teiler 65.2 (13.) 74.6 (38.) 76.8 (20.)
Trefferlage 0.50 mm rechts, 0.31 mm tief
Streuwert 1.70, horizontal: 1.97, vertikal: 1.39


Serie 1:


9.9 ↘ 9.8 ← 10.1 ↖ 10.4 * 9.6 ↙
 10.3 * 10.5 * 9.2 ↘ 10.5 * 9.7 ↙

beste Teiler 120.7 (7.) 123.2 (9.) 132.7 (4.)
Trefferlage 0.13 mm rechts, 0.85 mm tief
Streuwert 1.83, horizontal: 2.02, vertikal: 1.61


Serie 2:


10.3 * 9.5 ↗ 10.7 * 10.4 * 9.8 ↘
 9.8 → 9.6 → 10.3 * 10.3 * 10.6 *

beste Teiler 65.2 (13.) 76.8 (20.) 137.9 (14.)
Trefferlage 1.38 mm rechts, 0.05 mm tief
Streuwert 1.34, horizontal: 1.51, vertikal: 1.14


Serie 3:

10.2 * 9.9 ← 10.2 * 9.4 ← 10.6 *
 10.6 * 9.6 ↘ 9.5 → 10.6 * 10.0 →

beste Teiler 82.3 (26.) 89.9 (29.) 95.0 (25.)
Trefferlage 0.23 mm rechts, 0.24 mm tief
Streuwert 1.83, horizontal: 2.26, vertikal: 1.28




Serie 4:

9.3 → 9.6 ↘ 10.5 * 9.8 ↘ 10.3 *
 10.0 ↖ 10.5 * 10.7 * 9.9 ↖ 10.2 *


beste Teiler 74.6 (38.) 102.1 (33.) 106.2 (37.)
Trefferlage 0.28 mm rechts, 0.09 mm tief
Streuwert 1.81, horizontal: 2.05, vertikal: 1.53

Unterschrift des Schützen


Ergebnis: **386** (400.1)
 Serien: 97 94 97 98
 Zähler: 27 12 1 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 622 (14), 465 (16), 457 (27)
 beste Teiler 54.1 (22.) 82.8 (19.) 92.2 (32.)
 Trefferlage 0.49 mm links, 0.57 mm hoch
 Streuwert 1.83, horizontal: 2.07, vertikal: 1.56




Serie 1:
 9.5 ↘ 10.3 * 9.4 ↗ 9.5 ← 10.4 *
 10.2 * 10.2 * 10.1 ← 10.1 ↖ 10.0 →
 beste Teiler 140.0 (5.) 151.6 (2.) 183.8 (6.)
 Trefferlage 0.39 mm links, 0.47 mm tief
 Streuwert 1.91, horizontal: 2.11, vertikal: 1.68



Serie 2:
 10.1 ↓ 9.8 ↙ 9.9 ↑ 8.5 ← 10.4 *
 9.1 ↘ 9.7 → 10.1 ↗ 10.6 * 10.3 *
 beste Teiler 82.8 (19.) 144.5 (15.) 173.0 (20.)
 Trefferlage 0.92 mm links, 0.82 mm hoch
 Streuwert 2.19, horizontal: 2.67, vertikal: 1.57



Serie 3:
 10.1 ↖ 10.7 * 9.8 ↖ 10.5 * 10.0 ↗
 10.2 * 9.1 ← 10.2 * 10.2 * 9.2 ↗
 beste Teiler 54.1 (22.) 111.1 (24.) 180.3 (29.)
 Trefferlage 0.86 mm links, 1.06 mm hoch
 Streuwert 1.70, horizontal: 1.97, vertikal: 1.38



Serie 4:
 10.2 * 10.6 * 10.3 * 10.5 * 10.3 *
 10.5 * 9.7 ↖ 10.2 * 9.5 → 10.1 →
 beste Teiler 92.2 (32.) 108.7 (34.) 117.3 (36.)
 Trefferlage 0.19 mm rechts, 0.89 mm hoch
 Streuwert 1.40, horizontal: 1.52, vertikal: 1.28

Unterschrift des Schützen

Meyton Elektronik