





Ergebnis: **399** (417.1)
 Serien: 99 100 100 100
 Zähler: 39 1 0 0 0 0 0 0 0 0
 Innenzehner: 34
 weiteste: 255 (8), 249 (19), 235 (11)
 beste Teiler 13.6 (21.) 36.7 (1.) 40.3 (23.)
 Trefferlage 0.13 mm links, 0.11 mm hoch
 Streuwert 1.03, horizontal: 0.94, vertikal: 1.10




Serie 1:
 10.8 * 10.3 * 10.6 * 10.4 * 10.6 *
 10.5 * 10.4 * 9.9 ↑ 10.5 * 10.6 *
 beste Teiler 36.7 (1.) 83.4 (3.) 83.5 (10.)
 Trefferlage 0.10 mm rechts, 0.45 mm hoch
 Streuwert 0.93, horizontal: 0.67, vertikal: 1.13



Serie 2:
 10.0 ↓ 10.1 → 10.7 * 10.5 * 10.7 *
 10.2 * 10.3 * 10.3 * 10.0 ↙ 10.4 *
 beste Teiler 62.2 (15.) 75.3 (13.) 106.6 (14.)
 Trefferlage 0.31 mm links, 0.31 mm tief
 Streuwert 1.23, horizontal: 1.28, vertikal: 1.18





Serie 3:
 10.9 * 10.5 * 10.8 * 10.5 * 10.5 *
 10.7 * 10.4 * 10.5 * 10.2 * 10.1 ↓
 beste Teiler 13.6 (21.) 40.3 (23.) 69.8 (26.)
 Trefferlage 0.09 mm links, 0.10 mm hoch
 Streuwert 0.93, horizontal: 0.92, vertikal: 0.94




Serie 4:
 10.2 * 10.3 * 10.5 * 10.1 ↑ 10.6 *
 10.3 * 10.7 * 10.2 * 10.7 * 10.6 *
 beste Teiler 60.0 (39.) 66.4 (37.) 79.1 (40.)
 Trefferlage 0.24 mm links, 0.21 mm hoch
 Streuwert 1.04, horizontal: 0.89, vertikal: 1.16

Unterschrift des Schützen


Ergebnis: 398 (414.7)
Serien: 99 100 99 100
Zähler: 38 2 0 0 0 0 0 0 0 0
Innenzehner: 33
weiteste: 305 (27), 254 (8), 242 (11)
beste Teiler 37.1 (22.) 57.9 (33.) 61.9 (3.)
Trefferlage 0.10 mm links, 0.06 mm hoch
Streuwert 1.12, horizontal: 1.05, vertikal: 1.18




Serie 1:
 10.4 * 10.4 * 10.7 * 10.2 * 10.3 *
 10.6 * 10.6 * 9.9 ← 10.5 * 10.3 *
beste Teiler 61.9 (3.) 81.0 (7.) 87.7 (6.)
Trefferlage 0.13 mm links, 0.62 mm hoch
Streuwert 1.00, horizontal: 1.05, vertikal: 0.96



Serie 2:
 10.0 ← 10.4 * 10.6 * 10.4 * 10.3 *
 10.4 * 10.6 * 10.6 * 10.3 * 10.0 ↓
beste Teiler 82.0 (17.) 93.0 (13.) 94.5 (18.)
Trefferlage 0.15 mm links, 0.19 mm tief
Streuwert 1.16, horizontal: 1.09, vertikal: 1.23





Serie 3:
 10.0 → 10.8 * 10.6 * 10.5 * 10.4 *
 10.0 ↓ 9.7 ↖ 10.5 * 10.2 * 10.3 *
beste Teiler 37.1 (22.) 87.3 (23.) 101.2 (28.)
Trefferlage 0.22 mm rechts, 0.30 mm tief
Streuwert 1.30, horizontal: 1.32, vertikal: 1.27




Serie 4:
 10.6 * 10.6 * 10.7 * 10.3 * 10.6 *
 10.3 * 10.4 * 10.1 ↑ 10.2 * 10.4 *
beste Teiler 57.9 (33.) 77.6 (32.) 80.6 (35.)
Trefferlage 0.37 mm links, 0.14 mm hoch
Streuwert 1.00, horizontal: 0.74, vertikal: 1.20

Unterschrift des Schützen


Ergebnis: 393 (413.0)
Serien: 97 98 99 99
Zähler: 33 7 0 0 0 0 0 0 0 0
Innenzehner: 29
weiteste: 381 (14), 345 (11), 335 (5)
beste Teiler 41.9 (6.) 44.0 (7.) 44.3 (35.)
Trefferlage 0.09 mm links, 0.32 mm hoch
Streuwert 1.28, horizontal: 1.10, vertikal: 1.43




Serie 1:
 10.7 * 9.8 ↑ 10.5 * 10.8 * 9.6 ↓
 10.8 * 10.8 * 9.8 ↘ 10.4 * 10.5 *
beste Teiler 41.9 (6.) 44.0 (7.) 47.0 (4.)
Trefferlage 0.10 mm rechts, 0.29 mm hoch
Streuwert 1.32, horizontal: 0.91, vertikal: 1.63



Serie 2:
 9.6 ↗ 10.0 ↓ 10.4 * 9.4 ↑ 10.2 *
 10.6 * 10.3 * 10.5 * 10.5 * 10.6 *
beste Teiler 83.6 (16.) 91.0 (20.) 112.1 (19.)
Trefferlage 0.21 mm links, 0.79 mm hoch
Streuwert 1.43, horizontal: 1.17, vertikal: 1.65





Serie 3:
 10.6 * 10.7 * 10.5 * 10.4 * 9.7 ↑
 10.3 * 10.1 ↗ 10.3 * 10.0 ← 10.5 *
beste Teiler 54.6 (22.) 77.1 (21.) 104.6 (30.)
Trefferlage 0.13 mm rechts, 0.34 mm hoch
Streuwert 1.24, horizontal: 1.30, vertikal: 1.18




Serie 4:
 10.5 * 10.2 * 10.6 * 10.5 * 10.8 *
 10.6 * 10.6 * 10.0 ↑ 9.6 ↙ 10.7 *
beste Teiler 44.3 (35.) 67.3 (40.) 84.1 (33.)
Trefferlage 0.39 mm links, 0.14 mm tief
Streuwert 1.16, horizontal: 1.08, vertikal: 1.24

Unterschrift des Schützen


Ergebnis: 395 (412.1)
Serien: 100 98 99 98
Zähler: 35 5 0 0 0 0 0 0 0 0
Innenzehner: 29
weiteste: 419 (31), 340 (40), 312 (13)
beste Teiler 8.0 (3.) 53.5 (28.) 55.9 (17.)
Trefferlage 0.07 mm links, 0.16 mm hoch
Streuwert 1.31, horizontal: 1.45, vertikal: 1.14




Serie 1:
 10.3 * 10.4 * 10.9 * 10.6 * 10.2 *
 10.0 ↗ 10.1 ↘ 10.3 * 10.7 * 10.2 *
beste Teiler 8.0 (3.) 56.8 (9.) 93.2 (4.)
Trefferlage 0.23 mm rechts, 0.32 mm hoch
Streuwert 1.17, horizontal: 1.20, vertikal: 1.14



Serie 2:
 10.5 * 10.3 * 9.7 ↘ 9.8 ↙ 10.0 →
 10.3 * 10.7 * 10.5 * 10.5 * 10.2 *
beste Teiler 55.9 (17.) 114.2 (19.) 115.9 (11.)
Trefferlage 0.52 mm links, 0.05 mm tief
Streuwert 1.40, horizontal: 1.66, vertikal: 1.07



Serie 3:
 10.6 * 10.5 * 9.8 ↗ 10.4 * 10.1 ↘
 10.7 * 10.2 * 10.7 * 10.5 * 10.4 *
beste Teiler 53.5 (28.) 73.1 (26.) 77.1 (21.)
Trefferlage 0.30 mm rechts, 0.50 mm hoch
Streuwert 1.06, horizontal: 1.19, vertikal: 0.90





Serie 4:
 9.3 ↙ 10.4 * 10.4 * 10.5 * 10.1 ↘
 10.4 * 10.7 * 10.1 ↓ 10.5 * 9.6 ↘
beste Teiler 68.8 (37.) 102.5 (39.) 110.9 (34.)
Trefferlage 0.30 mm links, 0.09 mm tief
Streuwert 1.60, horizontal: 1.73, vertikal: 1.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 384 (399.8)
Serien: 95 96 97 96
Zähler: 24 16 0 0 0 0 0 0 0 0
Innenzehner: 14
weiteste: 434 (32), 422 (22), 406 (2)
beste Teiler 61.0 (39.) 74.9 (9.) 76.0 (8.)
Trefferlage 0.78 mm rechts, 0.63 mm hoch
Streuwert 1.71, horizontal: 1.73, vertikal: 1.68




Serie 1:
 9.9 ↑ 9.3 ↗ 10.4 * 10.0 ↗ 10.6 *
 9.6 ↑ 9.9 ↘ 10.6 * 10.7 * 9.6 ↑
beste Teiler 74.9 (9.) 76.0 (8.) 78.4 (5.)
Trefferlage 0.64 mm rechts, 1.35 mm hoch
Streuwert 1.48, horizontal: 1.22, vertikal: 1.71



Serie 2:
 9.9 ↑ 10.4 * 10.0 ↘ 9.6 → 10.1 ↘
 9.5 ↓ 10.1 ↘ 10.2 * 9.8 ↑ 10.1 ↗
beste Teiler 135.5 (12.) 195.3 (18.) 207.5 (17.)
Trefferlage 0.70 mm rechts, 0.69 mm hoch
Streuwert 1.74, horizontal: 1.54, vertikal: 1.91



Serie 3:
 10.1 ↘ 9.3 ← 10.2 * 9.7 ↘ 10.0 →
 10.2 * 10.4 * 10.3 * 10.3 * 9.5 ↗
beste Teiler 142.1 (27.) 151.8 (29.) 173.9 (28.)
Trefferlage 0.77 mm rechts, 0.38 mm hoch
Streuwert 1.81, horizontal: 2.00, vertikal: 1.60





Serie 4:
 10.0 ↑ 9.2 → 10.3 * 9.5 ← 10.0 ↓
 10.5 * 9.5 → 9.7 ↘ 10.7 * 10.1 ↘
beste Teiler 61.0 (39.) 117.1 (36.) 163.6 (33.)
Trefferlage 1.02 mm rechts, 0.11 mm hoch
Streuwert 1.89, horizontal: 2.23, vertikal: 1.48


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 389 (408.1)
Serien: 97 100 98 94
Zähler: 29 11 0 0 0 0 0 0 0 0
Innenzehner: 22
weiteste: 431 (36), 359 (1), 345 (29)
beste Teiler 25.4 (25.) 41.9 (19.) 53.7 (14.)
Trefferlage 0.12 mm links, 0.20 mm hoch
Streuwert 1.51, horizontal: 1.58, vertikal: 1.44




Serie 1:
 9.5 ↑ 10.6 * 9.7 ↗ 10.1 ← 10.3 *
 10.4 * 10.3 * 9.6 ↗ 10.2 * 10.6 *
beste Teiler 94.9 (2.) 99.2 (10.) 145.0 (6.)
Trefferlage 0.13 mm rechts, 0.88 mm hoch
Streuwert 1.55, horizontal: 1.79, vertikal: 1.28



Serie 2:
 10.0 ↗ 10.5 * 10.5 * 10.7 * 10.6 *
 10.1 ↑ 10.6 * 10.2 * 10.8 * 10.0 ↓
beste Teiler 41.9 (19.) 53.7 (14.) 80.0 (15.)
Trefferlage 0.19 mm rechts, 0.05 mm hoch
Streuwert 1.13, horizontal: 0.84, vertikal: 1.36





Serie 3:
 10.6 * 10.7 * 10.0 ↗ 9.9 ← 10.9 *
 10.7 * 10.1 → 10.6 * 9.6 ↘ 10.2 *
beste Teiler 25.4 (25.) 56.9 (26.) 59.0 (22.)
Trefferlage 0.31 mm links, 0.03 mm tief
Streuwert 1.38, horizontal: 1.41, vertikal: 1.35




Serie 4:
 9.9 ↓ 10.4 * 9.7 ↗ 9.8 ↗ 10.6 *
 9.2 ← 10.5 * 10.0 ↑ 9.7 ↘ 9.7 →
beste Teiler 92.0 (35.) 107.0 (37.) 137.8 (32.)
Trefferlage 0.50 mm links, 0.10 mm tief
Streuwert 1.94, horizontal: 2.13, vertikal: 1.73

Unterschrift des Schützen


Ergebnis: 392 (409.2)
Serien: 97 99 97 99
Zähler: 33 6 1 0 0 0 0 0 0 0
Innenzehner: 24
weiteste: 586 (9), 369 (10), 336 (28)
beste Teiler 38.9 (3.) 44.5 (31.) 68.5 (4.)
Trefferlage 0.04 mm rechts, 0.11 mm hoch
Streuwert 1.48, horizontal: 1.75, vertikal: 1.15




Serie 1:
 10.6 * 10.5 * 10.8 * 10.7 * 10.1 ↙
 10.5 * 10.6 * 10.5 * 8.6 ↘ 9.5 ↘
beste Teiler 38.9 (3.) 68.5 (4.) 77.1 (1.)
Trefferlage 0.08 mm rechts, 0.32 mm tief
Streuwert 1.78, horizontal: 2.19, vertikal: 1.25



Serie 2:
 10.4 * 10.1 ← 10.2 * 10.5 * 10.0 ↙
 10.5 * 10.1 ↘ 10.0 ↗ 10.4 * 9.7 ↘
beste Teiler 102.8 (16.) 105.0 (14.) 131.2 (11.)
Trefferlage 0.51 mm links, 0.10 mm hoch
Streuwert 1.43, horizontal: 1.58, vertikal: 1.27



Serie 3:
 10.7 * 10.3 * 10.5 * 10.1 ↗ 10.4 *
 10.1 ↗ 9.8 ↘ 9.6 ↘ 10.4 * 9.9 ↑
beste Teiler 69.2 (21.) 107.7 (23.) 147.4 (25.)
Trefferlage 0.04 mm links, 0.14 mm hoch
Streuwert 1.55, horizontal: 1.76, vertikal: 1.30





Serie 4:
 10.8 * 10.0 → 10.4 * 10.3 * 10.1 →
 10.4 * 10.2 * 10.7 * 9.8 ↘ 10.4 *
beste Teiler 44.5 (31.) 73.0 (38.) 131.5 (40.)
Trefferlage 0.65 mm rechts, 0.53 mm hoch
Streuwert 1.15, horizontal: 1.47, vertikal: 0.70


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 391 (409.5)
Serien: 98 95 100 98
Zähler: 32 7 1 0 0 0 0 0 0 0
Innenzehner: 25
weiteste: 538 (19), 428 (6), 348 (1)
beste Teiler 38.8 (23.) 42.0 (28.) 56.6 (39.)
Trefferlage 0.21 mm rechts, 0.09 mm hoch
Streuwert 1.47, horizontal: 1.72, vertikal: 1.17




Serie 1:
 9.6 ↗ 10.0 ↖ 10.5 * 10.1 ↘ 10.6 *
 9.2 → 10.0 ↗ 10.1 → 10.0 ↗ 10.4 *
beste Teiler 95.8 (5.) 108.2 (3.) 149.1 (10.)
Trefferlage 1.19 mm rechts, 0.79 mm hoch
Streuwert 1.50, horizontal: 1.85, vertikal: 1.05



Serie 2:
 10.4 * 10.5 * 10.3 * 10.6 * 10.6 *
 10.5 * 9.9 ↘ 9.9 ↘ 8.8 ↖ 9.9 ↖
beste Teiler 95.6 (14.) 96.4 (15.) 103.0 (12.)
Trefferlage 0.06 mm rechts, 0.46 mm hoch
Streuwert 1.76, horizontal: 2.14, vertikal: 1.28



Serie 3:
 10.5 * 10.5 * 10.8 * 10.1 ↖ 10.5 *
 10.3 * 10.6 * 10.8 * 10.7 * 10.5 *
beste Teiler 38.8 (23.) 42.0 (28.) 62.6 (29.)
Trefferlage 0.25 mm links, 0.26 mm tief
Streuwert 0.83, horizontal: 0.88, vertikal: 0.78



Serie 4:
 10.3 * 10.2 * 10.4 * 9.9 ↘ 10.4 *
 9.7 ↙ 10.3 * 10.4 * 10.7 * 10.0 ↙
beste Teiler 56.6 (39.) 129.3 (35.) 136.0 (33.)
Trefferlage 0.16 mm links, 0.63 mm tief
Streuwert 1.37, horizontal: 1.59, vertikal: 1.10

Unterschrift des Schützen