





Ergebnis: **396** (412.9)
 Serien: 100 98 99 99
 Zähler: 36 4 0 0 0 0 0 0 0 0
 Innenzehner: 31
 weiteste: 411 (12), 375 (24), 296 (15)
 beste Teiler 41.4 (11.) 46.1 (7.) 66.5 (34.)
 Trefferlage 0.06 mm rechts, 0.65 mm hoch
 Streuwert 1.18, horizontal: 1.37, vertikal: 0.95




Serie 1:
 10.3 * 10.2 * 10.6 * 10.5 * 10.3 *
 10.0 ↖ 10.8 * 10.6 * 10.0 ↖ 10.4 *
 beste Teiler 46.1 (7.) 82.4 (3.) 87.6 (8.)
 Trefferlage 0.35 mm links, 0.66 mm hoch
 Streuwert 1.06, horizontal: 1.35, vertikal: 0.67



Serie 2:
 10.8 * 9.3 ↖ 10.2 * 10.4 * 9.8 →
 10.2 * 10.4 * 10.4 * 10.3 * 10.5 *
 beste Teiler 41.4 (11.) 109.6 (20.) 127.4 (17.)
 Trefferlage 0.21 mm links, 0.95 mm hoch
 Streuwert 1.36, horizontal: 1.73, vertikal: 0.83



Serie 3:
 10.5 * 10.6 * 10.3 * 9.5 → 10.1 ↗
 10.1 ↑ 10.5 * 10.5 * 10.3 * 10.6 *
 beste Teiler 77.2 (30.) 93.7 (22.) 104.0 (28.)
 Trefferlage 0.48 mm rechts, 0.48 mm hoch
 Streuwert 1.27, horizontal: 1.37, vertikal: 1.17





Serie 4:
 9.9 ↑ 10.6 * 10.6 * 10.7 * 10.4 *
 10.4 * 10.1 ↗ 10.6 * 10.2 * 10.4 *
 beste Teiler 66.5 (34.) 84.1 (33.) 87.0 (32.)
 Trefferlage 0.36 mm rechts, 0.53 mm hoch
 Streuwert 1.05, horizontal: 0.95, vertikal: 1.14


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 396 (415.4)
Serien: 100 99 98 99
Zähler: 36 4 0 0 0 0 0 0 0 0
Innenzehner: 33
weiteste: 322 (24), 315 (31), 264 (15)
beste Teiler 19.0 (32.) 42.4 (30.) 48.8 (21.)
Trefferlage 0.19 mm rechts, 0.21 mm hoch
Streuwert 1.13, horizontal: 1.13, vertikal: 1.13




Serie 1:
 10.4 * 10.7 * 10.2 * 10.5 * 10.6 *
 10.6 * 10.1 ↘ 10.2 * 10.3 * 10.2 *
beste Teiler 75.8 (2.) 91.3 (6.) 97.0 (5.)
Trefferlage 0.14 mm links, 0.61 mm hoch
Streuwert 1.04, horizontal: 0.84, vertikal: 1.20



Serie 2:
 10.4 * 10.7 * 10.4 * 10.3 * 9.9 →
 10.6 * 10.5 * 10.3 * 10.4 * 10.2 *
beste Teiler 64.8 (12.) 83.2 (16.) 119.9 (17.)
Trefferlage 0.71 mm rechts, 0.09 mm tief
Streuwert 1.02, horizontal: 0.95, vertikal: 1.09





Serie 3:
 10.8 * 10.6 * 10.7 * 9.7 ↑ 10.6 *
 9.9 → 10.6 * 10.0 → 10.4 * 10.8 *
beste Teiler 42.4 (30.) 48.8 (21.) 61.4 (23.)
Trefferlage 0.32 mm rechts, 0.12 mm hoch
Streuwert 1.25, horizontal: 1.30, vertikal: 1.20




Serie 4:
 9.7 ↘ 10.9 * 10.5 * 10.4 * 10.2 *
 10.7 * 10.3 * 10.4 * 10.1 ↙ 10.6 *
beste Teiler 19.0 (32.) 65.9 (36.) 100.6 (40.)
Trefferlage 0.11 mm links, 0.22 mm hoch
Streuwert 1.20, horizontal: 1.30, vertikal: 1.09

Unterschrift des Schützen


Ergebnis: 394 (412.8)
Serien: 99 98 99 98
Zähler: 34 6 0 0 0 0 0 0 0 0
Innenzehner: 30
weiteste: 355 (31), 346 (40), 311 (10)
beste Teiler 10.0 (1.) 18.0 (39.) 59.3 (29.)
Trefferlage 0.24 mm rechts, 0.06 mm hoch
Streuwert 1.26, horizontal: 1.41, vertikal: 1.10




Serie 1:
 10.9 * 10.6 * 10.4 * 10.5 * 10.5 *
 10.3 * 10.5 * 10.1 → 10.4 * 9.7 →
beste Teiler 10.0 (1.) 93.3 (2.) 111.5 (5.)
Trefferlage 0.27 mm rechts, 0.09 mm tief
Streuwert 1.18, horizontal: 1.57, vertikal: 0.54



Serie 2:
 10.0 ↓ 9.8 → 10.5 * 10.5 * 9.7 →
 10.2 * 10.5 * 10.5 * 10.5 * 10.0 ↓
beste Teiler 104.0 (17.) 105.2 (18.) 116.8 (14.)
Trefferlage 0.78 mm rechts, 0.82 mm tief
Streuwert 1.19, horizontal: 1.36, vertikal: 1.00



Serie 3:
 10.3 * 10.3 * 10.7 * 9.9 ↑ 10.2 *
 10.5 * 10.5 * 10.4 * 10.7 * 10.4 *
beste Teiler 59.3 (29.) 63.2 (23.) 107.1 (27.)
Trefferlage 0.48 mm rechts, 0.80 mm hoch
Streuwert 0.86, horizontal: 0.75, vertikal: 0.95





Serie 4:
 9.5 ↗ 10.6 * 10.3 * 10.0 ← 10.7 *
 10.3 * 10.6 * 10.3 * 10.9 * 9.6 ←
beste Teiler 18.0 (39.) 60.6 (35.) 77.8 (37.)
Trefferlage 0.55 mm links, 0.39 mm hoch
Streuwert 1.41, horizontal: 1.61, vertikal: 1.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 390 (408.3)
Serien: 98 96 98 98
Zähler: 31 8 1 0 0 0 0 0 0
Innenzehner: 25
weiteste: 512 (12), 478 (40), 406 (6)
beste Teiler 11.7 (39.) 40.4 (33.) 51.5 (38.)
Trefferlage 0.03 mm rechts, 0.33 mm hoch
Streuwert 1.54, horizontal: 1.53, vertikal: 1.56




Serie 1:
 9.7 ↘ 10.6 * 10.5 * 10.0 ↑ 10.4 *
 9.3 ↘ 10.0 ↘ 10.5 * 10.7 * 10.5 *
beste Teiler 59.2 (9.) 100.5 (2.) 116.4 (10.)
Trefferlage 0.14 mm links, 0.33 mm hoch
Streuwert 1.54, horizontal: 1.56, vertikal: 1.53



Serie 2:
 10.6 * 8.9 ↘ 9.8 ← 10.6 * 10.0 ↑
 10.1 ↑ 10.3 * 9.7 ↑ 10.3 * 10.3 *
beste Teiler 94.7 (14.) 100.1 (11.) 152.8 (19.)
Trefferlage 0.54 mm links, 1.39 mm hoch
Streuwert 1.54, horizontal: 1.74, vertikal: 1.31





Serie 3:
 9.7 ↓ 10.1 ↗ 10.6 * 10.5 * 10.3 *
 9.9 ↓ 10.4 * 10.3 * 10.5 * 10.3 *
beste Teiler 90.8 (23.) 106.8 (24.) 116.2 (29.)
Trefferlage 0.30 mm rechts, 0.73 mm tief
Streuwert 1.27, horizontal: 1.13, vertikal: 1.40



Serie 4:
 10.2 * 10.1 ↓ 10.8 * 9.7 ↑ 10.3 *
 10.5 * 10.7 * 10.7 * 10.9 * 9.0 →
beste Teiler 11.7 (39.) 40.4 (33.) 51.5 (38.)
Trefferlage 0.52 mm rechts, 0.34 mm hoch
Streuwert 1.52, horizontal: 1.61, vertikal: 1.42


Unterschrift des Schützen

Ergebnis: 387 (406.9)
Serien: 95 97 97 98
Zähler: 27 13 0 0 0 0 0 0 0 0
Innenzehner: 26
weiteste: 473 (8), 410 (6), 402 (12)
beste Teiler 21.4 (38.) 30.0 (28.) 61.9 (4.)
Trefferlage 0.08 mm rechts, 0.18 mm hoch
Streuwert 1.63, horizontal: 1.86, vertikal: 1.36


Serie 1:


9.4 → 9.8 → 10.7 * 10.7 * 10.3 *
 9.3 → 9.8 ↓ 9.1 ↗ 10.5 * 10.4 *

beste Teiler 61.9 (4.) 69.3 (3.) 118.2 (9.)
Trefferlage 1.24 mm rechts, 0.06 mm hoch
Streuwert 1.87, horizontal: 1.98, vertikal: 1.75


Serie 2:


10.5 * 9.3 ↖ 10.4 * 10.2 * 9.8 ↘
 10.4 * 10.5 * 10.5 * 9.6 → 10.4 *

beste Teiler 102.8 (18.) 114.4 (11.) 119.6 (17.)
Trefferlage 0.53 mm links, 0.43 mm hoch
Streuwert 1.60, horizontal: 1.78, vertikal: 1.39


Serie 3:

9.8 ↙ 9.4 ← 10.3 * 10.4 * 9.4 →
 10.4 * 10.6 * 10.8 * 10.5 * 10.3 *

beste Teiler 30.0 (28.) 90.0 (27.) 117.1 (29.)
Trefferlage 0.42 mm links, 0.53 mm tief
Streuwert 1.58, horizontal: 2.04, vertikal: 0.91




Serie 4:

10.2 * 10.6 * 10.6 * 10.0 ↘ 10.4 *
 10.4 * 9.9 → 10.9 * 10.5 * 9.9 ↗


beste Teiler 21.4 (38.) 92.3 (33.) 93.8 (32.)
Trefferlage 0.07 mm rechts, 0.78 mm hoch
Streuwert 1.15, horizontal: 1.24, vertikal: 1.04

Unterschrift des Schützen


Ergebnis: 393 (410.7)
Serien: 98 100 98 97
Zähler: 34 5 1 0 0 0 0 0 0 0
Innenzehner: 27
weiteste: 523 (33), 314 (25), 296 (5)
beste Teiler 35.1 (28.) 39.2 (14.) 40.7 (37.)
Trefferlage 0.39 mm rechts, 0.62 mm hoch
Streuwert 1.29, horizontal: 1.45, vertikal: 1.12




Serie 1:
 10.6 * 10.7 * 10.4 * 10.4 * 9.8 ↘
 10.7 * 9.8 ↓ 10.3 * 10.7 * 10.6 *
beste Teiler 52.4 (6.) 63.0 (9.) 72.5 (2.)
Trefferlage 0.03 mm links, 0.03 mm hoch
Streuwert 1.19, horizontal: 1.12, vertikal: 1.26



Serie 2:
 10.1 ↗ 10.1 ↑ 10.3 * 10.8 * 10.0 →
 10.1 ↘ 10.0 → 10.2 * 10.2 * 10.3 *
beste Teiler 39.2 (14.) 158.6 (13.) 159.0 (20.)
Trefferlage 0.56 mm rechts, 0.90 mm hoch
Streuwert 1.20, horizontal: 1.40, vertikal: 0.96





Serie 3:
 9.9 ↗ 10.7 * 10.3 * 10.0 ↘ 9.7 ↘
 10.3 * 10.2 * 10.8 * 10.4 * 10.4 *
beste Teiler 35.1 (28.) 70.0 (22.) 137.1 (29.)
Trefferlage 0.52 mm rechts, 0.63 mm hoch
Streuwert 1.28, horizontal: 1.48, vertikal: 1.03




Serie 4:
 10.3 * 10.5 * 8.9 → 10.2 * 9.9 ↘
 10.5 * 10.8 * 10.5 * 10.2 * 10.1 ↑
beste Teiler 40.7 (37.) 102.4 (32.) 110.4 (36.)
Trefferlage 0.52 mm rechts, 0.91 mm hoch
Streuwert 1.53, horizontal: 1.84, vertikal: 1.15

Unterschrift des Schützen


Ergebnis: **363** (382.1)
 Serien: 92 84 93 94
 Zähler: 16 20 2 1 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 787 (17), 566 (35), 547 (3)
 beste Teiler 44.0 (30.) 48.8 (36.) 68.8 (27.)
 Trefferlage 0.76 mm rechts, 0.47 mm hoch
 Streuwert 2.28, horizontal: 2.19, vertikal: 2.36




Serie 1:
 10.2 * 10.2 * 8.8 ↗ 9.0 → 9.8 ↓
 9.6 ↑ 9.8 ↘ 9.3 → 10.0 ↗ 9.9 ↑
 beste Teiler 195.8 (1.) 197.0 (2.) 231.2 (9.)
 Trefferlage 1.16 mm rechts, 1.37 mm hoch
 Streuwert 2.18, horizontal: 2.06, vertikal: 2.30



Serie 2:
 10.3 * 9.7 ↘ 9.6 ↙ 10.7 * 10.6 *
 9.8 → 7.8 ↓ 10.1 ↘ 10.4 * 0.0F MIS
 beste Teiler 73.6 (14.) 98.4 (15.) 139.0 (19.)
 Trefferlage 0.05 mm rechts, 0.75 mm tief
 Streuwert 2.45, horizontal: 1.65, vertikal: 3.05



Serie 3:
 9.0 ↓ 9.9 ↙ 9.2 ↘ 10.2 * 9.6 ↘
 9.6 ↗ 10.7 * 9.7 → 9.5 ↗ 10.8 *
 beste Teiler 44.0 (30.) 68.8 (27.) 183.7 (24.)
 Trefferlage 0.15 mm links, 0.41 mm hoch
 Streuwert 2.34, horizontal: 2.47, vertikal: 2.20





Serie 4:
 10.0 ↗ 10.6 * 10.1 ↙ 9.9 ↘ 8.7 →
 10.8 * 10.3 * 9.7 → 9.0 ↗ 9.2 →
 beste Teiler 48.8 (36.) 90.8 (32.) 175.6 (37.)
 Trefferlage 1.91 mm rechts, 0.73 mm hoch
 Streuwert 1.88, horizontal: 2.11, vertikal: 1.62

MIS – Treffer wurde manuell eingefügt, da der Schütze die Scheibe verfehlt hat


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **379** (396.5)
 Serien: 98 92 95 94
 Zähler: 21 17 2 0 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 537 (13), 513 (18), 498 (15)
 beste Teiler 50.6 (1.) 58.4 (26.) 66.3 (11.)
 Trefferlage 0.43 mm links, 0.53 mm hoch
 Streuwert 2.05, horizontal: 1.99, vertikal: 2.10




Serie 1:
 10.8 * 10.6 * 10.3 * 9.9 ↑ 9.7 ↘
 10.4 * 10.0 ↗ 10.1 ↘ 10.5 * 10.3 *
 beste Teiler 50.6 (1.) 85.4 (2.) 109.4 (9.)
 Trefferlage 0.31 mm links, 0.82 mm hoch
 Streuwert 1.28, horizontal: 1.11, vertikal: 1.43



Serie 2:
 10.7 * 10.5 * 8.8 ↙ 9.8 ↘ 9.0 ↑
 10.5 * 10.2 * 8.9 ↘ 9.0 ↘ 9.0 ←
 beste Teiler 66.3 (11.) 116.8 (12.) 118.0 (16.)
 Trefferlage 0.71 mm links, 0.50 mm hoch
 Streuwert 2.74, horizontal: 2.69, vertikal: 2.78



Serie 3:
 10.4 * 10.3 * 9.7 ↘ 9.3 ↘ 9.6 ↘
 10.7 * 10.2 * 9.7 ↙ 9.6 ↘ 10.0 ←
 beste Teiler 58.4 (26.) 137.8 (21.) 160.5 (22.)
 Trefferlage 1.55 mm links, 0.67 mm hoch
 Streuwert 1.56, horizontal: 1.46, vertikal: 1.65



Serie 4:
 9.2 ↓ 9.8 → 10.2 * 10.1 ↑ 9.2 ↑
 9.5 ↘ 10.3 * 9.9 ↘ 9.8 ↓ 10.0 ←
 beste Teiler 161.9 (37.) 176.7 (33.) 212.1 (34.)
 Trefferlage 0.84 mm rechts, 0.14 mm hoch
 Streuwert 2.20, horizontal: 1.79, vertikal: 2.54

Unterschrift des Schützen

Meyton Elektronik