




Ergebnis: **374** (390.7)  
 Serien: 90 96 91 97  
 Zähler: 20 14 6 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2194 (24), 1979 (1), 1943 (34)  
 beste Teiler 156.6 (3.) 222.8 (31.) 251.4 (8.)  
 Trefferlage 1.86 mm links, 1.52 mm tief  
 Streuwert 7.52, horizontal: 8.30, vertikal: 6.65



Serie 1:

8.5 ↙ 9.7 → 10.8 \* 9.9 ↘ 9.9 ↓  
 9.7 ↗ 9.5 ↘ 10.6 \* 8.5 ↙ 9.5 ↙


beste Teiler 156.6 (3.) 251.4 (8.) 844.5 (4.)  
 Trefferlage 0.98 mm links, 4.74 mm tief  
 Streuwert 7.99, horizontal: 9.49, vertikal: 6.13



Serie 2:

9.7 ↖ 10.0 → 9.8 → 10.0 ↓ 8.9 ↘  
 10.2 ↓ 10.0 → 10.6 \* 10.3 ↙ 10.2 ↖


beste Teiler 302.8 (18.) 545.2 (19.) 594.1 (20.)  
 Trefferlage 0.92 mm links, 0.35 mm tief  
 Streuwert 6.30, horizontal: 7.04, vertikal: 5.46



Serie 3:

9.7 ↘ 10.3 ↓ 9.1 ↓ 8.2 ↗ 9.0 ←  
 9.6 ← 9.0 ← 8.8 ↘ 10.0 ↓ 10.2 →

beste Teiler 519.3 (22.) 592.4 (30.) 766.6 (29.)  
 Trefferlage 3.74 mm links, 0.09 mm tief  
 Streuwert 9.63, horizontal: 10.15, vertikal: 9.09



Serie 4:



10.7 \* 10.0 ↙ 10.3 → 8.5 ↙ 9.7 ←  
 10.3 ↑ 10.4 \* 10.0 ↑ 10.3 ↘ 10.3 →

beste Teiler 222.8 (31.) 420.3 (37.) 487.8 (36.)  
 Trefferlage 1.80 mm links, 0.92 mm tief  
 Streuwert 6.17, horizontal: 7.08, vertikal: 5.10

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (388.3)  
 Serien: 92 92 94 89  
 Zähler: 13 22 4 1 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2455 (19), 1973 (16), 1879 (31)  
 beste Teiler 209.0 (24.) 223.4 (2.) 267.0 (17.)  
 Trefferlage 2.30 mm links, 1.64 mm tief  
 Streuwert 7.86, horizontal: 7.52, vertikal: 8.18



Serie 1:

9.4 ↙ 10.7 \* 9.7 ↗ 9.5 ↗ 9.4 ←  
 9.2 ← 9.5 ↘ 9.7 ↓ 9.2 ↘ 10.3 ↓


beste Teiler 223.4 (2.) 538.2 (10.) 968.1 (8.)  
 Trefferlage 3.46 mm links, 1.64 mm tief  
 Streuwert 7.71, horizontal: 7.99, vertikal: 7.41



Serie 2:

10.4 \* 9.8 → 9.7 ↓ 10.5 \* 9.6 ↗  
 8.5 ↗ 10.6 \* 10.3 → 7.9 ↖ 10.5 \*


beste Teiler 267.0 (17.) 336.5 (14.) 388.5 (20.)  
 Trefferlage 1.33 mm links, 1.64 mm tief  
 Streuwert 8.59, horizontal: 8.39, vertikal: 8.80



Serie 3:

9.9 ↘ 9.7 ← 10.4 \* 10.7 \* 9.9 ↘  
 9.9 ↓ 10.6 \* 9.7 ↘ 9.1 ← 10.5 \*

beste Teiler 209.0 (24.) 307.5 (27.) 390.4 (30.)  
 Trefferlage 0.71 mm links, 2.48 mm tief  
 Streuwert 5.80, horizontal: 7.16, vertikal: 4.01



Serie 4:



8.6 ↑ 8.9 ↘ 10.2 ↘ 9.0 ↓ 10.3 ←  
 9.6 ↗ 9.1 ↓ 9.8 ← 8.7 ↖ 9.3 ↘

beste Teiler 532.6 (35.) 638.5 (33.) 921.9 (38.)  
 Trefferlage 3.68 mm links, 0.81 mm tief  
 Streuwert 9.81, horizontal: 7.24, vertikal: 11.83


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **361** (378.5)  
 Serien: 86 95 94 86  
 Zähler: 10 23 5 2 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3091 (38), 2535 (2), 2244 (6)  
 beste Teiler 367.7 (16.) 426.7 (23.) 466.2 (5.)  
 Trefferlage 1.54 mm rechts, 0.07 mm tief  
 Streuwert 9.40, horizontal: 9.56, vertikal: 9.24




Serie 1:  
 8.8 ↗ 7.8 ↘ 8.7 ↘ 9.1 ↓ 10.4 \*  
 8.1 ↘ 9.3 ↘ 9.5 ↓ 9.9 ↗ 9.6 ↑  
 beste Teiler 466.2 (5.) 824.5 (9.) 1050.1 (10.)  
 Trefferlage 3.22 mm rechts, 6.27 mm tief  
 Streuwert 10.50, horizontal: 12.33, vertikal: 8.28



Serie 2:  
 9.2 ↑ 10.2 ↑ 10.3 ↑ 10.3 ← 9.5 →  
 10.5 \* 9.6 ← 9.3 ← 9.2 ↑ 10.1 ↘  
 beste Teiler 367.7 (16.) 482.2 (14.) 496.6 (13.)  
 Trefferlage 1.34 mm links, 4.44 mm hoch  
 Streuwert 6.39, horizontal: 7.42, vertikal: 5.16



Serie 3:  
 9.6 ↑ 10.2 ↘ 10.4 \* 9.9 ↓ 9.6 ←  
 9.1 ↗ 10.3 ↘ 9.9 ↗ 9.2 → 10.0 ←  
 beste Teiler 426.7 (23.) 532.4 (27.) 639.8 (22.)  
 Trefferlage 1.15 mm rechts, 0.31 mm tief  
 Streuwert 7.08, horizontal: 8.02, vertikal: 6.00





Serie 4:  
 9.6 ↗ 9.0 → 8.6 ↑ 9.9 ← 9.3 ↑  
 8.5 ↗ 9.9 → 7.1 ↓ 9.7 → 9.3 ↘  
 beste Teiler 830.3 (37.) 835.0 (34.) 1025.8 (39.)  
 Trefferlage 3.14 mm rechts, 1.84 mm hoch  
 Streuwert 11.80, horizontal: 10.46, vertikal: 13.00

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (381.4)  
 Serien: 92 88 92 93  
 Zähler: 17 13 8 2 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 3125 (29), 2946 (15), 2262 (6)  
 beste Teiler 253.4 (23.) 326.9 (22.) 333.2 (14.)  
 Trefferlage 3.54 mm links, 0.48 mm tief  
 Streuwert 9.07, horizontal: 8.00, vertikal: 10.03



Serie 1:

10.0 ↘ 10.1 ↙ 9.9 ↘ 9.6 ↙ 10.0 ↙  
 8.1 ↑ 9.4 ↘ 8.8 ↓ 9.1 ← 10.5 \*


beste Teiler 368.2 (10.) 713.0 (2.) 736.2 (5.)  
 Trefferlage 2.89 mm links, 2.79 mm tief  
 Streuwert 8.77, horizontal: 5.49, vertikal: 11.11



Serie 2:

8.8 ← 8.8 ← 10.1 ↓ 10.5 \* 7.3 ←  
 8.8 ↗ 9.9 ↙ 10.1 ↘ 8.9 ↘ 10.3 ←


beste Teiler 333.2 (14.) 537.7 (20.) 663.3 (13.)  
 Trefferlage 6.46 mm links, 1.24 mm tief  
 Streuwert 9.96, horizontal: 10.72, vertikal: 9.13



Serie 3:

10.3 ↗ 10.5 \* 10.6 \* 9.5 ↗ 9.9 ↘  
 8.8 ↘ 10.5 \* 9.2 ← 7.0 ↑ 10.4 \*

beste Teiler 253.4 (23.) 326.9 (22.) 376.9 (27.)  
 Trefferlage 1.02 mm links, 3.26 mm hoch  
 Streuwert 9.49, horizontal: 6.70, vertikal: 11.62



Serie 4:



8.1 ↘ 9.9 ← 10.1 ↙ 10.0 ↘ 10.0 ↓  
 10.0 ↙ 9.7 ↗ 9.1 ↓ 9.0 ← 9.8 ↘

beste Teiler 674.7 (33.) 721.3 (34.) 742.3 (36.)  
 Trefferlage 3.81 mm links, 1.17 mm tief  
 Streuwert 8.42, horizontal: 8.38, vertikal: 8.46


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (378.2)  
 Serien: 93 85 95 89  
 Zähler: 13 19 5 3 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 3001 (11), 2652 (18), 2418 (33)  
 beste Teiler 41.2 (30.) 353.0 (4.) 431.6 (6.)  
 Trefferlage 0.12 mm rechts, 1.34 mm tief  
 Streuwert 9.66, horizontal: 9.66, vertikal: 9.66




Serie 1:  
 8.5 ↓ 8.8 ↓ 10.3 ↖ 10.5 \* 10.2 →  
 10.4 \* 10.0 ↖ 8.7 ↖ 10.1 ↖ 9.2 ↑  
 beste Teiler 353.0 (4.) 431.6 (6.) 542.0 (3.)  
 Trefferlage 1.99 mm links, 0.76 mm tief  
 Streuwert 8.73, horizontal: 6.00, vertikal: 10.80



Serie 2:  
 7.2 ↗ 9.6 ↑ 9.7 ↖ 9.2 ← 9.1 ↗  
 9.7 ↘ 9.1 ← 7.6 ↗ 8.5 ← 9.7 →  
 beste Teiler 991.7 (13.) 1025.4 (16.) 1031.4 (20.)  
 Trefferlage 0.23 mm links, 2.60 mm hoch  
 Streuwert 12.86, horizontal: 15.49, vertikal: 9.53



Serie 3:  
 10.2 ↗ 10.0 ↓ 9.4 ↘ 9.1 ← 9.4 ↗  
 10.1 ↖ 9.6 ↗ 10.4 \* 9.3 ↓ 10.9 \*  
 beste Teiler 41.2 (30.) 452.4 (28.) 575.0 (21.)  
 Trefferlage 0.41 mm links, 1.70 mm tief  
 Streuwert 7.30, horizontal: 6.85, vertikal: 7.72





Serie 4:  
 9.1 → 9.4 ↙ 7.9 ↓ 9.7 ↗ 10.1 ←  
 10.1 → 9.9 ↓ 9.8 ↖ 8.4 ↓ 9.3 →  
 beste Teiler 661.9 (36.) 678.6 (35.) 829.6 (37.)  
 Trefferlage 3.15 mm rechts, 5.54 mm tief  
 Streuwert 9.10, horizontal: 8.09, vertikal: 10.00

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **341** (360.4)  
 Serien: 79 87 86 89  
 Zähler: 6 17 13 3 0 0 0 1 0 0  
 Innenzehner: 4  
 weiteste: 5676 (9), 2903 (24), 2682 (14)  
 beste Teiler 216.0 (21.) 253.5 (8.) 382.0 (36.)  
 Trefferlage 0.59 mm rechts, 5.73 mm tief  
 Streuwert 12.28, horizontal: 11.10, vertikal: 13.36



Serie 1:

9.4 ↘ 9.7 ↘ 9.8 ← 8.1 ↓ 8.5 ↓  
 8.7 ↘ 7.9 ↖ 10.6 \* 3.9 ↙ 8.7 ↙


beste Teiler 253.5 (8.) 931.3 (3.) 1038.2 (2.)  
 Trefferlage 2.89 mm links, 11.46 mm tief  
 Streuwert 15.55, horizontal: 13.56, vertikal: 17.31



Serie 2:

9.0 ↓ 9.2 → 9.2 ↓ 7.6 ↘ 8.7 ↑  
 10.3 ↓ 8.8 ↘ 9.2 ↘ 10.2 ↑ 8.2 ↘


beste Teiler 527.5 (16.) 587.5 (19.) 1375.2 (18.)  
 Trefferlage 7.00 mm rechts, 5.85 mm tief  
 Streuwert 10.22, horizontal: 9.21, vertikal: 11.15



Serie 3:

10.7 \* 9.0 ↘ 8.8 ↙ 7.3 ↓ 9.5 ←  
 8.3 ↘ 10.4 \* 9.8 ↗ 8.7 ↙ 8.6 ↘

beste Teiler 216.0 (21.) 446.1 (27.) 886.5 (28.)  
 Trefferlage 0.39 mm rechts, 8.36 mm tief  
 Streuwert 10.71, horizontal: 10.13, vertikal: 11.25



Serie 4:



9.0 ↖ 9.1 ↗ 9.1 ↘ 9.6 ↗ 9.6 ↖  
 10.5 \* 9.8 ↙ 9.9 ↖ 8.4 ↑ 8.6 ←

beste Teiler 382.0 (36.) 864.5 (38.) 940.0 (37.)  
 Trefferlage 2.14 mm links, 2.73 mm hoch  
 Streuwert 9.86, horizontal: 9.75, vertikal: 9.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (366.9)  
 Serien: 89 89 85 86  
 Zähler: 10 12 15 3 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 2486 (1), 2485 (28), 2434 (7)  
 beste Teiler 213.5 (4.) 234.2 (11.) 513.6 (2.)  
 Trefferlage 5.90 mm rechts, 5.47 mm hoch  
 Streuwert 9.70, horizontal: 10.07, vertikal: 9.31




Serie 1:  
 7.8 ↘ 10.3 ↘ 10.1 → 10.7 \* 9.2 ↗  
 10.0 ↘ 7.9 ↘ 8.6 ↗ 9.2 → 9.9 ↘  
 beste Teiler 213.5 (4.) 513.6 (2.) 644.5 (3.)  
 Trefferlage 6.85 mm rechts, 0.73 mm hoch  
 Streuwert 9.67, horizontal: 9.99, vertikal: 9.34



Serie 2:  
 10.7 \* 9.6 ↘ 9.8 → 10.3 ↗ 8.5 ↘  
 8.7 → 9.4 → 10.0 → 8.7 → 8.0 ↘  
 beste Teiler 234.2 (11.) 529.9 (14.) 777.7 (18.)  
 Trefferlage 4.24 mm rechts, 4.16 mm hoch  
 Streuwert 9.70, horizontal: 11.01, vertikal: 8.19



Serie 3:  
 10.1 ↘ 9.1 → 8.3 ↗ 9.8 ↘ 8.4 ↑  
 9.3 ↘ 8.1 ↘ 7.8 ↗ 8.3 ↗ 9.9 ↘  
 beste Teiler 692.5 (21.) 825.6 (30.) 935.1 (24.)  
 Trefferlage 5.64 mm rechts, 9.54 mm hoch  
 Streuwert 10.19, horizontal: 10.95, vertikal: 9.38





Serie 4:  
 8.9 ↗ 8.7 ↑ 8.1 ↘ 10.1 → 9.7 ↗  
 8.6 ↘ 10.1 ↗ 8.4 ↑ 9.1 ↗ 8.7 →  
 beste Teiler 676.1 (37.) 712.9 (34.) 966.1 (35.)  
 Trefferlage 6.86 mm rechts, 7.47 mm hoch  
 Streuwert 9.40, horizontal: 9.64, vertikal: 9.15


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (379.9)  
 Serien: 90 88 94 91  
 Zähler: 12 20 7 1 0 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 2853 (18), 2279 (4), 1979 (12)  
 beste Teiler 326.0 (34.) 433.2 (8.) 480.4 (39.)  
 Trefferlage 0.83 mm links, 1.88 mm hoch  
 Streuwert 9.15, horizontal: 8.64, vertikal: 9.64




Serie 1:  
 8.5 → 8.6 ↗ 10.3 ↑ 8.1 ↑ 9.7 ↓  
 10.0 ↑ 10.3 ↘ 10.4 \* 9.5 ↑ 8.6 ↙  
 beste Teiler 433.2 (8.) 501.6 (3.) 514.7 (7.)  
 Trefferlage 1.11 mm rechts, 4.29 mm hoch  
 Streuwert 9.89, horizontal: 9.11, vertikal: 10.61



Serie 2:  
 9.9 ↑ 8.5 ↙ 9.4 ↘ 8.9 ↙ 9.7 →  
 9.2 ↘ 10.3 ↗ 7.4 ↘ 9.8 ↘ 10.0 ↘  
 beste Teiler 558.7 (17.) 741.8 (20.) 874.3 (11.)  
 Trefferlage 6.48 mm links, 3.24 mm hoch  
 Streuwert 9.60, horizontal: 9.95, vertikal: 9.23



Serie 3:  
 10.1 ↙ 9.0 ↗ 9.5 ↘ 9.3 ↙ 9.8 ↘  
 9.2 → 10.0 ↘ 9.7 → 10.0 ↘ 10.3 ↗  
 beste Teiler 528.7 (30.) 682.4 (21.) 769.3 (29.)  
 Trefferlage 3.24 mm rechts, 1.02 mm tief  
 Streuwert 7.49, horizontal: 6.71, vertikal: 8.20



Serie 4:  
 9.0 ↘ 9.3 ↑ 9.9 ↙ 10.5 \* 9.7 ↓  
 9.9 ↑ 8.6 ↙ 9.5 ↑ 10.4 ↘ 9.1 ↘  
 beste Teiler 326.0 (34.) 480.4 (39.) 845.3 (36.)  
 Trefferlage 1.20 mm links, 1.02 mm hoch  
 Streuwert 8.85, horizontal: 6.17, vertikal: 10.89

Unterschrift des Schützen

Meyton Elektronik