




Ergebnis: **354** (373.1)  
 Serien: 91 91 84 88  
 Zähler: 9 19 9 3 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2867 (28), 2840 (33), 2426 (32)  
 beste Teiler 241.9 (10.) 356.1 (40.) 366.3 (13.)  
 Trefferlage 1.20 mm rechts, 1.49 mm hoch  
 Streuwert 10.31, horizontal: 9.80, vertikal: 10.80



Serie 1:

9.7 ↓ 8.7 ↑ 9.8 ↓ 10.3 ↙ 9.7 ←  
 8.6 ← 10.0 ← 8.2 ↘ 10.3 ↓ 10.6 \*


beste Teiler 241.9 (10.) 498.9 (9.) 504.9 (4.)  
 Trefferlage 4.70 mm links, 0.50 mm tief  
 Streuwert 8.64, horizontal: 8.39, vertikal: 8.88



Serie 2:

8.8 ↘ 9.6 ↖ 10.5 \* 10.3 ↗ 9.1 ←  
 9.6 ↘ 9.4 ↙ 9.7 ↓ 8.6 → 10.2 ↓


beste Teiler 366.3 (13.) 511.0 (14.) 617.8 (20.)  
 Trefferlage 1.98 mm rechts, 1.92 mm tief  
 Streuwert 8.68, horizontal: 10.59, vertikal: 6.19



Serie 3:

9.8 ↑ 8.7 ↑ 9.2 ↗ 8.0 ↓ 9.4 ↓  
 8.8 ↙ 9.8 ← 7.4 ↗ 9.3 → 8.7 ↘

beste Teiler 955.0 (27.) 956.4 (21.) 1228.9 (25.)  
 Trefferlage 2.35 mm rechts, 2.92 mm hoch  
 Streuwert 12.68, horizontal: 9.54, vertikal: 15.18



Serie 4:



9.1 ↑ 7.9 ↑ 7.4 ↗ 9.1 ↓ 10.1 ↖  
 9.4 ↗ 9.6 ↗ 9.9 ↓ 9.3 → 10.5 \*

beste Teiler 356.1 (40.) 693.9 (35.) 860.8 (38.)  
 Trefferlage 5.17 mm rechts, 5.49 mm hoch  
 Streuwert 10.10, horizontal: 9.16, vertikal: 10.97


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (391.0)  
 Serien: 93 96 91 95  
 Zähler: 19 17 4 0 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2196 (28), 1859 (10), 1833 (21)  
 beste Teiler 240.3 (5.) 351.8 (12.) 381.2 (36.)  
 Trefferlage 2.79 mm links, 1.19 mm hoch  
 Streuwert 7.15, horizontal: 6.89, vertikal: 7.41




Serie 1:  
 9.8 ↘ 9.8 ↘ 9.6 ↘ 10.0 ↘ 10.7 \*  
 9.5 ↑ 9.6 ↘ 10.1 → 10.2 ↗ 8.6 ↗  
 beste Teiler 240.3 (5.) 606.7 (9.) 652.2 (8.)  
 Trefferlage 1.02 mm links, 2.18 mm hoch  
 Streuwert 7.31, horizontal: 5.95, vertikal: 8.45



Serie 2:  
 9.2 ↑ 10.5 \* 10.0 ↓ 9.6 ↘ 10.1 ↘  
 10.3 ↘ 10.0 ↘ 9.9 ↑ 10.4 \* 9.4 →  
 beste Teiler 351.8 (12.) 435.2 (19.) 539.6 (16.)  
 Trefferlage 2.17 mm rechts, 1.48 mm hoch  
 Streuwert 6.14, horizontal: 4.88, vertikal: 7.18



Serie 3:  
 8.7 ↘ 10.2 ↑ 8.8 ← 9.6 ← 9.3 ↘  
 10.1 ↘ 10.0 ← 8.2 ↘ 9.1 ← 10.1 ↘  
 beste Teiler 631.3 (22.) 654.1 (30.) 704.4 (26.)  
 Trefferlage 9.52 mm links, 0.35 mm hoch  
 Streuwert 7.10, horizontal: 6.06, vertikal: 8.00





Serie 4:  
 9.0 ← 10.4 \* 9.3 ↑ 10.4 \* 9.8 ↓  
 10.5 \* 9.8 ↘ 10.3 ↑ 10.3 ← 9.8 ↑  
 beste Teiler 381.2 (36.) 410.2 (34.) 436.8 (32.)  
 Trefferlage 2.82 mm links, 0.74 mm hoch  
 Streuwert 6.20, horizontal: 5.32, vertikal: 6.98


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (384.8)  
 Serien: 90 93 90 91  
 Zähler: 15 16 7 2 0 0 0 0 0 0  
 Innenzehner: 6  
 weiteste: 2813 (15), 2531 (25), 1958 (39)  
 beste Teiler 175.4 (4.) 190.3 (28.) 227.6 (13.)  
 Trefferlage 0.57 mm rechts, 2.81 mm tief  
 Streuwert 8.58, horizontal: 8.30, vertikal: 8.85




Serie 1:  
 8.9 ↑ 9.6 ← 9.2 ↖ 10.7 \* 10.4 \*  
 9.4 → 9.3 ↑ 9.4 ↗ 9.9 ↘ 8.8 ↖  
 beste Teiler 175.4 (4.) 473.1 (5.) 835.9 (9.)  
 Trefferlage 2.93 mm links, 4.63 mm hoch  
 Streuwert 8.02, horizontal: 9.01, vertikal: 6.90



Serie 2:  
 9.6 ← 10.3 ← 10.7 \* 10.3 → 7.4 ↓  
 10.3 ↗ 8.6 ↓ 10.1 ↓ 10.4 \* 9.6 ←  
 beste Teiler 227.6 (13.) 464.0 (19.) 499.6 (16.)  
 Trefferlage 0.28 mm rechts, 5.41 mm tief  
 Streuwert 8.25, horizontal: 6.59, vertikal: 9.62



Serie 3:  
 8.6 ← 10.3 ↘ 9.9 ↘ 8.8 ↓ 7.8 ↓  
 9.9 ↘ 10.3 ↘ 10.7 \* 10.3 ↘ 9.8 ↓  
 beste Teiler 190.3 (28.) 484.6 (29.) 518.4 (22.)  
 Trefferlage 0.57 mm links, 7.59 mm tief  
 Streuwert 7.51, horizontal: 7.74, vertikal: 7.27





Serie 4:  
 10.6 \* 10.2 → 8.7 ↙ 9.2 ↓ 9.5 →  
 9.7 ↘ 9.3 → 10.2 ↓ 8.5 ↗ 9.6 →  
 beste Teiler 258.7 (31.) 566.0 (32.) 566.0 (38.)  
 Trefferlage 5.52 mm rechts, 2.88 mm tief  
 Streuwert 7.85, horizontal: 8.46, vertikal: 7.20

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (379.6)  
 Serien: 90 91 91 90  
 Zähler: 11 22 5 2 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2731 (4), 2503 (25), 2061 (12)  
 beste Teiler 145.0 (33.) 149.9 (9.) 164.5 (18.)  
 Trefferlage 0.52 mm rechts, 1.59 mm tief  
 Streuwert 9.31, horizontal: 10.36, vertikal: 8.13



Serie 1:

9.8 ↙ 9.3 ↘ 10.5 \* 7.5 ↘ 9.3 ↖  
 9.4 ↗ 9.4 ↗ 9.6 ↖ 10.8 \* 9.5 ↘


beste Teiler 149.9 (9.) 366.5 (3.) 915.4 (1.)  
 Trefferlage 0.51 mm links, 1.22 mm hoch  
 Streuwert 9.78, horizontal: 11.39, vertikal: 7.85



Serie 2:

8.6 ↖ 8.4 ↖ 8.6 → 10.3 ↗ 10.2 ↓  
 10.3 ↓ 9.0 ↘ 10.7 \* 9.7 ↘ 9.3 →


beste Teiler 164.5 (18.) 483.7 (14.) 537.0 (16.)  
 Trefferlage 2.01 mm rechts, 4.03 mm tief  
 Streuwert 9.34, horizontal: 11.90, vertikal: 5.75



Serie 3:

9.1 ↓ 10.2 ↖ 9.2 ↖ 9.0 ↖ 7.8 ↖  
 10.2 ↖ 10.1 ↖ 9.2 ↘ 9.6 → 9.9 ↖

beste Teiler 570.2 (22.) 586.8 (26.) 714.1 (27.)  
 Trefferlage 4.55 mm links, 7.00 mm tief  
 Streuwert 7.69, horizontal: 8.60, vertikal: 6.65



Serie 4:



9.6 ↖ 9.9 ↘ 10.8 \* 9.2 ↑ 9.0 ↘  
 9.7 ↗ 8.9 → 9.5 ↘ 10.1 → 8.4 ↑

beste Teiler 145.0 (33.) 643.6 (39.) 853.6 (32.)  
 Trefferlage 5.13 mm rechts, 3.44 mm hoch  
 Streuwert 8.22, horizontal: 7.99, vertikal: 8.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (372.2)  
 Serien: 86 88 88 92  
 Zähler: 12 16 7 4 1 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3647 (16), 3156 (8), 2650 (7)  
 beste Teiler 107.0 (40.) 535.5 (11.) 553.4 (37.)  
 Trefferlage 1.25 mm links, 2.39 mm hoch  
 Streuwert 10.76, horizontal: 10.77, vertikal: 10.76




Serie 1:  
 9.9 ↑ 9.6 ← 9.7 → 10.0 ↗ 9.8 ↘  
 8.7 ↘ 7.6 ↗ 7.0 ↑ 9.7 ↓ 9.3 ↘  
 beste Teiler 785.5 (4.) 816.5 (1.) 921.3 (5.)  
 Trefferlage 0.92 mm rechts, 6.93 mm hoch  
 Streuwert 11.12, horizontal: 9.12, vertikal: 12.81



Serie 2:  
 10.3 ↘ 10.1 ↗ 9.6 ↘ 8.8 ↗ 10.0 →  
 6.4 ← 10.0 ↗ 7.9 ↗ 10.2 → 8.9 ↘  
 beste Teiler 535.5 (11.) 605.9 (19.) 715.8 (12.)  
 Trefferlage 0.89 mm links, 3.52 mm hoch  
 Streuwert 12.29, horizontal: 15.17, vertikal: 8.49



Serie 3:  
 9.8 ← 8.7 ↘ 9.8 ↘ 9.4 ↗ 8.0 ↑  
 9.9 ↑ 9.1 ← 8.9 ↘ 9.3 ↘ 10.0 →  
 beste Teiler 735.3 (30.) 822.0 (26.) 909.1 (21.)  
 Trefferlage 1.04 mm links, 2.90 mm hoch  
 Streuwert 10.26, horizontal: 9.75, vertikal: 10.74





Serie 4:  
 7.7 ↗ 10.2 → 9.8 ↓ 8.0 ↘ 10.0 ↓  
 9.2 ↓ 10.3 ↘ 10.0 ↓ 9.8 ↘ 10.8 \*  
 beste Teiler 107.0 (40.) 553.4 (37.) 613.7 (32.)  
 Trefferlage 4.01 mm links, 3.77 mm tief  
 Streuwert 9.04, horizontal: 8.96, vertikal: 9.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **339** (351.8)  
 Serien: 82 84 85 88  
 Zähler: 6 16 11 5 2 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 3280 (2), 3209 (12), 3143 (32)  
 beste Teiler 436.7 (8.) 477.4 (1.) 487.1 (26.)  
 Trefferlage 0.21 mm links, 11.44 mm tief  
 Streuwert 10.93, horizontal: 12.17, vertikal: 9.52




Serie 1:  
 10.4 ↘ 6.9 ↓ 8.3 ← 8.2 ✓ 7.8 ↗  
 7.4 ↘ 8.0 ↓ 10.4 \* 9.2 ✓ 9.1 ↓  
 beste Teiler 436.7 (8.) 477.4 (1.) 1395.3 (9.)  
 Trefferlage 5.36 mm links, 13.25 mm tief  
 Streuwert 11.62, horizontal: 11.11, vertikal: 12.11



Serie 2:  
 9.3 ↘ 6.9 ↗ 9.1 ↘ 8.1 ↓ 7.5 ↗  
 9.0 ↓ 9.1 ↓ 9.7 → 10.3 ↗ 8.1 ↓  
 beste Teiler 549.6 (19.) 1000.0 (18.) 1341.3 (11.)  
 Trefferlage 2.08 mm links, 12.43 mm tief  
 Streuwert 11.17, horizontal: 13.47, vertikal: 8.24



Serie 3:  
 8.5 ↗ 9.3 → 7.1 ↘ 9.7 ↑ 8.2 ↓  
 10.3 ↗ 9.3 → 9.4 ✓ 8.0 ↓ 8.1 ↓  
 beste Teiler 487.1 (26.) 1027.1 (24.) 1260.6 (28.)  
 Trefferlage 4.04 mm rechts, 10.45 mm tief  
 Streuwert 11.31, horizontal: 11.44, vertikal: 11.18





Serie 4:  
 8.4 ↗ 7.0 ↘ 10.3 ↗ 9.3 ↘ 8.6 ↓  
 9.0 ↘ 10.1 ← 9.2 ↓ 9.6 ↓ 9.6 ↗  
 beste Teiler 516.1 (33.) 664.0 (37.) 1049.6 (39.)  
 Trefferlage 2.54 mm rechts, 9.65 mm tief  
 Streuwert 9.68, horizontal: 11.99, vertikal: 6.60


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (370.1)  
 Serien: 88 88 87 88  
 Zähler: 11 14 11 3 1 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 3227 (29), 2899 (34), 2495 (4)  
 beste Teiler 223.6 (19.) 372.0 (26.) 412.6 (25.)  
 Trefferlage 4.64 mm links, 0.03 mm tief  
 Streuwert 10.50, horizontal: 8.62, vertikal: 12.09




Serie 1:  
 9.8 ↓ 9.4 ↓ 9.0 ↑ 7.8 ↑ 9.7 ↘  
 9.3 ↑ 9.9 ↗ 8.2 ↑ 9.7 ↑ 10.2 ↘  
 beste Teiler 632.1 (10.) 848.3 (7.) 896.6 (1.)  
 Trefferlage 0.78 mm rechts, 7.74 mm hoch  
 Streuwert 9.05, horizontal: 5.17, vertikal: 11.71



Serie 2:  
 9.1 ↘ 8.8 ↗ 8.8 ↑ 10.1 ↗ 9.8 ↑  
 8.5 ↗ 8.9 ← 10.2 ↗ 10.7 \* 8.8 ↗  
 beste Teiler 223.6 (19.) 635.0 (18.) 662.6 (14.)  
 Trefferlage 6.98 mm links, 1.02 mm tief  
 Streuwert 8.73, horizontal: 5.04, vertikal: 11.28



Serie 3:  
 9.1 ↘ 9.6 ↘ 10.4 \* 7.9 ↓ 10.4 \*  
 10.5 \* 8.2 ← 10.0 ↘ 6.9 ↗ 8.9 ↗  
 beste Teiler 372.0 (26.) 412.6 (25.) 421.8 (23.)  
 Trefferlage 6.76 mm links, 4.63 mm tief  
 Streuwert 10.99, horizontal: 7.85, vertikal: 13.41





Serie 4:  
 8.1 ↘ 10.4 \* 10.3 ↗ 7.3 ← 9.9 ↓  
 9.2 ↗ 9.3 ↗ 10.0 ↑ 8.5 ← 8.5 ↗  
 beste Teiler 463.8 (32.) 524.8 (33.) 722.8 (38.)  
 Trefferlage 5.62 mm links, 2.22 mm tief  
 Streuwert 11.29, horizontal: 12.77, vertikal: 9.59

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **334** (354.8)  
 Serien: 82 87 83 82  
 Zähler: 4 14 16 4 2 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 3963 (4), 3427 (23), 3042 (19)  
 beste Teiler 192.5 (29.) 335.6 (15.) 397.5 (20.)  
 Trefferlage 1.20 mm links, 0.06 mm hoch  
 Streuwert 13.23, horizontal: 13.78, vertikal: 12.67



Serie 1:

8.4 ↗ 9.1 ↗ 8.7 ↖ 6.0 ↖ 8.5 ↘  
 9.7 → 9.3 ↙ 8.7 ↘ 8.2 ↘ 9.6 ↙


beste Teiler 1036.3 (6.) 1098.0 (10.) 1310.6 (7.)  
 Trefferlage 2.39 mm links, 1.85 mm tief  
 Streuwert 14.99, horizontal: 17.50, vertikal: 11.97



Serie 2:

9.6 ↖ 9.0 ↖ 9.4 ↘ 9.9 ↑ 10.5 \*  
 8.8 ↖ 7.3 ↖ 9.5 ↘ 7.1 ↑ 10.5 \*


beste Teiler 335.6 (15.) 397.5 (20.) 851.0 (14.)  
 Trefferlage 7.96 mm links, 1.61 mm hoch  
 Streuwert 10.97, horizontal: 10.00, vertikal: 11.86



Serie 3:

8.9 ↓ 9.9 → 6.7 ↘ 10.1 ↖ 7.8 ↑  
 9.1 ↖ 8.4 ↙ 8.7 ↙ 10.7 \* 8.4 →

beste Teiler 192.5 (29.) 685.7 (24.) 803.7 (22.)  
 Trefferlage 3.72 mm links, 1.45 mm hoch  
 Streuwert 13.76, horizontal: 13.14, vertikal: 14.35



Serie 4:

9.6 ↑ 8.6 → 8.5 → 9.4 ↗ 7.2 ↘  
 8.8 ↗ 9.8 ↑ 8.9 ↑ 8.9 → 8.6 ↓

beste Teiler 925.7 (37.) 1081.1 (31.) 1230.6 (34.)  
 Trefferlage 9.26 mm rechts, 0.96 mm tief  
 Streuwert 11.36, horizontal: 7.90, vertikal: 13.98

Unterschrift des Schützen

Meyton Elektronik