





Ergebnis: **371** (387.5)
 Serien: 93 91 93 94
 Zähler: 20 12 7 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 2548 (17), 2013 (2), 1850 (21)
 beste Teiler 55.9 (25.) 205.9 (3.) 253.9 (33.)
 Trefferlage 0.84 mm links, 4.24 mm tief
 Streuwert 7.67, horizontal: 7.55, vertikal: 7.79




Serie 1:
 8.7 ↘ 8.4 ↓ 10.7 * 9.3 ↙ 9.8 →
 10.2 ↓ 9.1 ↓ 10.4 * 10.0 ← 10.0 ↙
 beste Teiler 205.9 (3.) 437.0 (8.) 598.1 (6.)
 Trefferlage 1.21 mm rechts, 5.51 mm tief
 Streuwert 7.77, horizontal: 8.31, vertikal: 7.20



Serie 2:
 10.2 ↘ 9.9 ↖ 10.1 ↖ 9.5 ↙ 10.3 ↗
 8.9 ↙ 7.8 ↓ 10.0 ↖ 10.0 ↖ 8.9 →
 beste Teiler 504.0 (15.) 564.0 (11.) 714.6 (13.)
 Trefferlage 1.50 mm links, 2.11 mm tief
 Streuwert 9.20, horizontal: 7.71, vertikal: 10.48



Serie 3:
 8.6 ↘ 10.4 * 10.5 * 8.8 ↙ 10.9 *
 10.1 ↙ 9.3 ↙ 9.1 ↓ 9.3 ↓ 10.0 ↖
 beste Teiler 55.9 (25.) 390.4 (23.) 467.7 (22.)
 Trefferlage 1.03 mm links, 6.29 mm tief
 Streuwert 7.35, horizontal: 8.05, vertikal: 6.58





Serie 4:
 9.9 ↙ 10.0 ← 10.6 * 10.2 ↓ 8.8 ↙
 10.0 ↓ 9.8 ↗ 10.2 ← 9.4 ↓ 9.4 ↗
 beste Teiler 253.9 (33.) 613.6 (38.) 613.9 (34.)
 Trefferlage 2.06 mm links, 3.07 mm tief
 Streuwert 6.76, horizontal: 6.83, vertikal: 6.69

Unterschrift des Schützen


Meyton Elektronik

Ergebnis: **361** (377.9)
 Serien: 88 92 90 91
 Zähler: 10 22 7 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2605 (9), 2297 (16), 2280 (15)
 beste Teiler 290.3 (23.) 341.8 (29.) 364.9 (11.)
 Trefferlage 0.92 mm rechts, 2.02 mm hoch
 Streuwert 9.37, horizontal: 10.50, vertikal: 8.08




Serie 1:

9.1 ↘ 9.0 ↑ 9.2 ↖ 9.2 ↗ 9.6 ↑
 10.1 ↗ 9.9 ↓ 9.4 ↙ 7.7 ↗ 8.9 ↓
 beste Teiler 697.0 (6.) 843.4 (7.) 1057.2 (5.)
 Trefferlage 0.29 mm rechts, 4.57 mm hoch
 Streuwert 10.47, horizontal: 10.45, vertikal: 10.49




Serie 2:

10.5 * 9.5 ↘ 10.1 ↖ 9.6 ↑ 8.1 →
 8.1 → 9.7 ↖ 10.1 ↖ 10.0 ↖ 9.0 →
 beste Teiler 364.9 (11.) 642.6 (13.) 654.9 (18.)
 Trefferlage 4.38 mm rechts, 1.78 mm hoch
 Streuwert 9.28, horizontal: 11.67, vertikal: 6.01



Serie 3:

9.8 ↑ 8.1 ← 10.6 * 8.5 ↘ 9.3 →
 9.0 ↗ 8.7 → 10.4 * 10.5 * 9.6 ↙
 beste Teiler 290.3 (23.) 341.8 (29.) 474.1 (28.)
 Trefferlage 1.22 mm rechts, 1.01 mm hoch
 Streuwert 10.09, horizontal: 11.99, vertikal: 7.74





Serie 4:

9.9 ↘ 9.7 ← 8.3 ↘ 10.3 ↗ 9.5 ↓
 9.6 ↘ 9.5 ↓ 10.0 ↑ 9.9 ↓ 9.9 →
 beste Teiler 525.9 (34.) 762.3 (38.) 806.3 (39.)
 Trefferlage 2.19 mm links, 0.75 mm hoch
 Streuwert 8.09, horizontal: 7.99, vertikal: 8.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (378.2)
 Serien: 86 90 93 91
 Zähler: 13 17 8 1 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3544 (8), 2848 (12), 2293 (10)
 beste Teiler 142.1 (13.) 238.2 (30.) 469.6 (18.)
 Trefferlage 0.02 mm links, 0.79 mm hoch
 Streuwert 9.86, horizontal: 9.10, vertikal: 10.57




Serie 1:
 10.2 ↗ 8.8 ↘ 10.0 ↓ 10.4 * 8.5 ↑
 9.8 → 8.6 ↗ 6.5 ↑ 9.2 ↗ 8.1 ↖
 beste Teiler 472.6 (4.) 633.6 (1.) 783.6 (3.)
 Trefferlage 0.84 mm rechts, 7.53 mm hoch
 Streuwert 12.09, horizontal: 10.60, vertikal: 13.41



Serie 2:
 10.0 ↓ 7.4 ↘ 10.8 * 9.7 ↙ 8.9 ↘
 9.4 → 9.7 ↑ 10.4 * 9.8 ↗ 9.6 ↘
 beste Teiler 142.1 (13.) 469.6 (18.) 737.3 (11.)
 Trefferlage 1.87 mm rechts, 0.14 mm tief
 Streuwert 9.69, horizontal: 8.33, vertikal: 10.88



Serie 3:
 9.1 ↗ 10.0 ↗ 9.5 ↗ 10.3 ↘ 9.4 ↖
 9.9 ↘ 9.6 ↘ 9.8 ↘ 9.7 → 10.7 *
 beste Teiler 238.2 (30.) 526.8 (24.) 741.2 (22.)
 Trefferlage 0.80 mm links, 3.74 mm tief
 Streuwert 6.74, horizontal: 7.70, vertikal: 5.60





Serie 4:
 9.7 ↖ 9.0 ↘ 10.0 ↖ 9.7 ↘ 8.3 ↖
 8.5 ↑ 10.2 ↘ 10.0 ↘ 8.9 → 10.1 ↘
 beste Teiler 583.3 (37.) 685.9 (40.) 743.5 (33.)
 Trefferlage 2.01 mm links, 0.45 mm tief
 Streuwert 9.65, horizontal: 10.38, vertikal: 8.86

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (370.1)
 Serien: 86 94 86 86
 Zähler: 11 14 12 2 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3903 (40), 2483 (36), 2437 (25)
 beste Teiler 412.7 (12.) 415.1 (32.) 463.1 (26.)
 Trefferlage 4.97 mm links, 3.68 mm tief
 Streuwert 9.97, horizontal: 10.49, vertikal: 9.43



Serie 1:

9.8 ↘ 9.0 ↙ 9.2 ↙ 8.3 ↖ 8.3 ↖
 8.3 ↙ 8.8 ↙ 9.5 ← 10.1 ↓ 8.9 ↓


beste Teiler 719.0 (9.) 922.8 (1.) 1127.0 (8.)
 Trefferlage 10.12 mm links, 6.02 mm tief
 Streuwert 8.29, horizontal: 7.61, vertikal: 8.92



Serie 2:

9.2 → 10.4 * 9.8 ← 9.4 ← 8.8 →
 9.7 → 10.0 ← 10.2 ↓ 10.0 ↙ 10.0 ↘


beste Teiler 412.7 (12.) 573.9 (18.) 728.0 (17.)
 Trefferlage 0.82 mm rechts, 0.95 mm tief
 Streuwert 7.54, horizontal: 9.96, vertikal: 3.80



Serie 3:

8.9 ← 8.9 ↘ 10.1 ↓ 9.3 ↙ 7.9 ←
 10.4 * 8.5 ↘ 8.5 ← 9.5 ↙ 9.3 ↙

beste Teiler 463.1 (26.) 666.0 (23.) 1171.2 (29.)
 Trefferlage 8.49 mm links, 4.15 mm tief
 Streuwert 9.24, horizontal: 10.50, vertikal: 7.77



Serie 4:



10.1 ↙ 10.4 * 9.3 ↗ 8.9 ← 10.0 ↗
 7.8 ↓ 9.9 ↘ 8.7 → 9.9 ← 6.1 ↓

beste Teiler 415.1 (32.) 678.2 (31.) 756.8 (35.)
 Trefferlage 2.09 mm links, 3.59 mm tief
 Streuwert 12.96, horizontal: 10.91, vertikal: 14.72

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **339** (357.4)
 Serien: 81 87 81 90
 Zähler: 5 20 7 6 1 1 0 0 0 0
 Innenzehner: 4
 weiteste: 4201 (30), 3403 (14), 3107 (3)
 beste Teiler 114.6 (15.) 201.2 (13.) 365.2 (31.)
 Trefferlage 1.10 mm rechts, 6.57 mm tief
 Streuwert 12.36, horizontal: 13.32, vertikal: 11.32



Serie 1:

9.6 ↙ 7.1 ← 7.1 ↓ 7.5 ↓ 9.6 →
 9.2 ← 9.7 ↘ 8.4 ↘ 7.8 ↓ 9.6 ↙


beste Teiler 992.6 (7.) 1055.4 (10.) 1089.9 (5.)
 Trefferlage 4.38 mm links, 11.41 mm tief
 Streuwert 12.63, horizontal: 13.12, vertikal: 12.13



Serie 2:

10.1 ↙ 9.2 ↙ 10.7 * 6.7 ↓ 10.8 *
 9.4 → 8.5 ↙ 9.4 ↘ 8.2 ← 8.7 →


beste Teiler 114.6 (15.) 201.2 (13.) 642.3 (11.)
 Trefferlage 1.36 mm links, 8.24 mm tief
 Streuwert 11.02, horizontal: 11.11, vertikal: 10.92



Serie 3:

9.9 → 7.6 ↗ 7.6 ↓ 9.0 → 9.8 ↙
 9.7 ↘ 8.1 ← 9.0 ↑ 9.5 → 5.7 →

beste Teiler 831.4 (21.) 932.0 (25.) 979.3 (26.)
 Trefferlage 5.82 mm rechts, 0.59 mm hoch
 Streuwert 15.41, horizontal: 17.87, vertikal: 12.49





Serie 4:

10.5 * 9.1 ↓ 8.0 ↘ 9.5 ↘ 9.3 →
 9.8 ↘ 10.5 * 9.5 ↙ 9.2 → 8.8 ↓


beste Teiler 365.2 (31.) 398.5 (37.) 960.3 (36.)
 Trefferlage 4.36 mm rechts, 7.23 mm tief
 Streuwert 7.84, horizontal: 8.76, vertikal: 6.79

Unterschrift des Schützen


Ergebnis: **342** (358.5)
 Serien: 90 85 86 81
 Zähler: 11 14 6 5 3 1 0 0 0 0
 Innenzehner: 2
 weiteste: 4003 (6), 3607 (31), 3473 (18)
 beste Teiler 359.9 (3.) 472.1 (9.) 489.5 (2.)
 Trefferlage 4.46 mm links, 1.62 mm hoch
 Streuwert 13.02, horizontal: 12.67, vertikal: 13.35




Serie 1:
 10.0 ↘ 10.3 ↘ 10.5 * 10.1 ↑ 9.3 ↓
 5.9 ↙ 9.3 ↗ 9.5 ↘ 10.4 * 8.0 ↘
 beste Teiler 359.9 (3.) 472.1 (9.) 489.5 (2.)
 Trefferlage 1.65 mm links, 3.74 mm tief
 Streuwert 12.14, horizontal: 13.77, vertikal: 10.25



Serie 2:
 8.0 ↙ 10.0 ↘ 9.7 ↑ 9.7 ↗ 7.0 ↘
 9.9 ↘ 9.1 ↗ 6.6 ↙ 9.5 ↑ 9.9 ↘
 beste Teiler 774.8 (12.) 816.2 (20.) 854.7 (16.)
 Trefferlage 7.02 mm links, 4.41 mm hoch
 Streuwert 12.56, horizontal: 13.24, vertikal: 11.84



Serie 3:
 7.2 ↘ 9.6 ↙ 7.9 ↓ 9.6 ↗ 8.6 ↗
 10.3 ↙ 8.7 ↑ 9.6 ↑ 10.0 ↗ 9.1 ↘
 beste Teiler 532.3 (26.) 791.1 (29.) 1044.8 (22.)
 Trefferlage 2.72 mm links, 5.50 mm hoch
 Streuwert 11.71, horizontal: 10.50, vertikal: 12.80





Serie 4:
 6.4 ↑ 9.7 ↘ 6.7 ↘ 8.0 ↙ 8.8 ↘
 10.0 ↘ 10.2 ↓ 7.7 ↘ 7.6 ↙ 10.1 ↙
 beste Teiler 598.6 (37.) 644.8 (40.) 791.1 (36.)
 Trefferlage 6.46 mm links, 0.32 mm hoch
 Streuwert 15.82, horizontal: 14.03, vertikal: 17.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **323** (340.7)
 Serien: 82 78 82 81
 Zähler: 3 16 10 5 4 2 0 0 0 0
 Innenzehner: 2
 weiteste: 4669 (12), 4428 (38), 3835 (14)
 beste Teiler 161.9 (23.) 286.2 (4.) 773.3 (1.)
 Trefferlage 6.42 mm links, 2.55 mm tief
 Streuwert 15.16, horizontal: 14.79, vertikal: 15.52




Serie 1:
 10.0 ↖ 7.7 ↙ 9.5 ↘ 10.6 * 6.6 ↓
 8.0 → 8.2 ↓ 7.9 ↙ 9.5 ↘ 8.0 ↖
 beste Teiler 286.2 (4.) 773.3 (1.) 1128.8 (9.)
 Trefferlage 4.48 mm links, 12.79 mm tief
 Streuwert 11.96, horizontal: 12.92, vertikal: 10.91



Serie 2:
 9.5 ↑ 5.1 ↘ 7.7 ↘ 6.2 ↘ 8.7 ↖
 8.1 ↖ 9.6 ↘ 9.6 ↖ 9.9 ↖ 8.8 →
 beste Teiler 877.4 (19.) 1059.8 (17.) 1104.7 (18.)
 Trefferlage 13.34 mm links, 8.06 mm tief
 Streuwert 13.98, horizontal: 15.12, vertikal: 12.73



Serie 3:
 6.5 ← 9.8 ↖ 10.7 * 8.3 ↑ 7.1 ↖
 7.1 ↗ 9.4 ↘ 9.9 ↘ 9.4 ↖ 8.6 ↖
 beste Teiler 161.9 (23.) 831.0 (28.) 906.5 (22.)
 Trefferlage 8.42 mm links, 2.81 mm hoch
 Streuwert 14.16, horizontal: 15.33, vertikal: 12.89





Serie 4:
 8.0 ← 9.2 → 8.6 ↑ 9.4 ← 9.2 ↗
 9.6 ↗ 9.3 ↖ 5.4 ↑ 6.6 ↘ 9.4 ↖
 beste Teiler 1081.5 (36.) 1259.8 (34.) 1267.6 (40.)
 Trefferlage 0.57 mm rechts, 7.82 mm hoch
 Streuwert 15.74, horizontal: 14.16, vertikal: 17.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **316** (334.2)
 Serien: 82 82 73 79
 Zähler: 8 6 10 9 4 3 0 0 0 0
 Innenzehner: 6
 weiteste: 4643 (10), 4253 (12), 4112 (18)
 beste Teiler 201.7 (3.) 269.6 (34.) 326.0 (20.)
 Trefferlage 7.67 mm links, 2.90 mm hoch
 Streuwert 15.91, horizontal: 15.99, vertikal: 15.82




Serie 1:
 8.5 ↘ 9.0 ↗ 10.7 * 10.4 * 8.3 ↗
 7.8 ↗ 8.0 ↗ 8.8 ↘ 9.5 ↘ 5.1 ←
 beste Teiler 201.7 (3.) 462.2 (4.) 1141.8 (9.)
 Trefferlage 7.48 mm links, 10.19 mm hoch
 Streuwert 13.44, horizontal: 15.93, vertikal: 10.37



Serie 2:
 9.5 ↘ 5.6 ← 10.2 ↘ 7.8 ↓ 8.3 ←
 9.1 ↘ 10.5 * 5.8 ↓ 9.2 ↑ 10.5 *
 beste Teiler 326.0 (20.) 336.4 (17.) 592.5 (13.)
 Trefferlage 9.21 mm links, 2.16 mm tief
 Streuwert 15.49, horizontal: 13.70, vertikal: 17.10



Serie 3:
 7.8 ↑ 10.4 * 6.8 ↘ 8.0 ← 7.9 ↘
 8.2 ↘ 7.8 ↓ 7.8 ↘ 6.7 ↗ 7.6 ↘
 beste Teiler 475.4 (22.) 2166.9 (26.) 2361.9 (24.)
 Trefferlage 2.85 mm links, 2.60 mm tief
 Streuwert 18.81, horizontal: 20.12, vertikal: 17.41



Serie 4:
 8.5 ↘ 10.1 → 6.6 ↘ 10.6 * 9.6 →
 7.1 ↘ 8.0 ↘ 8.5 ↑ 7.2 ← 6.4 ←
 beste Teiler 269.6 (34.) 641.7 (32.) 1066.3 (35.)
 Trefferlage 11.14 mm links, 6.19 mm hoch
 Streuwert 15.31, horizontal: 14.83, vertikal: 15.77

Unterschrift des Schützen

Meyton Elektronik