




Ergebnis: **359** (377.8)
 Serien: 89 90 89 91
 Zähler: 12 17 9 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2903 (18), 2420 (1), 2197 (27)
 beste Teiler 316.8 (38.) 320.2 (34.) 347.3 (24.)
 Trefferlage 0.44 mm rechts, 3.09 mm hoch
 Streuwert 9.42, horizontal: 7.69, vertikal: 10.88



Serie 1:

7.9 ↘ 8.2 ↑ 9.7 ↑ 10.1 ← 9.8 ↓
 8.9 ↙ 10.1 ↗ 9.0 ↑ 10.1 → 9.6 ↓


beste Teiler 661.0 (9.) 663.0 (4.) 698.6 (7.)
 Trefferlage 1.29 mm links, 3.76 mm hoch
 Streuwert 10.18, horizontal: 6.38, vertikal: 12.90



Serie 2:

8.6 ↗ 9.8 ↘ 9.5 ← 10.5 * 9.8 →
 9.7 ↘ 10.2 ← 7.3 ↑ 9.6 ↘ 10.1 ↘


beste Teiler 353.8 (14.) 608.3 (17.) 643.2 (20.)
 Trefferlage 2.69 mm links, 6.65 mm hoch
 Streuwert 8.48, horizontal: 7.51, vertikal: 9.34



Serie 3:

8.6 → 8.6 ↑ 9.9 ↘ 10.5 * 10.2 ↑
 9.5 → 8.2 ↑ 9.1 ↑ 9.3 ← 9.8 ↓

beste Teiler 347.3 (24.) 631.0 (25.) 857.7 (23.)
 Trefferlage 3.82 mm rechts, 3.56 mm hoch
 Streuwert 9.53, horizontal: 8.48, vertikal: 10.48



Serie 4:



10.3 ↘ 8.9 ↘ 10.0 → 10.6 * 9.1 ←
 9.0 ↓ 8.7 ↑ 10.6 * 8.6 ↘ 9.8 ↘

beste Teiler 316.8 (38.) 320.2 (34.) 532.7 (31.)
 Trefferlage 1.96 mm rechts, 1.60 mm tief
 Streuwert 9.17, horizontal: 7.61, vertikal: 10.49


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **350** (366.7)
 Serien: 85 84 88 93
 Zähler: 10 14 12 4 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3175 (5), 3081 (12), 2547 (16)
 beste Teiler 283.3 (21.) 389.0 (13.) 412.4 (9.)
 Trefferlage 4.81 mm links, 3.19 mm hoch
 Streuwert 10.72, horizontal: 9.75, vertikal: 11.62




Serie 1:
 9.2 ↙ 9.9 ↗ 8.2 ↑ 8.9 ↘ 7.0 ↗
 8.2 ↓ 8.1 ↙ 8.9 ↙ 10.4 * 10.2 ↓
 beste Teiler 412.4 (9.) 614.8 (10.) 880.5 (2.)
 Trefferlage 3.04 mm links, 0.40 mm tief
 Streuwert 13.50, horizontal: 12.35, vertikal: 14.56



Serie 2:
 9.2 ↓ 7.1 ↑ 10.5 * 8.5 ↘ 9.0 ↘
 7.8 ← 8.3 ↑ 9.9 ↙ 9.9 → 8.3 ↙
 beste Teiler 389.0 (13.) 842.7 (18.) 851.8 (19.)
 Trefferlage 7.53 mm links, 4.32 mm hoch
 Streuwert 12.27, horizontal: 10.32, vertikal: 13.95



Serie 3:
 10.6 * 9.0 ↑ 9.8 ↘ 7.8 ↑ 9.8 ↘
 8.8 ↘ 9.4 ↗ 9.9 ↙ 10.0 ↑ 8.8 ↙
 beste Teiler 283.3 (21.) 729.1 (29.) 832.7 (28.)
 Trefferlage 3.77 mm links, 4.54 mm hoch
 Streuwert 9.30, horizontal: 7.80, vertikal: 10.60





Serie 4:
 8.1 ↙ 10.1 → 9.5 ↘ 10.0 ↙ 9.9 ↙
 10.1 ↙ 8.5 ↑ 10.0 ↘ 9.1 ↘ 10.0 →
 beste Teiler 694.2 (36.) 714.0 (32.) 771.0 (34.)
 Trefferlage 4.90 mm links, 4.32 mm hoch
 Streuwert 7.94, horizontal: 8.91, vertikal: 6.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (373.9)
 Serien: 89 83 91 92
 Zähler: 13 13 11 2 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3272 (16), 2594 (40), 2498 (34)
 beste Teiler 182.2 (31.) 238.6 (10.) 305.5 (39.)
 Trefferlage 0.36 mm rechts, 1.90 mm tief
 Streuwert 10.47, horizontal: 9.63, vertikal: 11.25




Serie 1:
 9.4 ↗ 8.8 ↗ 10.3 ↗ 9.9 ↘ 9.5 →
 8.9 ↘ 9.6 ← 8.5 ↓ 9.4 ← 10.7 *
 beste Teiler 238.6 (10.) 504.9 (3.) 825.1 (4.)
 Trefferlage 1.34 mm rechts, 1.12 mm tief
 Streuwert 9.41, horizontal: 8.97, vertikal: 9.83



Serie 2:
 9.0 ← 9.0 ↘ 8.4 → 9.0 ↗ 8.1 ↓
 6.9 ↓ 8.9 ↘ 8.8 ↗ 10.6 * 8.9 ↘
 beste Teiler 309.6 (19.) 1544.6 (11.) 1546.4 (12.)
 Trefferlage 2.93 mm links, 4.67 mm tief
 Streuwert 13.53, horizontal: 11.48, vertikal: 15.31



Serie 3:
 8.6 ↘ 8.3 ↗ 10.3 ↗ 10.1 ↑ 9.5 →
 10.0 → 9.1 ↓ 9.9 ↑ 10.0 ↓ 8.7 ↘
 beste Teiler 551.7 (23.) 678.0 (24.) 775.4 (26.)
 Trefferlage 0.17 mm rechts, 2.30 mm hoch
 Streuwert 9.75, horizontal: 11.35, vertikal: 7.83





Serie 4:
 10.7 * 9.4 → 9.7 ↗ 7.8 ↘ 10.0 ↘
 10.4 * 10.3 ↘ 10.2 ↗ 10.6 * 7.7 ↓
 beste Teiler 182.2 (31.) 305.5 (39.) 465.7 (36.)
 Trefferlage 2.88 mm rechts, 4.09 mm tief
 Streuwert 9.00, horizontal: 6.33, vertikal: 11.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **347** (364.3)
 Serien: 91 86 81 89
 Zähler: 10 17 9 3 0 0 0 0 0 1
 Innenzehner: 5
 weiteste: 7436 (25), 2734 (11), 2682 (18)
 beste Teiler 108.6 (27.) 265.5 (13.) 282.8 (23.)
 Trefferlage 0.91 mm links, 0.45 mm hoch
 Streuwert 13.51, horizontal: 11.08, vertikal: 15.57




Serie 1:
 9.3 ↙ 8.4 ↘ 10.3 ↘ 10.5 * 8.7 ↘
 9.8 ↘ 9.6 ↓ 10.0 ↑ 9.3 ↓ 9.5 ↑
 beste Teiler 325.6 (4.) 508.4 (3.) 747.0 (8.)
 Trefferlage 0.90 mm rechts, 2.27 mm tief
 Streuwert 9.02, horizontal: 8.15, vertikal: 9.80



Serie 2:
 7.5 ↙ 7.8 ↓ 10.6 * 8.7 ↑ 10.3 →
 9.2 ↗ 10.1 → 7.6 ← 9.3 → 9.8 ↑
 beste Teiler 265.5 (13.) 485.8 (15.) 680.3 (17.)
 Trefferlage 1.49 mm links, 0.73 mm tief
 Streuwert 12.75, horizontal: 12.72, vertikal: 12.79



Serie 3:
 9.3 ↓ 9.5 ↙ 10.6 * 9.4 ↗ 1.7 ↓
 8.1 ↗ 10.8 * 9.8 ↘ 8.0 ↗ 8.1 ↑
 beste Teiler 108.6 (27.) 282.8 (23.) 957.7 (28.)
 Trefferlage 0.05 mm links, 1.41 mm tief
 Streuwert 20.60, horizontal: 12.98, vertikal: 26.08





Serie 4:
 9.2 ← 8.9 ↘ 9.4 ↗ 10.3 ← 9.6 ↘
 9.0 ↗ 8.2 ↑ 9.3 ↗ 8.3 ← 10.5 *
 beste Teiler 368.8 (40.) 516.9 (34.) 1117.2 (35.)
 Trefferlage 3.01 mm links, 6.23 mm hoch
 Streuwert 9.61, horizontal: 11.20, vertikal: 7.71


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **325** (345.7)
 Serien: 83 82 79 81
 Zähler: 5 16 7 6 3 3 0 0 0 0
 Innenzehner: 1
 weiteste: 4426 (18), 4227 (2), 4115 (26)
 beste Teiler 340.0 (3.) 482.1 (36.) 499.4 (17.)
 Trefferlage 0.24 mm rechts, 8.23 mm tief
 Streuwert 14.27, horizontal: 13.16, vertikal: 15.30




Serie 1:
 9.4 ↘ 5.7 ↑ 10.5 * 9.5 ↓ 9.8 ↙
 7.0 ↙ 9.3 ← 9.8 ↓ 7.8 → 9.8 ↙
 beste Teiler 340.0 (3.) 892.7 (10.) 912.3 (8.)
 Trefferlage 4.51 mm links, 0.21 mm tief
 Streuwert 14.79, horizontal: 12.47, vertikal: 16.79



Serie 2:
 10.1 ↘ 6.8 ↓ 8.7 ↘ 7.9 ↓ 9.6 ↘
 8.5 → 10.3 ↗ 5.4 ↙ 9.9 ↓ 10.3 ↘
 beste Teiler 499.4 (17.) 501.3 (20.) 679.4 (11.)
 Trefferlage 2.99 mm rechts, 10.83 mm tief
 Streuwert 13.68, horizontal: 12.65, vertikal: 14.64



Serie 3:
 9.8 ↗ 9.5 ↙ 9.4 ↓ 9.6 ↙ 9.4 ↙
 5.8 ↙ 6.6 ↓ 8.2 ↓ 8.0 ↗ 7.3 →
 beste Teiler 891.8 (21.) 1112.1 (24.) 1138.4 (22.)
 Trefferlage 1.33 mm rechts, 11.09 mm tief
 Streuwert 15.24, horizontal: 15.09, vertikal: 15.39





Serie 4:
 8.8 ↘ 8.1 ↙ 6.5 ↓ 7.1 ↙ 9.2 ↘
 10.3 ↗ 7.7 ↙ 8.8 → 9.9 → 9.6 ↓
 beste Teiler 482.1 (36.) 872.8 (39.) 1044.7 (40.)
 Trefferlage 1.17 mm rechts, 10.78 mm tief
 Streuwert 13.38, horizontal: 13.09, vertikal: 13.66

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **315** (331.7)
 Serien: 76 78 81 80
 Zähler: 5 11 7 10 6 0 1 0 0 0
 Innenzehner: 3
 weiteste: 4950 (16), 3882 (39), 3759 (35)
 beste Teiler 190.2 (34.) 271.5 (25.) 391.2 (21.)
 Trefferlage 2.31 mm links, 1.65 mm hoch
 Streuwert 17.13, horizontal: 14.00, vertikal: 19.76



Serie 1:

9.4 ↙ 7.9 ↓ 10.2 → 8.4 ↘ 6.4 ↓
 6.4 ↓ 9.6 ↘ 6.3 ↓ 7.6 ↗ 8.1 ↘


beste Teiler 576.2 (3.) 1058.8 (7.) 1249.1 (1.)
 Trefferlage 4.64 mm links, 14.31 mm tief
 Streuwert 15.43, horizontal: 9.45, vertikal: 19.67



Serie 2:

7.4 ↓ 8.1 ↗ 7.0 ↗ 6.9 ↘ 9.9 ↘
 4.8 ↗ 9.3 ↘ 9.0 ↑ 9.7 ↗ 10.0 ↗


beste Teiler 757.9 (20.) 839.6 (15.) 1025.4 (19.)
 Trefferlage 0.41 mm rechts, 3.21 mm tief
 Streuwert 18.87, horizontal: 19.03, vertikal: 18.72



Serie 3:

10.5 * 7.5 ↑ 9.3 → 7.7 ↘ 10.6 *
 8.0 ↑ 8.9 ← 7.6 ↑ 7.2 ← 8.6 ↘

beste Teiler 271.5 (25.) 391.2 (21.) 1292.1 (23.)
 Trefferlage 3.77 mm links, 7.45 mm hoch
 Streuwert 14.43, horizontal: 13.93, vertikal: 14.92



Serie 4:



9.4 ↑ 7.4 ↘ 8.0 ↑ 10.7 * 6.3 ↑
 9.2 ↑ 9.2 ↘ 7.6 ↘ 6.1 ↗ 9.5 ←

beste Teiler 190.2 (34.) 1191.8 (40.) 1229.5 (31.)
 Trefferlage 1.25 mm links, 16.71 mm hoch
 Streuwert 12.63, horizontal: 13.64, vertikal: 11.54


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **319** (337.1)
 Serien: 79 78 78 84
 Zähler: 4 9 14 10 1 2 0 0 0 0
 Innenzehner: 0
 weiteste: 4097 (17), 4080 (6), 3910 (19)
 beste Teiler 509.8 (8.) 566.4 (13.) 605.2 (36.)
 Trefferlage 5.45 mm links, 1.33 mm tief
 Streuwert 15.38, horizontal: 14.92, vertikal: 15.84




Serie 1:
 10.0 ← 9.8 ↙ 7.3 ← 8.6 ↓ 8.8 ↘
 5.9 ↘ 8.4 ↙ 10.3 ← 7.3 ↙ 7.9 ←
 beste Teiler 509.8 (8.) 776.1 (1.) 909.4 (2.)
 Trefferlage 15.11 mm links, 5.50 mm tief
 Streuwert 12.12, horizontal: 9.64, vertikal: 14.17



Serie 2:
 7.3 → 8.1 ← 10.2 ↙ 9.0 ↘ 7.5 ↘
 8.5 ↓ 5.8 ↘ 9.8 ↗ 6.1 ↗ 9.5 ↓
 beste Teiler 566.4 (13.) 885.5 (18.) 1154.2 (20.)
 Trefferlage 1.71 mm rechts, 0.40 mm tief
 Streuwert 18.54, horizontal: 19.39, vertikal: 17.64



Serie 3:
 7.0 ↑ 7.2 ↙ 7.5 ↓ 8.2 ↗ 8.6 ↑
 8.2 ↘ 9.8 ↓ 7.6 ↘ 8.5 ↘ 9.6 →
 beste Teiler 895.9 (27.) 1077.4 (30.) 1873.0 (25.)
 Trefferlage 1.02 mm links, 4.70 mm hoch
 Streuwert 16.72, horizontal: 14.13, vertikal: 18.96





Serie 4:
 8.7 ↑ 8.6 ↓ 9.0 ← 9.3 ↘ 9.4 ↓
 10.2 → 7.9 ← 8.5 ↓ 8.9 ↓ 8.3 ←
 beste Teiler 605.2 (36.) 1276.9 (35.) 1358.9 (34.)
 Trefferlage 7.39 mm links, 4.13 mm tief
 Streuwert 11.29, horizontal: 10.44, vertikal: 12.09


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **313** (333.6)
 Serien: 82 80 76 75
 Zähler: 4 13 6 9 6 1 1 0 0 0
 Innenzehner: 3
 weiteste: 4880 (37), 4051 (22), 3977 (24)
 beste Teiler 210.2 (23.) 328.6 (8.) 405.0 (15.)
 Trefferlage 1.94 mm rechts, 1.25 mm tief
 Streuwert 17.03, horizontal: 18.06, vertikal: 15.94




Serie 1:
 8.5 → 8.8 ↓ 7.7 ↓ 8.0 ↑ 9.9 →
 9.1 ↓ 9.4 ↓ 10.5 * 8.6 ↓ 6.6 ↘
 beste Teiler 328.6 (8.) 873.0 (5.) 1220.9 (7.)
 Trefferlage 6.55 mm rechts, 7.85 mm tief
 Streuwert 12.68, horizontal: 9.66, vertikal: 15.11



Serie 2:
 8.7 ↘ 8.2 → 6.8 ← 7.9 ↓ 10.4 *
 9.5 ↑ 7.3 ↗ 6.2 ↘ 10.2 ↘ 9.4 ↑
 beste Teiler 405.0 (15.) 629.6 (19.) 1147.5 (16.)
 Trefferlage 3.39 mm links, 0.32 mm hoch
 Streuwert 16.77, horizontal: 15.88, vertikal: 17.61



Serie 3:
 7.9 ← 5.9 → 10.7 * 6.0 → 7.4 ↗
 7.4 → 7.3 ↘ 9.7 → 9.9 → 9.4 ↓
 beste Teiler 210.2 (23.) 852.9 (29.) 1014.1 (28.)
 Trefferlage 4.97 mm rechts, 1.90 mm hoch
 Streuwert 18.79, horizontal: 23.55, vertikal: 12.29



Serie 4:
 7.9 ↙ 9.1 ↙ 9.7 ↑ 6.9 ↗ 9.1 ↘
 7.4 ↘ 4.9 → 9.8 ↗ 6.1 ↗ 9.4 ↗
 beste Teiler 952.4 (38.) 985.2 (33.) 1220.4 (40.)
 Trefferlage 0.37 mm links, 0.61 mm hoch
 Streuwert 19.84, horizontal: 21.03, vertikal: 18.58

Unterschrift des Schützen

Meyton Elektronik