





**Ergebnis: 377 (396.7)**  
**Serien: 94 96 96 91**  
**Zähler: 19 19 2 0 0 0 0 0 0 0**  
**Innenzehner: 14**  
**weiteste: 645 (36), 518 (22), 500 (5)**  
**beste Teiler 37.4 (23.) 50.9 (27.) 85.7 (32.)**  
**Trefferlage 0.08 mm rechts, 0.33 mm hoch**  
**Streuwert 2.08, horizontal: 2.30, vertikal: 1.83**




**Serie 1:**  
 9.3 ↘ 10.4 \* 9.6 ↗ 9.5 ↘ 9.0 ←  
 9.1 ← 10.4 \* 9.6 ↘ 10.5 \* 10.4 \*  
**beste Teiler 122.0 (9.) 128.8 (10.) 138.0 (7.)**  
**Trefferlage 1.69 mm links, 1.42 mm hoch**  
**Streuwert 1.80, horizontal: 2.26, vertikal: 1.19**



**Serie 2:**  
 9.7 ↙ 10.2 \* 9.9 ↘ 10.2 \* 10.6 \*  
 10.5 \* 10.1 ↘ 9.9 ← 9.9 ↘ 10.0 ↘  
**beste Teiler 94.3 (15.) 102.7 (16.) 183.1 (14.)**  
**Trefferlage 0.91 mm links, 0.18 mm hoch**  
**Streuwert 1.52, horizontal: 1.57, vertikal: 1.46**



**Serie 3:**  
 10.0 ↓ 8.9 ↘ 10.8 \* 10.2 \* 10.0 ↓  
 10.3 \* 10.8 \* 10.0 ↓ 9.8 ↑ 9.8 ↑  
**beste Teiler 37.4 (23.) 50.9 (27.) 157.4 (26.)**  
**Trefferlage 0.60 mm rechts, 0.31 mm tief**  
**Streuwert 1.88, horizontal: 1.05, vertikal: 2.44**





**Serie 4:**  
 9.4 ↘ 10.6 \* 9.8 ↘ 9.7 ↗ 9.9 →  
 8.4 → 10.4 \* 9.9 → 9.4 ↘ 9.8 ↗  
**beste Teiler 85.7 (32.) 138.7 (37.) 265.0 (38.)**  
**Trefferlage 2.33 mm rechts, 0.04 mm hoch**  
**Streuwert 1.85, horizontal: 1.93, vertikal: 1.75**


Unterschrift des Schützen

Meyton Elektronik


**Ergebnis: 382 (398.5)**  
**Serien: 95 96 95 96**  
**Zähler: 23 16 1 0 0 0 0 0 0 0**  
**Innenzehner: 18**  
**weiteste: 551 (15), 472 (9), 451 (30)**  
**beste Teiler 41.1 (24.) 69.1 (3.) 75.2 (32.)**  
**Trefferlage 0.14 mm rechts, 0.21 mm hoch**  
**Streuwert 2.03, horizontal: 2.29, vertikal: 1.72**




**Serie 1:**  
 10.6 \* 9.3 ← 10.7 \* 9.2 ← 9.6 ↗  
 10.0 ↘ 10.2 \* 9.7 ↘ 9.1 ↑ 10.3 \*  
**beste Teiler 69.1 (3.) 88.8 (1.) 157.4 (10.)**  
**Trefferlage 0.69 mm links, 0.72 mm hoch**  
**Streuwert 2.15, horizontal: 2.32, vertikal: 1.95**



**Serie 2:**  
 10.1 ↘ 10.4 \* 9.7 ↑ 10.0 ↘ 8.7 ←  
 10.1 → 10.5 \* 10.3 \* 10.2 \* 9.2 ↗  
**beste Teiler 124.4 (17.) 150.9 (12.) 154.7 (18.)**  
**Trefferlage 0.09 mm rechts, 0.24 mm hoch**  
**Streuwert 2.15, horizontal: 2.43, vertikal: 1.82**





**Serie 3:**  
 10.1 ↗ 10.5 \* 10.3 \* 10.8 \* 9.7 ↘  
 10.6 \* 9.8 ↗ 9.9 ← 9.5 ↘ 9.1 ↗  
**beste Teiler 41.1 (24.) 78.4 (26.) 119.9 (22.)**  
**Trefferlage 0.99 mm rechts, 0.10 mm tief**  
**Streuwert 1.80, horizontal: 1.95, vertikal: 1.64**




**Serie 4:**  
 10.6 \* 10.7 \* 10.4 \* 10.6 \* 9.3 ←  
 10.2 \* 9.3 ↗ 10.6 \* 9.3 → 9.3 ↗  
**beste Teiler 75.2 (32.) 78.0 (38.) 91.0 (34.)**  
**Trefferlage 0.19 mm rechts, 0.01 mm tief**  
**Streuwert 2.07, horizontal: 2.45, vertikal: 1.59**

Unterschrift des Schützen


**Ergebnis: 383 (402.9)**  
**Serien: 94 96 96 97**  
**Zähler: 27 9 4 0 0 0 0 0 0 0**  
**Innenzehner: 24**  
**weiteste: 666 (16), 588 (3), 552 (26)**  
**beste Teiler 47.1 (9.) 55.0 (20.) 57.3 (28.)**  
**Trefferlage 0.00 mm , 0.30 mm tief**  
**Streuwert 1.90, horizontal: 2.44, vertikal: 1.13**




**Serie 1:**  
 10.1 ↗ 10.4 \* 8.6 ↖ 10.6 \* 9.8 ↖  
 8.9 ↖ 10.6 \* 10.2 \* 10.8 \* 9.9 ↖  
**beste Teiler 47.1 (9.) 84.5 (4.) 93.4 (7.)**  
**Trefferlage 1.35 mm links, 0.31 mm hoch**  
**Streuwert 1.95, horizontal: 2.40, vertikal: 1.35**



**Serie 2:**  
 10.5 \* 10.4 \* 9.5 ↖ 10.5 \* 9.4 ↖  
 8.3 → 10.5 \* 10.2 \* 10.3 \* 10.7 \*  
**beste Teiler 55.0 (20.) 101.1 (14.) 113.6 (11.)**  
**Trefferlage 0.08 mm links, 0.08 mm tief**  
**Streuwert 2.18, horizontal: 2.88, vertikal: 1.12**





**Serie 3:**  
 10.0 → 10.4 \* 10.4 \* 9.8 ↓ 10.4 \*  
 8.7 → 9.9 → 10.7 \* 10.6 \* 10.3 \*  
**beste Teiler 57.3 (28.) 99.7 (29.) 129.9 (22.)**  
**Trefferlage 1.26 mm rechts, 0.57 mm tief**  
**Streuwert 1.52, horizontal: 1.95, vertikal: 0.93**




**Serie 4:**  
 9.3 → 10.1 ↙ 9.8 ↖ 10.7 \* 10.5 \*  
 9.6 ↘ 10.4 \* 10.2 \* 10.4 \* 10.5 \*  
**beste Teiler 70.9 (34.) 101.6 (35.) 107.6 (40.)**  
**Trefferlage 0.15 mm rechts, 0.85 mm tief**  
**Streuwert 1.54, horizontal: 2.01, vertikal: 0.83**

Unterschrift des Schützen


**Ergebnis: 374 (392.5)**  
**Serien: 93 95 91 95**  
**Zähler: 19 17 3 1 0 0 0 0 0 0**  
**Innenzehner: 11**  
**weiteste: 921 (25), 645 (9), 596 (5)**  
**beste Teiler 50.0 (23.) 57.2 (11.) 62.4 (32.)**  
**Trefferlage 0.69 mm rechts, 0.05 mm tief**  
**Streuwert 2.34, horizontal: 2.81, vertikal: 1.74**




**Serie 1:**  
 10.4 \* 9.8 ↘ 10.1 ↑ 10.4 \* 8.6 →  
 10.2 \* 10.1 ↘ 9.9 ↘ 8.4 → 9.3 ↖  
**beste Teiler 137.0 (4.) 149.9 (1.) 179.2 (6.)**  
**Trefferlage 1.29 mm rechts, 0.23 mm tief**  
**Streuwert 2.46, horizontal: 3.09, vertikal: 1.61**



**Serie 2:**  
 10.7 \* 10.0 → 9.5 → 10.7 \* 9.7 ↙  
 10.3 \* 10.0 ↖ 9.9 ↗ 9.8 ↗ 9.6 ↖  
**beste Teiler 57.2 (11.) 64.6 (14.) 168.6 (16.)**  
**Trefferlage 0.09 mm rechts, 0.10 mm hoch**  
**Streuwert 1.90, horizontal: 2.24, vertikal: 1.48**





**Serie 3:**  
 9.3 → 10.0 ↙ 10.8 \* 9.7 → 7.3 ↘  
 9.4 ↖ 9.3 → 9.5 ↑ 9.7 → 10.3 \*  
**beste Teiler 50.0 (23.) 160.5 (30.) 240.8 (22.)**  
**Trefferlage 1.76 mm rechts, 0.25 mm tief**  
**Streuwert 2.84, horizontal: 3.11, vertikal: 2.55**



**Serie 4:**  
 10.0 ↓ 10.7 \* 10.5 \* 9.9 ↖ 8.6 ↖  
 9.6 ↖ 10.0 → 10.6 \* 9.9 ↗ 10.0 →  
**beste Teiler 62.4 (32.) 88.0 (38.) 114.0 (33.)**  
**Trefferlage 0.36 mm links, 0.16 mm hoch**  
**Streuwert 2.06, horizontal: 2.59, vertikal: 1.32**


Unterschrift des Schützen

**Ergebnis: 362 (377.5)**  
**Serien: 92 90 89 91**  
**Zähler: 14 15 10 1 0 0 0 0 0 0**  
**Innenzehner: 9**  
**weiteste: 803 (32), 677 (6), 671 (13)**  
**beste Teiler 81.9 (20.) 97.5 (39.) 110.1 (40.)**  
**Trefferlage 1.57 mm links, 0.24 mm tief**  
**Streuwert 2.83, horizontal: 3.11, vertikal: 2.52**


**Serie 1:**


9.0 ↓      9.9 ↗      10.0 ↖      10.3 \*      9.8 ←  
 8.2 ↘      8.4 ←      10.3 \*      10.5 \*      9.0 ↙

**beste Teiler 118.8 (9.) 153.1 (4.) 168.1 (8.)**  
**Trefferlage 0.85 mm links, 0.59 mm tief**  
**Streuwert 2.91, horizontal: 3.26, vertikal: 2.51**


**Serie 2:**


9.8 ↓      8.6 ↖      8.3 ↓      9.0 ←      8.6 ←  
 9.6 ↖      9.5 ↓      10.0 ↓      10.5 \*      10.6 \*

**beste Teiler 81.9 (20.) 125.3 (19.) 226.1 (18.)**  
**Trefferlage 1.30 mm links, 0.83 mm tief**  
**Streuwert 2.93, horizontal: 2.93, vertikal: 2.94**


**Serie 3:**

10.2 \*      8.9 ↘      10.0 ↗      8.7 ←      8.3 ←  
 9.4 ←      10.1 ↓      9.0 ↖      9.7 ↑      8.3 ↖

**beste Teiler 191.0 (21.) 211.6 (27.) 245.5 (23.)**  
**Trefferlage 1.95 mm links, 0.33 mm hoch**  
**Streuwert 3.05, horizontal: 3.72, vertikal: 2.18**


**Serie 4:**



9.8 ←      7.7 ↖      10.3 \*      10.1 ←      9.2 ↑  
 8.6 ←      9.2 ↖      9.0 ↖      10.6 \*      10.5 \*

**beste Teiler 97.5 (39.) 110.1 (40.) 154.3 (33.)**  
**Trefferlage 2.19 mm links, 0.10 mm hoch**  
**Streuwert 2.69, horizontal: 2.76, vertikal: 2.61**


Unterschrift des Schützen

Meyton Elektronik


**Ergebnis: 373 (391.0)**  
**Serien: 92 93 94 94**  
**Zähler: 16 21 3 0 0 0 0 0 0 0**  
**Innenzehner: 12**  
**weiteste: 674 (28), 540 (2), 530 (33)**  
**beste Teiler 35.6 (6.) 86.1 (30.) 87.3 (39.)**  
**Trefferlage 0.72 mm links, 0.11 mm tief**  
**Streuwert 2.30, horizontal: 2.86, vertikal: 1.56**




**Serie 1:**  
 9.8 ↘ 8.8 ↘ 9.0 ↘ 9.1 ↗ 10.5 \*  
 10.8 \* 9.7 ← 10.0 ↘ 9.4 ← 9.5 ←  
**beste Teiler 35.6 (6.) 103.9 (5.) 248.2 (8.)**  
**Trefferlage 1.77 mm links, 0.75 mm tief**  
**Streuwert 2.26, horizontal: 2.47, vertikal: 2.03**



**Serie 2:**  
 10.3 \* 9.7 ↗ 9.2 ← 9.6 ↗ 10.4 \*  
 9.6 ← 10.3 \* 9.7 ← 9.4 → 9.2 ↘  
**beste Teiler 149.9 (15.) 152.7 (11.) 156.4 (17.)**  
**Trefferlage 0.56 mm links, 0.07 mm tief**  
**Streuwert 2.36, horizontal: 3.06, vertikal: 1.35**





**Serie 3:**  
 10.1 ↘ 10.4 \* 9.4 ← 9.7 ↗ 10.4 \*  
 10.1 ↘ 9.9 → 8.3 → 9.9 ← 10.6 \*  
**beste Teiler 86.1 (30.) 134.1 (22.) 149.0 (25.)**  
**Trefferlage 0.34 mm links, 0.40 mm hoch**  
**Streuwert 2.30, horizontal: 3.13, vertikal: 0.90**




**Serie 4:**  
 10.1 ↗ 9.1 → 8.8 ← 9.7 ↗ 10.2 \*  
 9.6 ↗ 10.6 \* 10.5 \* 10.6 \* 9.0 ↘  
**beste Teiler 87.3 (39.) 95.6 (37.) 122.1 (38.)**  
**Trefferlage 0.20 mm links, 0.03 mm tief**  
**Streuwert 2.40, horizontal: 2.92, vertikal: 1.73**

Unterschrift des Schützen


Ergebnis: **373** (391.1)  
 Serien: 98 94 93 88  
 Zähler: 18 18 3 1 0 0 0 0 0 0  
 Innenzehner: 10  
 weiteste: 929 (29), 733 (38), 595 (37)  
 beste Teiler 49.0 (4.) 61.1 (3.) 80.7 (25.)  
 Trefferlage 0.46 mm rechts, 0.74 mm hoch  
 Streuwert 2.35, horizontal: 2.15, vertikal: 2.54




Serie 1:  
 10.0 ↘ 9.6 ↘ 10.7 \* 10.8 \* 10.1 ↘  
 10.4 \* 9.9 → 10.1 ↙ 10.1 → 10.2 \*  
 beste Teiler 49.0 (4.) 61.1 (3.) 150.0 (6.)  
 Trefferlage 0.36 mm rechts, 0.56 mm tief  
 Streuwert 1.49, horizontal: 1.35, vertikal: 1.62



Serie 2:  
 9.8 ↘ 9.9 → 9.9 ↙ 10.6 \* 9.4 ↑  
 10.1 ↘ 10.1 ↗ 10.0 ← 9.9 → 9.7 ↗  
 beste Teiler 94.3 (14.) 211.8 (16.) 225.8 (17.)  
 Trefferlage 0.61 mm rechts, 0.19 mm hoch  
 Streuwert 1.91, horizontal: 1.85, vertikal: 1.98



Serie 3:  
 10.2 \* 9.5 ↘ 9.9 ↙ 10.1 ↘ 10.6 \*  
 9.8 ↙ 9.5 ↘ 10.3 \* 7.2 → 10.3 \*  
 beste Teiler 80.7 (25.) 161.7 (30.) 166.2 (28.)  
 Trefferlage 0.07 mm rechts, 0.66 mm hoch  
 Streuwert 2.75, horizontal: 3.14, vertikal: 2.30





Serie 4:  
 9.3 ↘ 10.2 \* 8.7 ↑ 9.5 ↘ 9.6 →  
 9.7 ↗ 8.6 ↑ 8.0 ↑ 9.4 ↘ 9.4 →  
 beste Teiler 197.8 (32.) 312.8 (36.) 350.4 (35.)  
 Trefferlage 0.81 mm rechts, 2.66 mm hoch  
 Streuwert 2.67, horizontal: 2.14, vertikal: 3.12


Unterschrift des Schützen

Meyton Elektronik


**Ergebnis: 377 (396.8)**  
**Serien: 96 91 93 97**  
**Zähler: 20 18 1 1 0 0 0 0 0 0**  
**Innenzehner: 18**  
**weiteste: 883 (19), 548 (27), 491 (2)**  
**beste Teiler 43.0 (11.) 46.3 (39.) 77.1 (38.)**  
**Trefferlage 0.09 mm links, 0.56 mm hoch**  
**Streuwert 2.10, horizontal: 2.40, vertikal: 1.75**




**Serie 1:**  
 10.2 \* 9.0 ← 10.3 \* 10.4 \* 9.6 ↘  
 10.3 \* 10.3 \* 9.6 ← 10.2 \* 9.3 ↓  
**beste Teiler 131.6 (4.) 153.3 (7.) 157.8 (6.)**  
**Trefferlage 0.70 mm links, 0.96 mm tief**  
**Streuwert 1.92, horizontal: 2.13, vertikal: 1.68**



**Serie 2:**  
 10.8 \* 9.7 ↗ 10.3 \* 9.9 → 10.2 \*  
 9.9 ↘ 9.6 ← 9.6 ↘ 7.4 ↖ 9.5 ↗  
**beste Teiler 43.0 (11.) 153.2 (13.) 180.3 (15.)**  
**Trefferlage 0.59 mm links, 1.21 mm hoch**  
**Streuwert 2.65, horizontal: 3.50, vertikal: 1.34**



**Serie 3:**  
 10.5 \* 10.5 \* 9.8 ← 10.3 \* 9.6 ↗  
 10.2 \* 8.8 ↗ 9.7 ↑ 9.7 → 9.7 ↑  
**beste Teiler 117.1 (22.) 125.9 (21.) 154.6 (24.)**  
**Trefferlage 0.18 mm rechts, 1.45 mm hoch**  
**Streuwert 1.92, horizontal: 2.03, vertikal: 1.81**



**Serie 4:**  
 10.0 ↘ 9.6 → 10.5 \* 9.9 ↘ 10.5 \*  
 10.2 \* 10.1 ↘ 10.6 \* 10.8 \* 9.7 ↑  
**beste Teiler 46.3 (39.) 77.1 (38.) 114.3 (35.)**  
**Trefferlage 0.72 mm rechts, 0.57 mm hoch**  
**Streuwert 1.39, horizontal: 1.55, vertikal: 1.21**

Unterschrift des Schützen

Meyton Elektronik