



Ergebnisse

Talentgruppe Gewehr
Leistungskontrolle



Sparte/Disziplin: **Luftgewehr 60 Schuss**



Datum: **13.09.2020**, Olympiazentrum Rif/Hallein

Partner des ÖSB



Anja


Ergebnis: **611.0** (581)
Serien: 99.5 102.6 101.8 104.5 102.6 100.0
Zähler: 42 17 1 0 0 0 0 0 0 0
Innenzehner: 36
weiteste: 542 (45), 490 (9), 477 (53)
beste Teiler 12.0 (40.) 21.0 (32.) 23.1 (30.)
Trefferlage 0.15 mm rechts, 0.08 mm tief
Streuwert 1.61, horizontal: 1.70, vertikal: 1.52



Serie 1: **99.5**

10.3 *	10.7 *	10.3 *	9.6 ↘	9.6 →
10.5 *	10.0 ↘	9.5 ↘	9.0 ↘	10.0 ↗


beste Teiler 57.8 (2.) 116.1 (6.) 170.8 (1.)
Trefferlage 1.11 mm rechts, 0.04 mm hoch
Streuwert 1.90, horizontal: 1.93, vertikal: 1.87



Serie 2: **102.6**

9.9 ↘	9.9 ↘	9.9 ↗	10.8 *	10.2 *
10.6 *	9.7 →	10.7 *	10.2 *	10.7 *


beste Teiler 41.7 (14.) 53.0 (18.) 54.7 (20.)
Trefferlage 0.29 mm rechts, 0.47 mm hoch
Streuwert 1.43, horizontal: 1.40, vertikal: 1.46



Serie 3: **101.8**

9.8 ↘	10.4 *	10.5 *	10.7 *	10.2 *
9.5 ↓	10.5 *	9.4 ↘	9.9 →	10.9 *


beste Teiler 23.1 (30.) 53.6 (24.) 105.6 (23.)
Trefferlage 0.38 mm rechts, 0.89 mm tief
Streuwert 1.54, horizontal: 1.58, vertikal: 1.49



Serie 4: **104.5**

10.5 *	10.9 *	10.4 *	9.9 ↑	10.7 *
10.5 *	10.3 *	10.4 *	10.0 ↘	10.9 *


beste Teiler 12.0 (40.) 21.0 (32.) 51.8 (35.)
Trefferlage 0.50 mm links, 0.28 mm hoch
Streuwert 1.03, horizontal: 0.98, vertikal: 1.08



Serie 5: **102.6**

10.8 *	10.3 *	10.2 *	10.1 ↘	8.8 →
10.2 *	10.5 *	10.8 *	10.2 *	10.7 *

beste Teiler 26.4 (41.) 44.1 (48.) 59.2 (50.)
Trefferlage 0.33 mm links, 0.09 mm hoch
Streuwert 1.65, horizontal: 2.05, vertikal: 1.12





Serie 6: **100.0**

10.1 ↗	10.0 ↓	9.0 ↘	10.6 *	9.8 →
9.6 ↓	9.9 →	10.4 *	10.3 *	10.3 *

beste Teiler 78.3 (54.) 143.5 (58.) 155.9 (60.)
Trefferlage 0.03 mm links, 0.49 mm tief
Streuwert 1.89, horizontal: 1.94, vertikal: 1.84

Anja Kün
Unterschrift des Schützen
Meyton Elektronik

Ergebnis: **608.3** (576)
 Serien: 101.5 101.6 99.9 102.1 101.5 101.7
 Zaehler: 36 24 0 0 0 0 0 0 0
 Innenzehner: 32
 weiteste: 427 (50), 413 (2), 388 (46)
 beste Teiler 7.2 (49.) 23.0 (1.) 30.6 (36.)
 Trefferlage 0.17 mm rechts, 0.18 mm hoch
 Streuwert 1.65, horizontal: 1.92, vertikal: 1.31



Serie 1: **101.5**

10.9 *	9.3 ↘	9.7 ↑	9.9 ↖	10.6 *
10.7 *	9.8 ↗	10.3 *	9.9 ↗	10.4 *


beste Teiler 23.0 (1.) 55.7 (6.) 97.1 (5.)
 Trefferlage 0.35 mm rechts, 0.91 mm hoch
 Streuwert 1.60, horizontal: 1.74, vertikal: 1.45



Serie 2: **101.6**

9.5 ↖	10.7 *	9.8 →	10.6 *	10.2 *
9.5 ↗	10.8 *	10.2 *	10.2 *	10.1 ↖


beste Teiler 34.4 (17.) 70.0 (12.) 92.9 (14.)
 Trefferlage 0.16 mm links, 0.13 mm hoch
 Streuwert 1.69, horizontal: 2.20, vertikal: 0.94



Serie 3: **99.9**

9.9 ↘	9.9 ↘	9.4 →	10.3 *	10.3 *
9.8 ↖	10.8 *	10.1 ↓	9.6 →	9.8 →


beste Teiler 45.8 (27.) 152.5 (24.) 166.5 (25.)
 Trefferlage 0.05 mm rechts, 0.06 mm tief
 Streuwert 1.95, horizontal: 2.40, vertikal: 1.36



Serie 4: **102.1**

10.8 *	10.7 *	9.4 ↘	10.0 ↖	10.4 *
10.8 *	9.9 ↗	9.9 ↖	9.8 ↗	10.4 *


beste Teiler 30.6 (36.) 49.6 (31.) 71.1 (32.)
 Trefferlage 0.65 mm links, 0.27 mm hoch
 Streuwert 1.56, horizontal: 1.67, vertikal: 1.44



Serie 5: **101.5**

9.6 →	10.3 *	10.7 *	10.5 *	10.2 *
9.4 →	10.3 *	10.4 *	10.9 *	9.2 ↖

beste Teiler 7.2 (49.) 57.2 (43.) 120.3 (44.)
 Trefferlage 0.97 mm rechts, 0.17 mm tief
 Streuwert 1.64, horizontal: 2.15, vertikal: 0.86



Serie 6: **101.7**



10.2 *	10.7 *	10.0 ↘	9.9 ↗	10.2 *
9.8 ↖	10.4 *	9.9 ↓	10.2 *	10.4 *

beste Teiler 57.9 (52.) 128.1 (60.) 133.5 (57.)
 Trefferlage 0.44 mm rechts, 0.00 mm
 Streuwert 1.47, horizontal: 1.25, vertikal: 1.66

Guber Alexander
 Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **607.0** (579)
 Serien: 99.6 100.7 104.9 100.0 99.5 102.3
 Zaehler: 40 19 1 0 0 0 0 0 0
 Innenzehner: 35
 weiteste: 559 (46), 452 (2), 437 (39)
 beste Teiler 6.3 (28.) 11.0 (35.) 22.8 (23.)
 Trefferlage 0.13 mm rechts, 0.16 mm tief
 Streuwert 1.75, horizontal: 2.10, vertikal: 1.29



Serie 1: **99.6**

10.8 *	9.1 ↘	9.3 →	9.6 →	10.4 *
10.8 *	9.8 →	10.6 *	9.5 ←	9.7 ↗


beste Teiler 36.7 (6.) 47.7 (1.) 100.9 (8.)
 Trefferlage 0.62 mm rechts, 0.71 mm tief
 Streuwert 2.04, horizontal: 2.73, vertikal: 0.96



Serie 2: **100.7**

10.1 ↑	9.5 ←	10.0 ↘	9.6 ↗	10.6 *
9.5 ↘	10.7 *	10.3 *	10.5 *	9.9 ↗


beste Teiler 59.2 (17.) 99.3 (15.) 101.3 (19.)
 Trefferlage 0.13 mm rechts, 0.20 mm hoch
 Streuwert 1.78, horizontal: 2.02, vertikal: 1.50



Serie 3: **104.9**

10.4 *	10.7 *	10.9 *	10.6 *	10.2 *
10.2 *	10.3 *	10.9 *	10.3 *	10.4 *


beste Teiler 6.3 (28.) 22.8 (23.) 68.6 (22.)
 Trefferlage 0.08 mm links, 0.02 mm tief
 Streuwert 1.03, horizontal: 1.11, vertikal: 0.94



Serie 4: **100.0**

9.5 ↗	10.3 *	10.1 ↑	10.3 *	10.9 *
9.9 ↘	10.3 *	10.1 ↗	9.2 →	9.4 ↘


beste Teiler 11.0 (35.) 160.3 (32.) 161.5 (37.)
 Trefferlage 0.44 mm rechts, 0.07 mm hoch
 Streuwert 1.99, horizontal: 2.52, vertikal: 1.26



Serie 5: **99.5**

10.2 *	10.6 *	9.6 ↓	10.2 *	10.5 *
8.7 ↘	10.3 *	9.3 ↘	9.4 ↘	10.7 *

beste Teiler 61.2 (50.) 99.6 (42.) 112.0 (45.)
 Trefferlage 0.12 mm links, 0.33 mm tief
 Streuwert 2.16, horizontal: 2.34, vertikal: 1.96



Serie 6: **102.3**

9.5 ↗	10.7 *	10.4 *	10.4 *	10.4 *
10.4 *	10.0 ↗	10.7 *	10.2 *	9.6 →



beste Teiler 54.4 (58.) 59.1 (52.) 133.6 (53.)
 Trefferlage 0.24 mm links, 0.18 mm tief
 Streuwert 1.54, horizontal: 1.95, vertikal: 0.95

Nelun Sarah

Unterschrift des Schuetzen

Meyon Elektronik


Ergebnis: **614.7** (588)
 Serien: 98.4 104.7 105.1 102.3 103.1 101.1
 Zähler: 48 12 0 0 0 0 0 0 0 0
 Innenzehner: 40
 weiteste: 498 (50), 486 (38), 480 (7)
 beste Teiler 9.2 (29.) 19.0 (45.) 19.2 (37.)
 Trefferlage 0.38 mm links, 0.30 mm tief
 Streuwert 1.48, horizontal: 1.71, vertikal: 1.21



Serie 1: **98.4**

10.6 *	10.6 *	9.3 ←	9.7 ←	10.0 ✓
9.5 ✓	9.0 ←	10.2 *	9.7 ↓	9.8 →


beste Teiler 93.5 (1.) 95.5 (2.) 176.3 (8.)
 Trefferlage 1.64 mm links, 1.16 mm tief
 Streuwert 1.68, horizontal: 2.24, vertikal: 0.77



Serie 2: **104.7**

10.4 *	10.1 →	10.1 ✓	10.8 *	10.5 *
10.7 *	10.2 *	10.6 *	10.6 *	10.7 *


beste Teiler 38.9 (14.) 51.0 (20.) 68.7 (16.)
 Trefferlage 0.20 mm links, 0.12 mm hoch
 Streuwert 1.02, horizontal: 1.16, vertikal: 0.85



Serie 3: **105.1**

10.4 *	10.6 *	10.0 ↘	10.6 *	10.3 *
10.5 *	10.8 *	10.3 *	10.9 *	10.7 *


beste Teiler 9.2 (29.) 46.6 (27.) 59.4 (30.)
 Trefferlage 0.09 mm rechts, 0.56 mm tief
 Streuwert 0.86, horizontal: 0.97, vertikal: 0.74



Serie 4: **102.3**

10.1 →	10.2 *	10.5 *	10.4 *	9.8 ↘
10.1 ↘	10.9 *	9.0 →	10.7 *	10.6 *


beste Teiler 19.2 (37.) 70.4 (39.) 79.7 (40.)
 Trefferlage 0.06 mm rechts, 0.40 mm hoch
 Streuwert 1.63, horizontal: 1.97, vertikal: 1.19



Serie 5: **103.1**

10.6 *	10.3 *	9.9 ✓	10.3 *	10.9 *
10.2 *	10.7 *	10.6 *	10.6 *	9.0 ↘

beste Teiler 19.0 (45.) 59.6 (47.) 82.4 (49.)
 Trefferlage 0.22 mm links, 0.09 mm tief
 Streuwert 1.54, horizontal: 1.26, vertikal: 1.78



Serie 6: **101.1**

10.3 *	10.4 *	10.4 *	10.5 *	10.2 *
10.3 *	10.0 ←	9.3 →	10.1 ←	9.6 ✓

beste Teiler 122.2 (54.) 136.3 (53.) 139.3 (52.)
 Trefferlage 0.38 mm links, 0.52 mm tief
 Streuwert 1.64, horizontal: 2.01, vertikal: 1.16

[Signature]
 Unterschrift des Schützen
 Meyton Elektronik
 ID: 77F6F80A – Seite: 1



Eva

LG 60 ZR – Wertung –
StandNr 3

Offene Klasse

13. September 2020 14:37

Ergebnis: **600.9** (575)
 Serien: 99.4 100.3 98.6 100.2 102.3 100.1
 Zaehler: 37 21 2 0 0 0 0 0 0 0
 Innenzehner: 26
 weiteste: 547 (30), 519 (11), 494 (57)
 beste Teiler 48.8 (9.) 51.0 (41.) 56.0 (39.)
 Trefferlage 0.58 mm links, 0.50 mm hoch
 Streuwert 1.80, horizontal: 1.73, vertikal: 1.88



Serie 1: **99.4**

9.9 ↘	10.0 ↘	10.1 ↗	9.5 →	10.3 *
9.4 ↗	9.9 ↗	9.4 ↘	10.8 *	10.1 ↘

beste Teiler 48.8 (9.) 151.5 (5.) 205.2 (3.)
 Trefferlage 0.60 mm rechts, 0.09 mm hoch
 Streuwert 1.98, horizontal: 2.36, vertikal: 1.50

Serie 2: **100.3**

8.9 ↗	10.2 *	10.5 *	10.4 *	10.0 ↗
10.6 *	9.2 ↘	10.4 *	10.6 *	9.5 ↓

beste Teiler 81.9 (19.) 90.2 (16.) 115.5 (13.)
 Trefferlage 0.51 mm links, 0.93 mm hoch
 Streuwert 1.89, horizontal: 0.95, vertikal: 2.49

Serie 3: **98.6**

9.8 ↗	10.5 *	9.9 ↘	10.4 *	10.4 *
9.0 ↘	10.3 *	9.6 ↗	9.9 ↗	8.8 ↘

beste Teiler 119.5 (22.) 129.3 (25.) 147.2 (24.)
 Trefferlage 1.36 mm links, 1.87 mm hoch
 Streuwert 1.51, horizontal: 1.56, vertikal: 1.46

Serie 4: **100.2**

10.3 *	10.0 ↗	9.4 ↘	10.0 ↗	9.7 ↓
10.2 *	10.3 *	9.6 ↘	10.7 *	10.0 ↗

beste Teiler 56.0 (39.) 163.6 (37.) 166.9 (31.)
 Trefferlage 1.37 mm links, 0.17 mm hoch
 Streuwert 1.55, horizontal: 1.25, vertikal: 1.80

Serie 5: **102.3**

10.7 *	10.7 *	10.4 *	9.7 ↘	10.5 *
10.1 ↗	9.6 ↗	10.3 *	10.1 ↗	10.2 *

beste Teiler 51.0 (41.) 73.9 (42.) 102.0 (45.)
 Trefferlage 0.66 mm rechts, 0.41 mm tief
 Streuwert 1.37, horizontal: 1.24, vertikal: 1.49

Serie 6: **100.1**

10.7 *	10.1 ↗	9.8 ↗	10.5 *	10.5 *
10.0 ↗	9.0 ↘	10.5 *	9.4 ↗	9.6 ↗



beste Teiler 73.3 (51.) 121.4 (55.) 123.6 (58.)
 Trefferlage 1.51 mm links, 0.36 mm hoch
 Streuwert 1.66, horizontal: 1.40, vertikal: 1.89

Eva

Unterschrift des Schuetzen

Meyton Elektronik

Ergebnis: **598.6** (571)
 Serien: 99.5 97.9 101.2 100.5 100.9 98.6
 Zaehler: 34 23 3 0 0 0 0 0 0 0
 Innenzehner: 28
 weiteste: 693 (20), 586 (52), 512 (6)
 beste Teiler 17.7 (27.) 17.8 (50.) 26.6 (34.)
 Trefferlage 0.16 mm links, 0.08 mm hoch
 Streuwert 2.07, horizontal: 2.42, vertikal: 1.64



Serie 1: **99.5**

10.6 *	10.1 →	10.4 *	9.6 ↘	9.4 ↘
8.9 ↘	10.2 *	10.8 *	9.5 →	10.0 ↑

beste Teiler 41.0 (8.) 84.6 (1.) 149.9 (3.)
 Trefferlage 0.83 mm links, 0.76 mm hoch
 Streuwert 1.99, horizontal: 2.51, vertikal: 1.29

Serie 2: **97.9**

9.0 ↘	9.9 ←	10.3 *	10.5 *	9.9 ↘
10.1 ←	10.6 *	10.0 ↑	9.4 ↓	8.2 ↘

beste Teiler 87.8 (17.) 107.0 (14.) 163.0 (13.)
 Trefferlage 0.29 mm links, 0.41 mm hoch
 Streuwert 2.51, horizontal: 2.66, vertikal: 2.35

Serie 3: **101.2**

9.7 →	10.2 *	9.7 ↓	10.0 ↗	10.3 *
10.1 →	10.9 *	10.2 *	10.2 *	9.9 ↘

beste Teiler 17.7 (27.) 157.6 (25.) 185.6 (28.)
 Trefferlage 0.16 mm rechts, 0.01 mm tief
 Streuwert 1.69, horizontal: 1.75, vertikal: 1.63

Serie 4: **100.5**

10.7 *	9.1 ←	9.7 ↘	10.8 *	9.5 ↘
9.4 ←	10.5 *	10.4 *	10.8 *	9.6 ↓

beste Teiler 26.6 (34.) 28.0 (39.) 58.1 (31.)
 Trefferlage 0.72 mm links, 0.84 mm tief
 Streuwert 1.90, horizontal: 2.32, vertikal: 1.35

Serie 5: **100.9**

9.0 ↘	10.3 *	9.7 ↘	9.5 ↘	9.5 →
10.5 *	10.4 *	10.6 *	10.5 *	10.9 *

beste Teiler 17.8 (50.) 76.3 (48.) 112.1 (49.)
 Trefferlage 0.28 mm rechts, 0.09 mm hoch
 Streuwert 1.92, horizontal: 2.11, vertikal: 1.70



Serie 6: **98.6**

9.0 →	8.6 ←	9.5 →	10.3 *	9.6 ←
10.8 *	10.7 *	10.4 *	9.2 ↘	10.5 *

beste Teiler 46.7 (56.) 66.4 (57.) 107.4 (60.)
 Trefferlage 0.46 mm rechts, 0.04 mm hoch
 Streuwert 2.44, horizontal: 3.25, vertikal: 1.18

Selina
 Unterschrift des Schuetzen
 Meyton Elektronik
 ID: 77F6A008 – Seite: 1


Ergebnis: **595.4** (569)
 Serien: 97.5 101.6 101.1 98.9 96.5 99.8
 Zaehler: 34 21 5 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 749 (42), 634 (34), 585 (48)
 beste Teiler 29.2 (58.) 32.6 (21.) 62.6 (26.)
 Trefferlage 0.02 mm links, 0.19 mm hoch
 Streuwert 2.09, horizontal: 2.46, vertikal: 1.64



Serie 1: **97.5**

9.7 ↘	9.1 ←	9.7 ←	10.1 →	10.2 *
9.5 ←	9.5 ↘	9.4 ↘	10.2 *	10.1 ↘


beste Teiler 183.9 (5.) 195.4 (9.) 213.0 (4.)
 Trefferlage 0.94 mm links, 0.31 mm tief
 Streuwert 2.19, horizontal: 2.81, vertikal: 1.31



Serie 2: **101.6**

10.2 *	10.4 *	10.3 *	10.2 *	10.3 *
9.9 ↓	10.1 ←	9.6 ↘	10.3 *	10.3 *


beste Teiler 148.1 (12.) 153.2 (20.) 156.5 (15.)
 Trefferlage 0.22 mm rechts, 0.24 mm hoch
 Streuwert 1.51, horizontal: 1.42, vertikal: 1.59



Serie 3: **101.1**

10.8 *	10.0 ↘	10.4 *	10.1 ↗	10.3 *
10.7 *	8.9 ←	10.2 *	10.1 ←	9.6 ↘


beste Teiler 32.6 (21.) 62.6 (26.) 143.5 (23.)
 Trefferlage 0.32 mm links, 0.39 mm hoch
 Streuwert 1.81, horizontal: 2.21, vertikal: 1.29



Serie 4: **98.9**

9.8 ↗	10.6 *	10.6 *	8.4 ←	9.8 ↘
9.7 ↗	9.7 ↘	10.1 ↘	9.7 ↗	10.5 *


beste Teiler 98.0 (33.) 100.4 (32.) 106.1 (40.)
 Trefferlage 1.05 mm links, 0.86 mm hoch
 Streuwert 2.04, horizontal: 2.44, vertikal: 1.53



Serie 5: **96.5**

10.6 *	8.0 ↘	9.6 →	9.9 ↘	10.1 ↓
10.0 ↗	9.4 ↘	8.6 →	9.9 ↓	10.4 *

beste Teiler 76.8 (41.) 144.4 (50.) 212.0 (45.)
 Trefferlage 1.91 mm rechts, 0.19 mm tief
 Streuwert 2.45, horizontal: 2.93, vertikal: 1.87



Serie 6: **99.8**

9.9 ↓	10.2 *	9.7 ↑	9.9 ↘	10.0 ↑
8.7 ↘	10.4 *	10.8 *	10.0 ←	10.2 *



beste Teiler 29.2 (58.) 144.5 (57.) 193.2 (52.)
 Trefferlage 0.06 mm rechts, 0.14 mm hoch
 Streuwert 2.09, horizontal: 1.97, vertikal: 2.20

Julia Biechl

Unterschrift des Schuetzen

Meyton Elektronik


Ergebnis: **607.0** (581)
 Serien: 102.2 101.6 101.5 101.4 101.0 99.3
 Zaehler: 43 15 2 0 0 0 0 0 0 0
 Innenzehner: 34
 weiteste: 641 (15), 544 (52), 412 (16)
 beste Teiler 24.1 (14.) 25.0 (18.) 32.8 (47.)
 Trefferlage 0.25 mm rechts, 0.23 mm hoch
 Streuwert 1.72, horizontal: 2.08, vertikal: 1.25



Serie 1: **102.2**

10.3*	10.6*	10.7*	9.7←	10.8*
9.5→	9.7↘	10.1↘	10.7*	10.1←


beste Teiler 39.4 (5.) 63.8 (9.) 73.5 (3.)
 Trefferlage 0.33 mm links, 0.10 mm hoch
 Streuwert 1.57, horizontal: 2.11, vertikal: 0.69



Serie 2: **101.6**

10.2*	10.1↓	10.3*	10.9*	8.4→
9.3↗	10.3*	10.9*	10.4*	10.8*


beste Teiler 24.1 (14.) 25.0 (18.) 48.0 (20.)
 Trefferlage 1.41 mm rechts, 0.49 mm hoch
 Streuwert 1.69, horizontal: 1.84, vertikal: 1.52



Serie 3: **101.5**

9.5→	10.2*	10.7*	10.4*	10.0↖
9.6←	10.3*	10.4*	10.2*	10.2*


beste Teiler 58.3 (23.) 126.6 (28.) 144.5 (24.)
 Trefferlage 0.07 mm links, 0.21 mm tief
 Streuwert 1.63, horizontal: 1.98, vertikal: 1.18



Serie 4: **101.4**

10.6*	10.1↘	10.3*	10.5*	9.8↗
10.3*	9.3↗	10.3*	9.4↘	10.8*


beste Teiler 46.0 (40.) 87.9 (31.) 108.1 (34.)
 Trefferlage 0.41 mm rechts, 0.14 mm hoch
 Streuwert 1.70, horizontal: 1.88, vertikal: 1.51



Serie 5: **101.0**

9.7↘	10.6*	9.8↖	10.2*	9.6→
9.5→	10.8*	10.1↘	10.5*	10.2*

beste Teiler 32.8 (47.) 97.1 (42.) 110.9 (49.)
 Trefferlage 0.37 mm rechts, 0.03 mm hoch
 Streuwert 1.75, horizontal: 2.36, vertikal: 0.75



Serie 6: **99.3**

9.9↗	8.8←	10.4*	10.2*	10.2*
9.5↗	10.2*	10.0←	10.0↗	10.1↑



beste Teiler 138.9 (53.) 176.2 (57.) 179.8 (55.)
 Trefferlage 0.29 mm links, 0.80 mm hoch
 Streuwert 1.95, horizontal: 2.28, vertikal: 1.56

Christina Hillinger

Unterschrift des Schuetzen

Mevius Elektronik

Ergebnis: **604.8** (580)
 Serien: 100.9 101.1 103.8 100.1 96.0 102.9
 Zaehler: 44 15 0 0 0 1 0 0 0 0
 Innenzehner: 36
 weiteste: 1488 (44), 451 (49), 436 (7)
 beste Teiler 46.3 (26.) 58.1 (40.) 63.0 (25.)
 Trefferlage 0.16 mm links, 0.18 mm tief
 Streuwert 2.08, horizontal: 2.62, vertikal: 1.33



Serie 1: **100.9**

9.9→	10.7 *	10.7 *	10.4 *	10.4 *
9.8↙	9.2↘	10.0↗	9.4→	10.4 *

beste Teiler 69.8 (3.) 73.9 (2.) 126.2 (10.)
 Trefferlage 1.11 mm rechts, 0.07 mm hoch
 Streuwert 1.65, horizontal: 1.83, vertikal: 1.45


Serie 2: **101.1**



9.6→	9.7→	10.4 *	10.3 *	10.4 *
10.5 *	10.0↘	9.7→	10.0↘	10.5 *

beste Teiler 113.0 (20.) 118.4 (16.) 135.5 (13.)
 Trefferlage 1.34 mm rechts, 0.20 mm tief
 Streuwert 1.36, horizontal: 1.61, vertikal: 1.06


Serie 3: **103.8**



10.7 *	10.2 *	10.0↗	10.1→	10.7 *
10.8 *	10.4 *	10.4 *	10.3 *	10.2 *

beste Teiler 46.3 (26.) 63.0 (25.) 68.0 (21.)
 Trefferlage 0.18 mm links, 0.66 mm tief
 Streuwert 1.07, horizontal: 1.32, vertikal: 0.75

Serie 4: **100.1**



10.0→	9.2↖	9.6↗	10.1↖	9.3↗
10.3 *	10.1↓	10.5 *	10.3 *	10.7 *

beste Teiler 58.1 (40.) 108.7 (38.) 165.0 (39.)
 Trefferlage 0.09 mm links, 0.39 mm hoch
 Streuwert 1.93, horizontal: 2.22, vertikal: 1.60


Serie 5: **96.0**



10.3 *	10.2 *	9.9↖	5.0↖	9.7↖
10.4 *	10.3 *	10.6 *	9.1↖	10.5 *

beste Teiler 92.8 (48.) 111.4 (50.) 146.2 (46.)
 Trefferlage 2.44 mm links, 0.12 mm tief
 Streuwert 3.43, horizontal: 4.58, vertikal: 1.59

Serie 6: **102.9**



9.8↙	10.5 *	10.7 *	10.3 *	9.7↘
10.3 *	10.5 *	10.6 *	10.2 *	10.3 *

beste Teiler 70.8 (53.) 93.0 (58.) 114.9 (52.)
 Trefferlage 0.72 mm links, 0.57 mm tief
 Streuwert 1.18, horizontal: 1.01, vertikal: 1.33

Kevin



Unterschrift des Schuetzen

Meyton Elektronik

Mrs. Morlene

13. September 2020 14:32

Ergebnis: **606.4** (577)
 Serien: 100.0 102.6 99.8 98.6 102.1 103.3
 Zaehler: 38 21 1 0 0 0 0 0 0
 Innenzehner: 29
 weiteste: 525 (26), 464 (32), 447 (31)
 beste Teiler 29.6 (25.) 31.3 (53.) 46.6 (51.)
 Trefferlage 0.30 mm rechts, 0.05 mm tief
 Streuwert 1.71, horizontal: 1.78, vertikal: 1.63



Serie 1: **100.0**

9.4 ↓	9.9 ↘	9.5 ↘	10.3 *	9.9 ↓
10.4 *	10.5 *	10.2 *	10.5 *	9.4 →


beste Teiler 114.0 (9.) 123.4 (7.) 126.8 (6.)
 Trefferlage 0.64 mm rechts, 0.89 mm tief
 Streuwert 1.73, horizontal: 1.58, vertikal: 1.86



Serie 2: **102.6**

10.6 *	9.8 →	10.7 *	9.9 ↘	10.0 →
10.2 *	10.4 *	9.9 ↗	10.5 *	10.6 *


beste Teiler 63.9 (13.) 95.7 (11.) 95.8 (20.)
 Trefferlage 0.64 mm rechts, 0.26 mm tief
 Streuwert 1.35, horizontal: 1.67, vertikal: 0.93



Serie 3: **99.8**

10.5 *	10.1 ↘	9.9 ↘	9.2 ↘	10.8 *
8.9 ↘	10.4 *	10.1 ↓	10.2 *	9.7 ↗


beste Teiler 29.6 (25.) 125.0 (21.) 126.0 (27.)
 Trefferlage 0.22 mm links, 0.56 mm hoch
 Streuwert 2.05, horizontal: 1.99, vertikal: 2.12



Serie 4: **98.6**

9.2 ↘	9.1 ↘	10.3 *	10.3 *	10.4 *
9.3 →	10.1 ↑	10.1 ↘	9.7 ↘	10.1 ↘


beste Teiler 147.6 (35.) 154.3 (33.) 155.0 (34.)
 Trefferlage 0.28 mm rechts, 0.58 mm hoch
 Streuwert 2.19, horizontal: 2.40, vertikal: 1.95



Serie 5: **102.1**

10.0 ↗	10.0 ↘	9.9 ↓	10.3 *	9.9 ↓
10.2 *	10.1 ↘	10.7 *	10.5 *	10.5 *

beste Teiler 63.5 (48.) 102.0 (50.) 118.6 (49.)
 Trefferlage 0.12 mm rechts, 0.39 mm tief
 Streuwert 1.44, horizontal: 1.52, vertikal: 1.35



Serie 6: **103.3**

10.8 *	10.5 *	10.8 *	9.6 ↘	9.9 ↗
10.7 *	10.7 *	10.6 *	9.8 ↗	9.9 ↘



beste Teiler 31.3 (53.) 46.6 (51.) 51.5 (56.)
 Trefferlage 0.36 mm rechts, 0.13 mm hoch
 Streuwert 1.40, horizontal: 1.69, vertikal: 1.05

Morlene Baumgartner

Unterschrift des Schuetzen

Nadja


Ergebnis: **607.2** (580)
 Serien: 100.4 100.6 103.2 100.7 101.7 100.6
 Zaehler: 41 18 1 0 0 0 0 0 0
 Innenzehner: 37
 weiteste: 503 (36), 491 (20), 474 (42)
 beste Teiler 2.8 (29.) 32.5 (11.) 46.6 (46.)
 Trefferlage 0.02 mm rechts, 0.08 mm hoch
 Streuwert 1.71, horizontal: 2.00, vertikal: 1.35



Serie 1: **100.4**

9.3 ↘	9.3 ↗	9.8 ↗	10.2 *	10.6 *
10.3 *	10.3 *	9.5 ↘	10.6 *	10.5 *


beste Teiler 82.2 (5.) 89.0 (9.) 121.8 (10.)
 Trefferlage 0.48 mm rechts, 0.37 mm hoch
 Streuwert 1.90, horizontal: 2.35, vertikal: 1.30



Serie 2: **100.6**

10.8 *	9.9 ↗	9.7 ↗	10.5 *	9.8 ↘
10.5 *	10.5 *	10.2 *	9.7 ↘	9.0 ↘


beste Teiler 32.5 (11.) 108.4 (16.) 112.4 (14.)
 Trefferlage 0.19 mm links, 0.33 mm tief
 Streuwert 1.89, horizontal: 2.05, vertikal: 1.71



Serie 3: **103.2**

10.0 ↘	10.2 *	10.3 *	10.5 *	10.3 *
10.3 *	10.1 ↗	10.3 *	10.9 *	10.3 *


beste Teiler 2.8 (29.) 101.9 (24.) 164.9 (28.)
 Trefferlage 0.11 mm rechts, 0.32 mm hoch
 Streuwert 1.22, horizontal: 1.13, vertikal: 1.31



Serie 4: **100.7**

10.3 *	10.6 *	10.2 *	9.6 ↘	10.5 *
8.9 ↘	9.7 ↘	10.3 *	10.2 *	10.4 *


beste Teiler 97.9 (32.) 107.2 (35.) 130.6 (40.)
 Trefferlage 0.74 mm rechts, 0.10 mm hoch
 Streuwert 1.79, horizontal: 2.26, vertikal: 1.14



Serie 5: **101.7**

10.4 *	9.1 ↗	10.7 *	10.1 ↗	10.7 *
10.8 *	10.0 ↗	9.6 ↗	9.8 ↗	10.5 *

beste Teiler 46.6 (46.) 60.8 (43.) 73.0 (45.)
 Trefferlage 1.06 mm links, 0.31 mm tief
 Streuwert 1.59, horizontal: 1.86, vertikal: 1.27



Serie 6: **100.6**

10.8 *	10.4 *	10.2 *	9.6 ↗	9.5 ↘
9.9 ↗	10.2 *	10.4 *	10.2 *	9.4 ↘

beste Teiler 47.0 (51.) 131.5 (58.) 150.6 (52.)
 Trefferlage 0.05 mm rechts, 0.33 mm hoch
 Streuwert 1.83, horizontal: 2.14, vertikal: 1.46

Nadja Krainz
 Unterschrift des Schuetzen