





Ergebnis: **385** (406.2)
 Serien: 97 96 95 97
 Zähler: 25 15 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 396 (16), 384 (10), 362 (5)
 beste Teiler 37.4 (11.) 38.2 (36.) 48.6 (22.)
 Trefferlage 0.37 mm rechts, 0.55 mm tief
 Streuwert 1.56, horizontal: 1.68, vertikal: 1.42




Serie 1:
 10.6 * 10.6 * 10.4 * 10.4 * 9.5 ↗
 10.7 * 10.2 * 10.1 ↘ 9.7 → 9.4 →
 beste Teiler 68.5 (6.) 84.7 (1.) 86.2 (2.)
 Trefferlage 1.14 mm rechts, 0.53 mm tief
 Streuwert 1.41, horizontal: 1.62, vertikal: 1.16



Serie 2:
 10.8 * 10.2 * 10.7 * 9.6 ↘ 10.3 *
 9.4 ↘ 9.7 ↗ 10.3 * 10.6 * 9.6 ↖
 beste Teiler 37.4 (11.) 60.0 (13.) 90.2 (19.)
 Trefferlage 0.56 mm rechts, 0.18 mm tief
 Streuwert 1.74, horizontal: 1.85, vertikal: 1.63



Serie 3:
 10.5 * 10.8 * 9.7 ↙ 9.5 ↙ 9.9 ←
 9.8 ↘ 10.2 * 9.7 → 10.6 * 10.4 *
 beste Teiler 48.6 (22.) 80.2 (29.) 117.2 (21.)
 Trefferlage 0.05 mm links, 0.71 mm tief
 Streuwert 1.68, horizontal: 1.84, vertikal: 1.49





Serie 4:
 10.6 * 10.4 * 9.6 ↙ 10.2 * 10.5 *
 10.8 * 9.9 ↖ 10.3 * 9.9 ↘ 10.1 ↙
 beste Teiler 38.2 (36.) 85.9 (31.) 117.1 (35.)
 Trefferlage 0.13 mm links, 0.78 mm tief
 Streuwert 1.39, horizontal: 1.25, vertikal: 1.52


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (396.0)
 Serien: 97 93 93 98
 Zähler: 23 15 2 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 692 (19), 600 (21), 484 (16)
 beste Teiler 51.4 (37.) 77.2 (11.) 86.0 (9.)
 Trefferlage 0.16 mm links, 0.06 mm tief
 Streuwert 2.13, horizontal: 2.57, vertikal: 1.57




Serie 1:
 10.2 * 9.5 ↖ 10.0 ↑ 10.4 * 10.0 ↘
 10.4 * 9.5 ← 9.7 ← 10.6 * 10.1 ↗
 beste Teiler 86.0 (9.) 126.7 (6.) 142.2 (4.)
 Trefferlage 0.58 mm links, 0.42 mm hoch
 Streuwert 1.73, horizontal: 2.12, vertikal: 1.21



Serie 2:
 10.6 * 10.0 ↖ 9.5 ↘ 9.8 ← 9.3 ↓
 9.0 → 10.3 * 9.8 ← 8.2 → 10.2 *
 beste Teiler 77.2 (11.) 158.9 (17.) 181.6 (20.)
 Trefferlage 0.21 mm rechts, 0.25 mm tief
 Streuwert 2.68, horizontal: 3.26, vertikal: 1.94



Serie 3:
 8.6 → 9.9 ↘ 9.3 ↗ 9.5 ↘ 9.7 ←
 9.5 ↘ 10.0 ↘ 10.1 ↘ 10.0 ↗ 10.6 *
 beste Teiler 94.1 (30.) 220.9 (28.) 238.0 (27.)
 Trefferlage 0.67 mm rechts, 0.43 mm tief
 Streuwert 2.46, horizontal: 2.80, vertikal: 2.06





Serie 4:
 10.6 * 10.2 * 9.6 ← 10.3 * 10.0 →
 10.5 * 10.7 * 10.1 ← 10.4 * 9.3 ←
 beste Teiler 51.4 (37.) 92.1 (31.) 106.6 (36.)
 Trefferlage 0.97 mm links, 0.01 mm tief
 Streuwert 1.51, horizontal: 1.96, vertikal: 0.84


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **387** (404.5)
 Serien: 97 93 100 97
 Zähler: 29 9 2 0 0 0 0 0 0 0
 Innenzehner: 24
 weiteste: 516 (32), 510 (18), 464 (39)
 beste Teiler 68.4 (21.) 68.4 (22.) 71.6 (30.)
 Trefferlage 0.45 mm links, 0.00 mm
 Streuwert 1.69, horizontal: 1.89, vertikal: 1.47




Serie 1:
 10.4 * 10.5 * 9.4 ↘ 10.4 * 10.1 ↘
 10.2 * 9.3 ↙ 10.5 * 9.7 ↙ 10.3 *
 beste Teiler 102.6 (8.) 117.7 (2.) 137.0 (1.)
 Trefferlage 0.96 mm links, 0.09 mm hoch
 Streuwert 1.64, horizontal: 1.58, vertikal: 1.71



Serie 2:
 10.5 * 10.4 * 9.9 ↓ 9.8 ↗ 9.7 ↓
 9.9 ↖ 10.4 * 8.9 ↙ 10.1 ↙ 9.5 →
 beste Teiler 124.0 (11.) 129.6 (12.) 132.0 (17.)
 Trefferlage 0.54 mm links, 1.10 mm tief
 Streuwert 1.91, horizontal: 2.06, vertikal: 1.74



Serie 3:
 10.7 * 10.7 * 10.2 * 10.1 ↙ 10.5 *
 10.1 ← 10.2 * 10.4 * 10.4 * 10.7 *
 beste Teiler 68.4 (21.) 68.4 (22.) 71.6 (30.)
 Trefferlage 0.23 mm links, 0.30 mm hoch
 Streuwert 1.10, horizontal: 1.37, vertikal: 0.72





Serie 4:
 10.2 * 8.9 → 10.4 * 10.0 ← 10.5 *
 10.6 * 10.5 * 10.2 * 9.1 ↖ 10.2 *
 beste Teiler 90.8 (36.) 121.0 (35.) 123.3 (37.)
 Trefferlage 0.05 mm links, 0.71 mm hoch
 Streuwert 1.90, horizontal: 2.51, vertikal: 0.95

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **382** (399.8)
 Serien: 94 96 96 96
 Zähler: 23 16 1 0 0 0 0 0 0 0
 Innenzehner: 18
 weiteste: 565 (3), 463 (28), 461 (34)
 beste Teiler 84.2 (35.) 96.1 (18.) 98.3 (1.)
 Trefferlage 0.33 mm rechts, 0.02 mm hoch
 Streuwert 1.90, horizontal: 2.12, vertikal: 1.66



Serie 1:

10.6 * 10.0 ↗ 8.7 ↘ 9.9 ↘ 9.7 ↖
 10.1 ↖ 10.1 ↘ 10.4 * 9.5 → 9.6 ↗


beste Teiler 98.3 (1.) 140.4 (8.) 203.1 (7.)
 Trefferlage 0.94 mm rechts, 0.25 mm tief
 Streuwert 2.14, horizontal: 2.40, vertikal: 1.84



Serie 2:

10.3 * 9.7 ↓ 10.2 * 10.1 → 9.9 ↖
 10.4 * 9.2 ↖ 10.6 * 9.7 → 10.2 *


beste Teiler 96.1 (18.) 139.0 (16.) 175.7 (11.)
 Trefferlage 0.01 mm links, 0.17 mm hoch
 Streuwert 1.85, horizontal: 1.74, vertikal: 1.96



Serie 3:

10.3 * 10.4 * 10.2 * 10.4 * 10.4 *
 9.7 ↖ 10.5 * 9.1 ↖ 9.5 ↘ 9.9 ↗

beste Teiler 104.8 (27.) 136.7 (24.) 138.2 (25.)
 Trefferlage 0.06 mm rechts, 0.22 mm hoch
 Streuwert 1.90, horizontal: 2.16, vertikal: 1.61



Serie 4:



10.5 * 10.3 * 10.5 * 9.1 ↖ 10.6 *
 10.5 * 9.8 ↗ 9.8 ↗ 10.1 ↘ 9.3 →

beste Teiler 84.2 (35.) 106.2 (36.) 111.6 (31.)
 Trefferlage 0.35 mm rechts, 0.04 mm tief
 Streuwert 1.92, horizontal: 2.33, vertikal: 1.40


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (403.0)
 Serien: 98 96 95 96
 Zähler: 26 13 1 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 579 (31), 408 (38), 393 (12)
 beste Teiler 33.3 (14.) 35.1 (3.) 66.0 (27.)
 Trefferlage 0.18 mm links, 0.12 mm hoch
 Streuwert 1.75, horizontal: 1.70, vertikal: 1.80




Serie 1:
 10.6 * 9.9 ↗ 10.8 * 10.1 ↗ 9.5 ←
 10.4 * 10.4 * 10.2 * 10.4 * 10.0 ↓
 beste Teiler 35.1 (3.) 88.6 (1.) 126.3 (7.)
 Trefferlage 0.19 mm rechts, 0.49 mm hoch
 Streuwert 1.43, horizontal: 1.63, vertikal: 1.20



Serie 2:
 10.5 * 9.4 ↙ 9.8 ↘ 10.8 * 10.5 *
 9.6 → 10.2 * 9.5 ↘ 10.3 * 10.2 *
 beste Teiler 33.3 (14.) 105.7 (15.) 118.6 (11.)
 Trefferlage 0.47 mm rechts, 0.75 mm tief
 Streuwert 1.73, horizontal: 1.84, vertikal: 1.61





Serie 3:
 9.8 ↙ 10.1 → 10.5 * 10.5 * 9.8 ↗
 9.5 ↙ 10.7 * 10.3 * 9.8 ↘ 9.6 →
 beste Teiler 66.0 (27.) 101.1 (23.) 116.0 (24.)
 Trefferlage 0.09 mm links, 0.31 mm tief
 Streuwert 1.79, horizontal: 1.73, vertikal: 1.85




Serie 4:
 8.6 ↘ 10.3 * 10.4 * 10.2 * 9.9 ↙
 10.4 * 10.1 ↘ 9.3 ↘ 10.0 ↘ 10.1 ↙
 beste Teiler 129.0 (36.) 145.6 (33.) 173.0 (32.)
 Trefferlage 1.30 mm links, 1.07 mm hoch
 Streuwert 1.72, horizontal: 1.23, vertikal: 2.10

Unterschrift des Schützen


Ergebnis: **387** (406.1)
 Serien: 97 97 94 99
 Zähler: 27 13 0 0 0 0 0 0 0 0
 Innenzehner: 23
 weiteste: 426 (17), 424 (18), 400 (14)
 beste Teiler 55.9 (8.) 63.0 (38.) 69.1 (6.)
 Trefferlage 0.19 mm rechts, 0.03 mm tief
 Streuwert 1.63, horizontal: 1.86, vertikal: 1.37




Serie 1:
 10.1 ↗ 10.5 * 10.1 ↘ 10.5 * 9.8 ↙
 10.7 * 9.9 ↖ 10.7 * 10.4 * 9.8 ↗
 beste Teiler 55.9 (8.) 69.1 (6.) 108.1 (4.)
 Trefferlage 0.10 mm links, 0.23 mm hoch
 Streuwert 1.43, horizontal: 1.61, vertikal: 1.23



Serie 2:
 10.3 * 10.3 * 10.5 * 9.4 ↑ 10.5 *
 10.3 * 9.2 ↙ 9.3 ↘ 10.4 * 10.4 *
 beste Teiler 103.1 (15.) 110.4 (13.) 145.0 (19.)
 Trefferlage 0.32 mm links, 0.48 mm hoch
 Streuwert 1.88, horizontal: 1.79, vertikal: 1.96



Serie 3:
 9.5 ↓ 9.9 → 9.8 ← 9.8 ← 10.7 *
 9.4 → 10.1 ↗ 10.7 * 9.5 → 10.5 *
 beste Teiler 69.4 (25.) 71.5 (28.) 122.7 (30.)
 Trefferlage 0.73 mm rechts, 0.40 mm tief
 Streuwert 1.91, horizontal: 2.41, vertikal: 1.24





Serie 4:
 10.5 * 9.6 ↗ 10.3 * 10.0 → 10.3 *
 10.7 * 10.5 * 10.7 * 10.3 * 10.2 *
 beste Teiler 63.0 (38.) 71.4 (36.) 114.0 (37.)
 Trefferlage 0.49 mm rechts, 0.44 mm tief
 Streuwert 1.25, horizontal: 1.60, vertikal: 0.73


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **385** (404.7)
 Serien: 96 98 95 96
 Zähler: 25 15 0 0 0 0 0 0 0 0
 Innenzehner: 19
 weiteste: 487 (17), 404 (8), 384 (28)
 beste Teiler 35.2 (27.) 40.6 (18.) 42.2 (29.)
 Trefferlage 0.30 mm rechts, 0.23 mm hoch
 Streuwert 1.66, horizontal: 1.47, vertikal: 1.82




Serie 1:
 10.4 * 10.4 * 10.1 ↙ 9.9 ↘ 10.1 ↑
 10.5 * 9.9 ↘ 9.3 ↘ 10.3 * 9.9 →
 beste Teiler 112.2 (6.) 133.7 (2.) 148.2 (1.)
 Trefferlage 0.30 mm rechts, 0.20 mm tief
 Streuwert 1.73, horizontal: 1.72, vertikal: 1.73



Serie 2:
 9.4 ↑ 10.5 * 10.6 * 10.2 * 10.6 *
 10.3 * 9.0 ↘ 10.8 * 10.5 * 10.3 *
 beste Teiler 40.6 (18.) 79.4 (13.) 92.1 (15.)
 Trefferlage 0.16 mm rechts, 0.41 mm hoch
 Streuwert 1.65, horizontal: 1.66, vertikal: 1.63



Serie 3:
 10.1 ↓ 10.1 ↓ 9.8 ↓ 10.6 * 9.9 ↓
 9.8 ↗ 10.8 * 9.4 ↗ 10.8 * 9.9 ↘
 beste Teiler 35.2 (27.) 42.2 (29.) 84.8 (24.)
 Trefferlage 0.64 mm rechts, 0.15 mm tief
 Streuwert 1.69, horizontal: 1.39, vertikal: 1.94





Serie 4:
 10.2 * 9.8 ↗ 10.6 * 9.6 ↑ 9.8 ↗
 10.2 * 10.1 ↗ 10.7 * 9.5 ↑ 10.0 ↑
 beste Teiler 55.2 (38.) 93.1 (33.) 187.0 (36.)
 Trefferlage 0.12 mm rechts, 0.89 mm hoch
 Streuwert 1.67, horizontal: 1.24, vertikal: 2.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 356 (374.0)
Serien: 89 89 91 87
Zähler: 9 21 7 3 0 0 0 0 0 0
Innenzehner: 6
weiteste: 934 (39), 902 (11), 759 (29)
beste Teiler 133.9 (4.) 137.1 (16.) 138.1 (26.)
Trefferlage 0.29 mm rechts, 0.58 mm hoch
Streuwert 3.15, horizontal: 3.52, vertikal: 2.74




Serie 1:
 9.8 ↓ 9.5 ↙ 8.8 ↙ 10.4 * 9.5 →
 9.2 ↑ 9.6 ↘ 8.5 ↙ 9.7 ↙ 9.4 ↙
beste Teiler 133.9 (4.) 284.0 (1.) 303.9 (9.)
Trefferlage 1.65 mm links, 0.17 mm tief
Streuwert 2.70, horizontal: 2.77, vertikal: 2.63



Serie 2:
 7.3 ↗ 8.6 ↗ 9.6 ↗ 10.0 ↘ 9.8 ↙
 10.4 * 10.0 ↑ 8.5 ↗ 9.3 ↘ 9.3 ↗
beste Teiler 137.1 (16.) 232.5 (14.) 245.1 (17.)
Trefferlage 1.96 mm rechts, 2.19 mm hoch
Streuwert 2.73, horizontal: 3.24, vertikal: 2.10



Serie 3:
 9.7 → 10.2 * 9.4 → 9.9 ↘ 9.4 ↘
 10.4 * 9.3 ↑ 9.3 ↙ 7.9 ↘ 10.4 *
beste Teiler 138.1 (26.) 138.7 (30.) 194.5 (22.)
Trefferlage 1.36 mm rechts, 0.13 mm tief
Streuwert 2.65, horizontal: 2.99, vertikal: 2.26



Serie 4:
 9.8 ↓ 9.5 ↙ 8.5 ↙ 10.2 * 8.2 ↙
 8.5 ↗ 9.6 ↙ 10.1 → 7.2 ↑ 9.3 →
beste Teiler 182.2 (34.) 217.5 (38.) 280.0 (31.)
Trefferlage 0.50 mm links, 0.44 mm hoch
Streuwert 3.82, horizontal: 4.16, vertikal: 3.46

Unterschrift des Schützen

Meyton Elektronik