





Ergebnis: **360** (378.7)  
 Serien: 87 89 89 95  
 Zähler: 12 16 12 0 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2285 (11), 2129 (10), 2048 (17)  
 beste Teiler 68.6 (40.) 236.6 (34.) 287.4 (37.)  
 Trefferlage 1.42 mm links, 4.10 mm tief  
 Streuwert 8.99, horizontal: 8.51, vertikal: 9.43




Serie 1:  
 9.3 ↓ 8.5 ↘ 10.5 \* 9.8 ↙ 8.5 ↘  
 9.7 ↙ 9.4 ↓ 8.9 ↘ 9.4 ↙ 8.3 ←  
 beste Teiler 392.9 (3.) 956.8 (4.) 981.3 (6.)  
 Trefferlage 0.04 mm rechts, 7.84 mm tief  
 Streuwert 9.28, horizontal: 11.73, vertikal: 5.89



Serie 2:  
 8.1 ↑ 8.5 ↓ 9.9 ↘ 9.6 ↘ 9.1 ↙  
 9.8 ↙ 8.4 ↖ 10.2 ← 9.7 ↓ 10.2 ←  
 beste Teiler 600.5 (20.) 613.2 (18.) 806.0 (13.)  
 Trefferlage 3.26 mm links, 3.26 mm tief  
 Streuwert 9.91, horizontal: 7.63, vertikal: 11.76



Serie 3:  
 9.7 ↘ 9.6 → 8.7 ↙ 8.6 ↖ 10.0 ↘  
 9.1 ↙ 10.3 ↗ 8.5 ↓ 8.8 ↙ 10.3 ↙  
 beste Teiler 502.9 (30.) 526.2 (27.) 725.1 (25.)  
 Trefferlage 3.09 mm links, 4.85 mm tief  
 Streuwert 9.37, horizontal: 8.32, vertikal: 10.31





Serie 4:  
 10.6 \* 8.8 ↘ 9.4 ↓ 10.7 \* 10.0 →  
 10.0 ↙ 10.6 \* 9.3 ↓ 9.0 ↗ 10.9 \*  
 beste Teiler 68.6 (40.) 236.6 (34.) 287.4 (37.)  
 Trefferlage 0.61 mm rechts, 0.43 mm tief  
 Streuwert 7.41, horizontal: 5.94, vertikal: 8.64

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (376.2)  
 Serien: 88 88 87 94  
 Zähler: 7 24 8 1 0 0 0 0 0 0  
 Innenzehner: 1  
 weiteste: 2742 (4), 2220 (11), 2002 (25)  
 beste Teiler 406.3 (15.) 515.8 (23.) 538.7 (32.)  
 Trefferlage 0.34 mm rechts, 0.23 mm tief  
 Streuwert 9.60, horizontal: 9.72, vertikal: 9.47



Serie 1:

9.9 ↓ 9.8 → 9.9 ← 7.5 ↓ 9.6 →  
 10.2 ← 9.9 → 9.3 ← 8.7 ↗ 9.4 ↑


beste Teiler 590.7 (6.) 828.0 (1.) 863.5 (7.)  
 Trefferlage 0.74 mm rechts, 1.93 mm tief  
 Streuwert 10.00, horizontal: 9.55, vertikal: 10.43



Serie 2:

8.2 ↗ 8.8 ↗ 9.0 ← 9.1 ↘ 10.4 \*  
 8.5 ↓ 9.8 ← 9.6 ↗ 9.0 ↘ 9.1 →


beste Teiler 406.3 (15.) 912.3 (17.) 1078.4 (18.)  
 Trefferlage 1.27 mm links, 3.07 mm hoch  
 Streuwert 11.10, horizontal: 10.76, vertikal: 11.43



Serie 3:

8.8 → 9.6 ↘ 10.3 ↓ 8.8 → 8.4 ↗  
 8.5 ↓ 9.6 ↓ 9.5 → 9.9 ↘ 9.2 ←

beste Teiler 515.8 (23.) 861.6 (29.) 1097.3 (22.)  
 Trefferlage 5.39 mm rechts, 1.63 mm tief  
 Streuwert 9.84, horizontal: 9.75, vertikal: 9.93



Serie 4:



10.0 ↗ 10.3 ↘ 10.1 ← 9.8 ↓ 9.7 ↘  
 9.7 → 9.7 ↘ 9.4 ↗ 10.1 ← 9.1 ←

beste Teiler 538.7 (32.) 665.5 (33.) 719.6 (39.)  
 Trefferlage 3.48 mm links, 0.46 mm tief  
 Streuwert 6.80, horizontal: 7.69, vertikal: 5.77

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **354** (372.9)  
 Serien: 87 88 92 87  
 Zähler: 7 23 7 3 0 0 0 0 0 0  
 Innenzehner: 5  
 weiteste: 2978 (7), 2647 (34), 2625 (10)  
 beste Teiler 138.3 (12.) 226.1 (27.) 295.4 (2.)  
 Trefferlage 2.23 mm links, 0.46 mm tief  
 Streuwert 10.31, horizontal: 9.18, vertikal: 11.33



Serie 1:

9.2 → 10.6 \* 9.8 ↑ 8.8 ↘ 9.9 ←  
 9.2 ↙ 7.2 ↑ 9.9 ↙ 10.4 \* 7.7 ↑


beste Teiler 295.4 (2.) 436.8 (9.) 803.3 (8.)  
 Trefferlage 3.26 mm links, 7.67 mm hoch  
 Streuwert 10.00, horizontal: 8.11, vertikal: 11.59



Serie 2:

9.7 ↗ 10.8 \* 9.6 ↑ 9.2 ↘ 8.7 ↓  
 9.3 ↘ 9.4 ↙ 9.3 ↓ 8.4 ← 8.4 ↘


beste Teiler 138.3 (12.) 1002.1 (11.) 1099.8 (13.)  
 Trefferlage 3.09 mm links, 1.03 mm tief  
 Streuwert 10.41, horizontal: 9.96, vertikal: 10.84



Serie 3:

8.9 ↙ 10.4 \* 9.8 ↙ 10.0 ↘ 9.9 →  
 9.7 ↘ 10.7 \* 9.5 ↗ 9.2 → 9.2 ↑

beste Teiler 226.1 (27.) 466.8 (22.) 771.9 (24.)  
 Trefferlage 1.09 mm rechts, 0.96 mm tief  
 Streuwert 7.74, horizontal: 8.37, vertikal: 7.06



Serie 4:



9.1 ↙ 9.3 ↓ 9.6 ↑ 7.6 ↙ 8.1 ↘  
 10.3 ↘ 9.0 ← 9.6 ↙ 8.0 ↓ 9.5 ←

beste Teiler 492.7 (36.) 1042.9 (33.) 1099.4 (38.)  
 Trefferlage 3.66 mm links, 7.52 mm tief  
 Streuwert 10.92, horizontal: 10.66, vertikal: 11.18


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **349** (366.9)  
 Serien: 88 89 85 87  
 Zähler: 6 18 15 1 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2710 (22), 2362 (33), 2213 (20)  
 beste Teiler 61.7 (35.) 79.3 (1.) 279.7 (13.)  
 Trefferlage 1.86 mm rechts, 0.61 mm tief  
 Streuwert 11.03, horizontal: 11.04, vertikal: 11.02




Serie 1:  
 10.9 \* 9.3 ↘ 8.6 ↓ 10.0 ↓ 9.2 ↑  
 9.2 ↙ 8.2 ↗ 8.3 ↓ 8.6 ↑ 9.3 ↑  
 beste Teiler 79.3 (1.) 775.5 (4.) 1283.8 (10.)  
 Trefferlage 1.98 mm links, 1.81 mm tief  
 Streuwert 11.35, horizontal: 8.30, vertikal: 13.74



Serie 2:  
 9.0 ↗ 9.8 ↑ 10.6 \* 8.2 ↗ 8.5 ↓  
 10.5 \* 9.7 ↑ 9.9 ↓ 9.3 ↘ 8.2 →  
 beste Teiler 279.7 (13.) 343.4 (16.) 817.2 (18.)  
 Trefferlage 0.78 mm rechts, 0.41 mm hoch  
 Streuwert 10.59, horizontal: 10.59, vertikal: 10.59



Serie 3:  
 9.3 → 7.6 ↗ 8.7 ↗ 9.2 → 9.5 ↗  
 8.3 → 8.6 ↗ 8.8 ↓ 10.1 ↓ 9.8 ↘  
 beste Teiler 715.8 (29.) 885.5 (30.) 1183.3 (25.)  
 Trefferlage 4.14 mm rechts, 1.45 mm tief  
 Streuwert 12.07, horizontal: 12.70, vertikal: 11.39





Serie 4:  
 8.4 → 9.4 ← 8.0 ↗ 8.6 → 10.9 \*  
 9.2 ↑ 9.5 → 9.1 ↓ 9.8 ← 8.8 ↗  
 beste Teiler 61.7 (35.) 923.9 (39.) 1163.9 (37.)  
 Trefferlage 4.51 mm rechts, 0.39 mm hoch  
 Streuwert 11.08, horizontal: 12.43, vertikal: 9.55


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **333** (354.1)  
 Serien: 86 81 82 84  
 Zähler: 1 23 7 6 3 0 0 0 0 0  
 Innenzehner: 0  
 weiteste: 3585 (1), 3404 (26), 3252 (19)  
 beste Teiler 772.2 (5.) 854.7 (32.) 866.6 (12.)  
 Trefferlage 0.78 mm links, 3.96 mm tief  
 Streuwert 12.98, horizontal: 13.01, vertikal: 12.95




Serie 1:  
 6.5 ↗ 9.5 ↖ 9.8 ↘ 9.3 ↓ 10.0 ↘  
 9.8 ↘ 9.9 ↙ 8.3 ↖ 8.9 ↗ 9.8 ↘  
 beste Teiler 772.2 (5.) 873.4 (7.) 902.9 (10.)  
 Trefferlage 1.96 mm rechts, 2.21 mm tief  
 Streuwert 12.09, horizontal: 12.46, vertikal: 11.70



Serie 2:  
 7.8 ↑ 9.9 ↗ 8.7 ↘ 9.7 ↓ 9.3 ↘  
 7.9 ↖ 9.0 ↓ 9.8 ↓ 6.9 ↖ 8.5 ↘  
 beste Teiler 866.6 (12.) 894.8 (18.) 997.8 (14.)  
 Trefferlage 4.16 mm links, 4.18 mm tief  
 Streuwert 13.50, horizontal: 12.07, vertikal: 14.79



Serie 3:  
 8.1 ↖ 8.0 ↑ 9.3 → 7.2 ↖ 9.0 →  
 6.7 ↙ 9.1 ↘ 9.2 ↘ 9.6 ↗ 8.7 →  
 beste Teiler 1047.5 (29.) 1335.2 (23.) 1420.0 (28.)  
 Trefferlage 0.57 mm links, 3.37 mm tief  
 Streuwert 15.47, horizontal: 16.56, vertikal: 14.29





Serie 4:  
 9.6 ↑ 9.9 ↘ 9.8 ↘ 7.3 ↓ 9.3 ↖  
 9.5 ↓ 9.7 → 7.6 ↖ 7.9 ↗ 9.3 ↖  
 beste Teiler 854.7 (32.) 917.7 (33.) 969.1 (37.)  
 Trefferlage 0.36 mm links, 6.09 mm tief  
 Streuwert 12.16, horizontal: 11.73, vertikal: 12.57


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **327** (347.8)  
 Serien: 84 83 85 75  
 Zähler: 5 13 9 10 3 0 0 0 0 0  
 Innenzehner: 2  
 weiteste: 3492 (33), 3264 (38), 3222 (18)  
 beste Teiler 308.7 (13.) 413.6 (8.) 551.9 (3.)  
 Trefferlage 2.80 mm rechts, 10.66 mm tief  
 Streuwert 11.86, horizontal: 8.85, vertikal: 14.24




Serie 1:  
 8.6 ↑ 7.9 ↑ 10.3 ↘ 7.1 ↓ 8.5 ↓  
 9.4 ↙ 9.9 ↓ 10.4 \* 8.2 ↓ 8.5 ↑  
 beste Teiler 413.6 (8.) 551.9 (3.) 834.8 (7.)  
 Trefferlage 0.40 mm rechts, 3.07 mm tief  
 Streuwert 13.54, horizontal: 5.17, vertikal: 18.44



Serie 2:  
 7.7 ↘ 9.1 ↓ 10.6 \* 9.8 ↙ 7.8 ↘  
 8.8 ↓ 9.5 ↓ 6.9 ↓ 10.2 ↘ 8.6 ↘  
 beste Teiler 308.7 (13.) 624.2 (19.) 890.2 (14.)  
 Trefferlage 5.25 mm rechts, 12.79 mm tief  
 Streuwert 9.19, horizontal: 9.59, vertikal: 8.77



Serie 3:  
 8.9 ↓ 7.9 ↘ 9.1 ↓ 9.8 ↙ 8.6 ↓  
 7.7 ↙ 9.1 ↘ 9.2 ↙ 10.0 ↑ 9.2 ↑  
 beste Teiler 796.4 (29.) 928.7 (24.) 1375.4 (28.)  
 Trefferlage 1.92 mm links, 9.32 mm tief  
 Streuwert 10.60, horizontal: 7.92, vertikal: 12.73





Serie 4:  
 9.6 ↘ 8.9 ↗ 6.6 ↓ 7.8 ↓ 7.5 ↓  
 7.5 → 9.2 ↓ 6.9 ↓ 9.3 ↓ 7.2 ↓  
 beste Teiler 1048.6 (31.) 1344.7 (39.) 1424.6 (37.)  
 Trefferlage 7.49 mm rechts, 17.45 mm tief  
 Streuwert 11.69, horizontal: 9.80, vertikal: 13.32


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **315** (329.8)  
 Serien: 72 90 85 68  
 Zähler: 6 12 6 10 3 1 1 0 1 0  
 Innenzehner: 1  
 weiteste: 6764 (34), 4805 (10), 4052 (37)  
 beste Teiler 281.4 (12.) 513.9 (2.) 522.2 (28.)  
 Trefferlage 1.89 mm links, 6.35 mm tief  
 Streuwert 17.46, horizontal: 19.93, vertikal: 14.59




Serie 1:  
 7.6 → 10.3 ↗ 7.0 ↓ 7.9 ↘ 8.5 ↓  
 6.5 ↙ 7.4 ↖ 7.2 ↓ 9.4 ↓ 4.9 ↖  
 beste Teiler 513.9 (2.) 1204.2 (9.) 1925.6 (5.)  
 Trefferlage 3.24 mm links, 17.25 mm tief  
 Streuwert 16.85, horizontal: 19.50, vertikal: 13.68



Serie 2:  
 8.7 ↖ 10.6 \* 10.2 ↘ 8.1 ↗ 7.6 ↑  
 9.3 ↓ 10.1 ↘ 9.2 ← 9.8 ↑ 10.3 ↖  
 beste Teiler 281.4 (12.) 553.5 (20.) 608.4 (13.)  
 Trefferlage 2.96 mm links, 0.93 mm hoch  
 Streuwert 10.71, horizontal: 8.28, vertikal: 12.69



Serie 3:  
 8.2 ↗ 9.4 ↘ 9.1 ↓ 9.1 ↘ 7.3 ←  
 7.3 ↙ 9.5 ← 10.3 ↘ 8.8 ← 9.1 →  
 beste Teiler 522.2 (28.) 1143.7 (27.) 1238.2 (22.)  
 Trefferlage 1.42 mm links, 5.14 mm tief  
 Streuwert 13.22, horizontal: 15.50, vertikal: 10.46





Serie 4:  
 8.0 ↖ 9.1 ← 9.2 ↖ 2.5 ↘ 6.2 ↖  
 6.9 ↖ 5.9 → 7.0 ↖ 9.1 ← 7.2 ↘  
 beste Teiler 1411.3 (33.) 1441.5 (32.) 1469.0 (39.)  
 Trefferlage 0.06 mm rechts, 3.96 mm tief  
 Streuwert 25.38, horizontal: 31.99, vertikal: 16.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **329** (346.2)  
 Serien: 83 87 84 75  
 Zähler: 4 13 15 5 2 1 0 0 0 0  
 Innenzehner: 3  
 weiteste: 4277 (38), 3683 (33), 3454 (27)  
 beste Teiler 91.2 (11.) 149.8 (8.) 396.5 (28.)  
 Trefferlage 0.01 mm rechts, 3.60 mm hoch  
 Streuwert 14.35, horizontal: 13.98, vertikal: 14.70




Serie 1:  
 9.3 ↖ 7.7 ↑ 9.0 ↗ 9.1 ↘ 8.3 ↘  
 8.6 ↖ 7.7 ↓ 10.8 \* 8.4 ↖ 8.5 ↘  
 beste Teiler 149.8 (8.) 1324.4 (1.) 1453.1 (4.)  
 Trefferlage 6.88 mm links, 1.69 mm hoch  
 Streuwert 13.06, horizontal: 10.29, vertikal: 15.34



Serie 2:  
 10.8 \* 10.0 → 8.0 ↗ 8.5 ↗ 8.2 ↘  
 9.9 → 8.8 ↗ 9.6 ↘ 9.6 ↗ 8.4 ↑  
 beste Teiler 91.2 (11.) 776.4 (12.) 803.0 (16.)  
 Trefferlage 2.72 mm rechts, 0.07 mm tief  
 Streuwert 11.52, horizontal: 10.93, vertikal: 12.07



Serie 3:  
 9.4 ← 9.4 ← 9.1 ↘ 8.3 ↑ 7.7 ↓  
 9.1 ↗ 6.6 ↑ 10.5 \* 8.3 ↑ 9.6 ←  
 beste Teiler 396.5 (28.) 1066.2 (30.) 1254.5 (21.)  
 Trefferlage 4.39 mm links, 4.52 mm hoch  
 Streuwert 13.48, horizontal: 7.92, vertikal: 17.34



Serie 4:  
 8.6 ↘ 9.8 ↑ 6.3 ↗ 7.3 → 9.0 ↑  
 7.3 → 8.0 ↑ 5.6 ← 8.4 ↑ 8.7 ↗  
 beste Teiler 906.0 (32.) 1541.6 (35.) 1793.7 (40.)  
 Trefferlage 8.62 mm rechts, 8.28 mm hoch  
 Streuwert 17.38, horizontal: 19.85, vertikal: 14.50

Unterschrift des Schützen

Meyton Elektronik