





Ergebnis: **391** (408.5)  
 Serien: 98 100 95 98  
 Zähler: 31 9 0 0 0 0 0 0 0 0  
 Innenzehner: 25  
 weiteste: 406 (23), 403 (35), 352 (4)  
 beste Teiler 45.8 (40.) 62.6 (22.) 63.5 (24.)  
 Trefferlage 0.16 mm links, 0.08 mm tief  
 Streuwert 1.45, horizontal: 1.67, vertikal: 1.20




Serie 1:  
 10.3 \* 9.9 ↙ 10.3 \* 9.5 ↙ 10.0 →  
 10.0 ↙ 10.4 \* 10.1 ↓ 10.4 \* 10.1 →  
 beste Teiler 133.3 (9.) 134.7 (7.) 157.8 (1.)  
 Trefferlage 0.24 mm links, 0.83 mm tief  
 Streuwert 1.52, horizontal: 1.75, vertikal: 1.25



Serie 2:  
 10.5 \* 10.4 \* 10.1 → 10.5 \* 10.5 \*  
 10.4 \* 10.3 \* 10.5 \* 10.3 \* 10.6 \*  
 beste Teiler 94.9 (20.) 109.2 (14.) 109.5 (18.)  
 Trefferlage 0.15 mm rechts, 0.12 mm tief  
 Streuwert 1.04, horizontal: 1.14, vertikal: 0.92





Serie 3:  
 9.9 ↘ 10.7 \* 9.3 ← 10.7 \* 9.8 ↑  
 10.0 ← 10.3 \* 9.9 → 10.6 \* 9.9 ←  
 beste Teiler 62.6 (22.) 63.5 (24.) 78.2 (29.)  
 Trefferlage 0.59 mm links, 0.27 mm hoch  
 Streuwert 1.68, horizontal: 1.96, vertikal: 1.35




Serie 4:  
 10.5 \* 10.5 \* 9.8 ↖ 10.2 \* 9.3 →  
 10.2 \* 10.3 \* 10.2 \* 10.5 \* 10.8 \*  
 beste Teiler 45.8 (40.) 110.6 (31.) 119.4 (39.)  
 Trefferlage 0.01 mm rechts, 0.34 mm hoch  
 Streuwert 1.50, horizontal: 1.86, vertikal: 1.02

Unterschrift des Schützen


Ergebnis: **383** (403.5)  
 Serien: 96 98 97 92  
 Zähler: 24 15 1 0 0 0 0 0 0 0  
 Innenzehner: 22  
 weiteste: 515 (35), 447 (11), 426 (19)  
 beste Teiler 34.2 (24.) 40.3 (33.) 46.3 (27.)  
 Trefferlage 0.23 mm links, 0.24 mm tief  
 Streuwert 1.75, horizontal: 1.74, vertikal: 1.76




Serie 1:  
 10.7 \* 9.9 ↘ 10.2 \* 10.2 \* 9.7 ↘  
 9.8 ↘ 9.9 ↘ 10.7 \* 10.4 \* 10.4 \*  
 beste Teiler 66.6 (8.) 68.2 (1.) 134.2 (9.)  
 Trefferlage 0.78 mm links, 0.33 mm hoch  
 Streuwert 1.42, horizontal: 1.66, vertikal: 1.14



Serie 2:  
 9.2 ↓ 10.2 \* 10.3 \* 10.2 \* 10.2 \*  
 10.3 \* 10.6 \* 10.5 \* 9.2 ↓ 10.3 \*  
 beste Teiler 78.0 (17.) 108.6 (18.) 160.6 (13.)  
 Trefferlage 0.10 mm links, 0.92 mm tief  
 Streuwert 1.67, horizontal: 1.59, vertikal: 1.76





Serie 3:  
 10.2 \* 10.2 \* 9.9 ↗ 10.8 \* 9.9 ↓  
 10.7 \* 10.8 \* 10.0 ↓ 10.4 \* 9.9 ↗  
 beste Teiler 34.2 (24.) 46.3 (27.) 57.6 (26.)  
 Trefferlage 0.49 mm rechts, 0.80 mm tief  
 Streuwert 1.22, horizontal: 1.19, vertikal: 1.25




Serie 4:  
 9.7 ↘ 9.5 ↗ 10.8 \* 9.3 ↗ 8.9 ↘  
 9.9 ← 10.5 \* 10.1 ↗ 9.5 ↓ 9.6 ←  
 beste Teiler 40.3 (33.) 104.4 (37.) 218.6 (38.)  
 Trefferlage 0.53 mm links, 0.41 mm hoch  
 Streuwert 2.36, horizontal: 2.31, vertikal: 2.41

Unterschrift des Schützen


**Ergebnis: 377 (394.0)**  
**Serien: 96 95 93 93**  
**Zähler: 24 11 4 0 1 0 0 0 0 0**  
**Innenzehner: 14**  
**weiteste: 1030 (24), 619 (40), 516 (15)**  
**beste Teiler 30.8 (6.) 59.9 (28.) 76.5 (22.)**  
**Trefferlage 0.39 mm links, 0.35 mm hoch**  
**Streuwert 2.34, horizontal: 2.80, vertikal: 1.78**




**Serie 1:**  
 9.6 ↘      9.5 ←      10.3 \*      10.1 →      10.4 \*  
 10.8 \*      9.1 ↖      9.9 →      10.1 ↓      10.0 →  
**beste Teiler 30.8 (6.) 134.2 (5.) 170.2 (3.)**  
**Trefferlage 0.28 mm rechts, 0.03 mm tief**  
**Streuwert 2.00, horizontal: 2.40, vertikal: 1.51**



**Serie 2:**  
 10.4 \*      9.6 ←      10.0 ↖      9.3 ↗      8.9 ↖  
 10.2 \*      9.3 →      10.6 \*      10.2 \*      10.0 →  
**beste Teiler 86.3 (18.) 138.0 (11.) 189.8 (16.)**  
**Trefferlage 0.03 mm rechts, 0.92 mm hoch**  
**Streuwert 2.18, horizontal: 2.54, vertikal: 1.75**





**Serie 3:**  
 9.7 ↘      10.6 \*      10.1 ↘      6.8 ↖      10.2 \*  
 10.5 \*      9.4 ↙      10.7 \*      9.8 ←      10.6 \*  
**beste Teiler 59.9 (28.) 76.5 (22.) 93.1 (30.)**  
**Trefferlage 1.05 mm links, 0.45 mm tief**  
**Streuwert 2.76, horizontal: 3.39, vertikal: 1.93**




**Serie 4:**  
 8.9 ↖      10.1 ↗      10.0 →      10.1 ↘      10.6 \*  
 10.0 ←      10.5 \*      8.9 ←      9.7 ↗      8.5 ←  
**beste Teiler 88.4 (35.) 116.2 (37.) 214.0 (32.)**  
**Trefferlage 0.84 mm links, 0.97 mm hoch**  
**Streuwert 2.43, horizontal: 2.96, vertikal: 1.73**

Unterschrift des Schützen


**Ergebnis: 373 (393.2)**  
**Serien:** 95 93 92 93  
**Zähler:** 18 18 3 1 0 0 0 0 0 0  
**Innenzehner:** 12  
**weiteste:** 770 (3), 565 (40), 530 (29)  
**beste Teiler** 53.0 (8.) 94.8 (23.) 98.0 (9.)  
**Trefferlage** 0.19 mm rechts, 0.26 mm hoch  
**Streuwert** 2.26, horizontal: 2.51, vertikal: 1.99




**Serie 1:**  
 10.2 \* 9.2 ↘ 7.9 ← 9.9 ↗ 10.4 \*  
 10.1 ↑ 10.0 ↗ 10.7 \* 10.6 \* 10.2 \*  
**beste Teiler** 53.0 (8.) 98.0 (9.) 149.6 (5.)  
**Trefferlage** 0.95 mm links, 1.03 mm hoch  
**Streuwert** 2.22, horizontal: 2.78, vertikal: 1.44



**Serie 2:**  
 10.0 → 10.4 \* 9.9 → 10.0 ↖ 9.5 →  
 9.6 ↓ 9.7 ↖ 9.2 → 9.8 ↓ 9.9 ↖  
**beste Teiler** 139.0 (12.) 232.7 (14.) 247.4 (11.)  
**Trefferlage** 0.55 mm rechts, 0.09 mm hoch  
**Streuwert** 2.19, horizontal: 2.50, vertikal: 1.82



**Serie 3:**  
 10.3 \* 10.5 \* 10.6 \* 9.2 → 8.9 ↘  
 10.1 ↓ 9.9 ↓ 9.9 ↑ 8.8 → 9.8 ↑  
**beste Teiler** 94.8 (23.) 120.3 (22.) 157.1 (21.)  
**Trefferlage** 1.27 mm rechts, 0.06 mm hoch  
**Streuwert** 2.23, horizontal: 2.35, vertikal: 2.11





**Serie 4:**  
 10.0 ↘ 10.3 \* 10.4 \* 10.2 \* 9.8 ↑  
 9.9 ← 9.4 ↙ 9.8 → 9.5 → 8.7 ↓  
**beste Teiler** 128.1 (33.) 157.5 (32.) 186.7 (34.)  
**Trefferlage** 0.11 mm links, 0.14 mm tief  
**Streuwert** 2.35, horizontal: 2.17, vertikal: 2.51


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (396.8)  
 Serien: 92 97 95 94  
 Zähler: 23 12 5 0 0 0 0 0 0 0  
 Innenzehner: 19  
 weiteste: 704 (3), 679 (23), 600 (39)  
 beste Teiler 14.3 (5.) 41.7 (31.) 44.3 (9.)  
 Trefferlage 1.31 mm links, 0.53 mm hoch  
 Streuwert 2.00, horizontal: 2.41, vertikal: 1.48




Serie 1:  
 10.2 \* 9.3 → 8.1 ← 9.8 ↘ 10.9 \*  
 8.7 ↘ 9.8 ← 9.8 ← 10.8 \* 10.4 \*  
 beste Teiler 14.3 (5.) 44.3 (9.) 145.1 (10.)  
 Trefferlage 0.79 mm links, 0.32 mm hoch  
 Streuwert 2.59, horizontal: 3.19, vertikal: 1.79



Serie 2:  
 10.1 ↗ 10.1 ↖ 9.9 ↘ 10.5 \* 10.5 \*  
 10.6 \* 9.4 ↘ 10.0 ↘ 9.8 ← 10.6 \*  
 beste Teiler 86.4 (20.) 97.5 (16.) 102.2 (15.)  
 Trefferlage 0.94 mm links, 0.66 mm hoch  
 Streuwert 1.41, horizontal: 1.32, vertikal: 1.50



Serie 3:  
 10.3 \* 10.4 \* 8.2 ← 10.4 \* 10.0 ←  
 10.7 \* 10.3 \* 9.3 ← 10.2 \* 8.8 ←  
 beste Teiler 56.6 (26.) 136.6 (24.) 148.9 (22.)  
 Trefferlage 1.62 mm links, 0.24 mm hoch  
 Streuwert 2.16, horizontal: 2.88, vertikal: 1.03





Serie 4:  
 10.8 \* 10.3 \* 9.7 ← 10.4 \* 10.4 \*  
 9.5 ↑ 10.7 \* 9.0 ← 8.6 ↘ 9.5 ←  
 beste Teiler 41.7 (31.) 52.8 (37.) 130.9 (35.)  
 Trefferlage 1.89 mm links, 0.91 mm hoch  
 Streuwert 1.83, horizontal: 2.02, vertikal: 1.62


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **381** (399.0)  
 Serien: 97 98 94 92  
 Zähler: 23 15 2 0 0 0 0 0 0 0  
 Innenzehner: 20  
 weiteste: 641 (30), 574 (33), 488 (11)  
 beste Teiler 45.2 (31.) 49.4 (8.) 52.7 (17.)  
 Trefferlage 0.14 mm links, 0.21 mm hoch  
 Streuwert 2.04, horizontal: 2.33, vertikal: 1.69




Serie 1:  
 10.4 \* 9.3 ↖ 10.3 \* 10.3 \* 10.4 \*  
 10.6 \* 9.5 ↖ 10.8 \* 9.1 → 10.4 \*  
 beste Teiler 49.4 (8.) 100.8 (6.) 132.8 (1.)  
 Trefferlage 0.05 mm links, 0.49 mm hoch  
 Streuwert 1.83, horizontal: 2.13, vertikal: 1.46



Serie 2:  
 9.0 ↖ 10.2 \* 9.8 ↗ 10.4 \* 10.1 ↘  
 10.2 \* 10.7 \* 10.1 ↖ 10.1 ↗ 10.2 \*  
 beste Teiler 52.7 (17.) 132.9 (14.) 181.8 (20.)  
 Trefferlage 0.19 mm rechts, 0.79 mm hoch  
 Streuwert 1.70, horizontal: 1.54, vertikal: 1.85



Serie 3:  
 9.5 ↖ 10.7 \* 10.5 \* 9.5 ← 9.9 ↖  
 10.4 \* 10.4 \* 9.4 ↘ 10.5 \* 8.4 ←  
 beste Teiler 69.7 (22.) 105.9 (23.) 122.1 (29.)  
 Trefferlage 0.94 mm links, 0.21 mm hoch  
 Streuwert 2.20, horizontal: 2.68, vertikal: 1.59





Serie 4:  
 10.8 \* 9.8 ← 8.7 ← 10.4 \* 9.4 ↓  
 10.6 \* 9.5 ↘ 9.9 ↓ 9.6 ↗ 9.2 →  
 beste Teiler 45.2 (31.) 80.0 (36.) 128.2 (34.)  
 Trefferlage 0.22 mm rechts, 0.63 mm tief  
 Streuwert 2.40, horizontal: 2.92, vertikal: 1.73

Unterschrift des Schützen

Meyton Elektronik




Ergebnis: **373** (393.3)  
 Serien: 94 89 93 97  
 Zähler: 18 17 5 0 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 593 (13), 554 (7), 531 (20)  
 beste Teiler 6.0 (8.) 35.0 (25.) 56.5 (15.)  
 Trefferlage 0.33 mm links, 0.00 mm  
 Streuwert 2.29, horizontal: 2.66, vertikal: 1.84



Serie 1:

9.8 ↖ 10.0 → 9.7 ↙ 9.1 ↖ 10.0 ↓  
 10.7 \* 8.7 → 10.9 \* 9.2 → 10.5 \*


beste Teiler 6.0 (8.) 74.2 (6.) 116.7 (10.)  
 Trefferlage 0.21 mm rechts, 0.43 mm tief  
 Streuwert 2.37, horizontal: 3.09, vertikal: 1.29



Serie 2:

10.7 \* 9.3 ↖ 8.6 ↗ 9.5 → 10.7 \*  
 9.9 ↓ 8.9 ↖ 9.9 ↓ 9.3 ↖ 8.8 ←


beste Teiler 56.5 (15.) 73.8 (11.) 272.6 (18.)  
 Trefferlage 0.91 mm links, 0.35 mm tief  
 Streuwert 2.83, horizontal: 3.59, vertikal: 1.76



Serie 3:

10.5 \* 9.6 ↑ 9.7 → 9.5 ↖ 10.8 \*  
 10.6 \* 9.9 ↖ 10.2 \* 9.1 ↖ 8.9 ↗

beste Teiler 35.0 (25.) 86.4 (26.) 121.7 (21.)  
 Trefferlage 0.33 mm links, 1.22 mm hoch  
 Streuwert 2.12, horizontal: 2.32, vertikal: 1.90



Serie 4:

10.2 \* 10.0 ↓ 10.4 \* 10.3 \* 10.4 \*  
 10.0 ↓ 9.6 ↗ 9.8 ↓ 10.1 ↑ 9.5 ↖

beste Teiler 130.5 (33.) 139.5 (35.) 156.9 (34.)  
 Trefferlage 0.28 mm links, 0.42 mm tief  
 Streuwert 1.76, horizontal: 1.44, vertikal: 2.03

Unterschrift des Schützen