




Ergebnis: **375** (391.7)
 Serien: 95 90 93 97
 Zähler: 19 17 4 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2386 (16), 2262 (13), 2227 (6)
 beste Teiler 199.2 (17.) 254.5 (23.) 287.0 (15.)
 Trefferlage 0.52 mm links, 3.87 mm tief
 Streuwert 7.25, horizontal: 8.13, vertikal: 6.25



Serie 1:

10.4 * 10.0 ↘ 10.2 ↑ 9.7 → 10.3 ↗
 8.2 ↙ 9.1 ↘ 10.6 * 10.4 * 9.2 ←


beste Teiler 320.3 (8.) 454.2 (1.) 457.0 (9.)
 Trefferlage 1.05 mm links, 3.17 mm tief
 Streuwert 7.82, horizontal: 8.29, vertikal: 7.31



Serie 2:

9.9 ↗ 10.0 → 8.1 → 8.6 ↙ 10.6 *
 8.0 ↓ 10.7 * 9.9 ↙ 9.9 → 9.9 ↘


beste Teiler 199.2 (17.) 287.0 (15.) 799.0 (12.)
 Trefferlage 1.79 mm rechts, 6.36 mm tief
 Streuwert 8.67, horizontal: 9.87, vertikal: 7.28



Serie 3:

9.7 ← 9.8 ↙ 10.6 * 9.1 ↗ 10.3 ↗
 9.5 ↘ 9.6 ↘ 10.3 ↓ 9.9 ↙ 9.0 ←

beste Teiler 254.5 (23.) 483.6 (25.) 499.3 (28.)
 Trefferlage 5.22 mm links, 6.08 mm tief
 Streuwert 4.65, horizontal: 5.31, vertikal: 3.88



Serie 4:



10.1 ↘ 10.2 ↘ 10.5 * 9.4 ↗ 10.4 *
 10.1 ← 9.3 → 9.4 ← 10.4 → 10.4 *

beste Teiler 328.4 (33.) 461.1 (40.) 470.1 (35.)
 Trefferlage 2.39 mm rechts, 0.13 mm hoch
 Streuwert 5.87, horizontal: 7.20, vertikal: 4.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **358** (374.7)
 Serien: 92 89 87 90
 Zähler: 11 18 9 2 0 0 0 0 0 0
 Innenzehner: 2
 weiteste: 2578 (37), 2413 (27), 2264 (29)
 beste Teiler 347.8 (1.) 459.8 (3.) 481.3 (25.)
 Trefferlage 2.51 mm rechts, 0.90 mm hoch
 Streuwert 9.78, horizontal: 8.95, vertikal: 10.55




Serie 1:
 10.5 * 9.0 ↓ 10.4 * 9.1 ↘ 8.3 ↙
 9.6 ↙ 10.0 ↗ 8.7 ↑ 10.1 ↖ 9.4 ↓
 beste Teiler 347.8 (1.) 459.8 (3.) 720.7 (9.)
 Trefferlage 0.03 mm rechts, 4.17 mm tief
 Streuwert 9.02, horizontal: 5.48, vertikal: 11.51



Serie 2:
 9.4 ↗ 9.0 ↑ 8.8 ↑ 9.8 ↑ 8.9 ↗
 9.2 ↑ 9.4 ← 9.3 ↑ 10.2 ↖ 9.2 ↗
 beste Teiler 599.0 (19.) 946.7 (14.) 1213.7 (17.)
 Trefferlage 3.24 mm rechts, 6.79 mm hoch
 Streuwert 8.32, horizontal: 8.47, vertikal: 8.18



Serie 3:
 8.8 ↗ 9.7 ↖ 10.2 ↗ 8.5 ↓ 10.3 ↗
 8.7 ↓ 7.9 → 10.3 ↖ 8.1 ← 9.0 ↖
 beste Teiler 481.3 (25.) 553.1 (28.) 590.4 (23.)
 Trefferlage 0.56 mm rechts, 4.11 mm tief
 Streuwert 11.52, horizontal: 13.01, vertikal: 9.79





Serie 4:
 10.1 ↖ 9.9 → 10.2 ↗ 10.2 ↗ 9.9 ↖
 9.2 ↗ 7.7 ↑ 9.7 ↑ 9.2 ↗ 8.8 ↗
 beste Teiler 591.3 (33.) 592.5 (34.) 671.2 (31.)
 Trefferlage 6.24 mm rechts, 5.11 mm hoch
 Streuwert 7.77, horizontal: 6.99, vertikal: 8.48

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (376.7)
 Serien: 87 92 88 90
 Zähler: 11 17 10 2 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3061 (26), 2445 (36), 2237 (4)
 beste Teiler 121.2 (38.) 183.1 (32.) 194.8 (11.)
 Trefferlage 2.85 mm rechts, 4.45 mm hoch
 Streuwert 9.38, horizontal: 8.94, vertikal: 9.79



Serie 1:

8.6 ↗ 9.1 → 9.2 ↗ 8.2 ↗ 9.8 →
 8.8 ↘ 10.3 ← 10.2 ↗ 8.5 ↑ 8.6 ↗


beste Teiler 541.3 (7.) 579.7 (8.) 895.7 (5.)
 Trefferlage 6.22 mm rechts, 5.46 mm hoch
 Streuwert 9.98, horizontal: 8.57, vertikal: 11.21



Serie 2:

10.7 * 9.9 ↑ 10.4 * 9.5 ↗ 10.2 ↘
 9.4 ↘ 8.2 ↖ 9.1 ↗ 10.3 ↘ 8.9 ↗


beste Teiler 194.8 (11.) 466.6 (13.) 526.1 (19.)
 Trefferlage 1.98 mm rechts, 3.17 mm hoch
 Streuwert 8.47, horizontal: 8.76, vertikal: 8.16



Serie 3:

9.4 ↗ 9.8 → 8.7 ↗ 9.9 ↖ 10.4 *
 7.1 ↗ 9.5 → 10.5 * 8.5 ↗ 9.9 ↘

beste Teiler 366.0 (28.) 469.8 (25.) 804.6 (24.)
 Trefferlage 4.62 mm rechts, 7.60 mm hoch
 Streuwert 8.88, horizontal: 6.26, vertikal: 10.88



Serie 4:



10.1 ↘ 10.7 * 9.4 → 9.1 ↖ 9.0 ↖
 7.9 ↘ 8.5 ↗ 10.8 * 9.8 ↖ 9.8 ↗

beste Teiler 121.2 (38.) 183.1 (32.) 719.7 (31.)
 Trefferlage 1.40 mm links, 1.56 mm hoch
 Streuwert 10.03, horizontal: 10.94, vertikal: 9.03

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (374.2)
 Serien: 86 88 93 88
 Zähler: 11 15 12 2 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2466 (19), 2451 (6), 2247 (39)
 beste Teiler 92.0 (20.) 198.1 (15.) 287.5 (26.)
 Trefferlage 1.35 mm links, 1.75 mm tief
 Streuwert 10.18, horizontal: 9.56, vertikal: 10.76



Serie 1:

8.6 ↓ 10.2 ↖ 9.3 ↗ 9.1 ↘ 9.6 ↓
 7.9 ↑ 8.8 ↙ 8.3 ↘ 9.6 → 9.3 ↓


beste Teiler 578.3 (2.) 1060.9 (5.) 1092.4 (9.)
 Trefferlage 2.53 mm links, 6.75 mm tief
 Streuwert 10.54, horizontal: 7.11, vertikal: 13.10



Serie 2:

9.3 ↗ 8.8 → 9.3 ↓ 9.9 ↗ 10.7 *
 8.6 ↖ 9.1 ↗ 9.7 ↗ 7.9 ↘ 10.8 *


beste Teiler 92.0 (20.) 198.1 (15.) 878.7 (14.)
 Trefferlage 1.00 mm rechts, 2.31 mm tief
 Streuwert 10.38, horizontal: 10.92, vertikal: 9.82



Serie 3:

10.4 * 10.5 * 9.8 ← 10.5 * 8.5 ↖
 10.6 * 9.4 ↖ 8.6 ↖ 9.1 ↘ 10.3 ↖

beste Teiler 287.5 (26.) 341.5 (24.) 342.4 (22.)
 Trefferlage 3.37 mm links, 3.28 mm hoch
 Streuwert 7.71, horizontal: 8.83, vertikal: 6.41



Serie 4:



9.1 ↗ 8.3 ← 10.4 * 8.4 ↑ 8.4 →
 10.2 ↗ 9.7 ↘ 8.7 ↗ 8.1 ↓ 10.4 *

beste Teiler 409.4 (33.) 416.2 (40.) 586.9 (36.)
 Trefferlage 0.50 mm links, 1.26 mm tief
 Streuwert 11.66, horizontal: 11.63, vertikal: 11.68


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (380.9)
 Serien: 89 93 92 89
 Zähler: 13 18 8 1 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 2678 (33), 1987 (38), 1871 (39)
 beste Teiler 346.6 (22.) 401.2 (7.) 428.9 (1.)
 Trefferlage 3.33 mm links, 0.23 mm hoch
 Streuwert 8.77, horizontal: 9.47, vertikal: 8.02




Serie 1:
 10.4 * 8.6 ↘ 9.4 ↑ 9.9 ↓ 9.9 ↓
 8.7 ↙ 10.4 * 9.9 ↗ 9.6 ↗ 8.8 →
 beste Teiler 401.2 (7.) 428.9 (1.) 808.6 (4.)
 Trefferlage 0.82 mm rechts, 6.11 mm tief
 Streuwert 7.87, horizontal: 7.63, vertikal: 8.10



Serie 2:
 10.3 ↗ 10.2 ↖ 9.1 ↖ 9.1 ← 8.9 ←
 9.4 ↖ 9.2 ↖ 9.4 ↖ 10.3 ↖ 10.2 ↖
 beste Teiler 494.9 (11.) 513.1 (19.) 591.2 (12.)
 Trefferlage 7.91 mm links, 4.92 mm hoch
 Streuwert 5.23, horizontal: 6.50, vertikal: 3.54



Serie 3:
 9.4 ↑ 10.5 * 8.9 ↖ 9.3 ↓ 10.2 ↑
 9.5 ← 10.3 ↑ 8.9 ↖ 9.9 ↓ 10.2 ↘
 beste Teiler 346.6 (22.) 495.0 (27.) 602.1 (25.)
 Trefferlage 3.07 mm links, 1.93 mm hoch
 Streuwert 7.78, horizontal: 7.21, vertikal: 8.32





Serie 4:
 10.0 ↖ 10.3 ↗ 7.6 → 9.2 ← 10.2 ↗
 9.2 → 9.5 ↖ 8.5 ↖ 8.6 ↗ 9.0 ←
 beste Teiler 548.6 (32.) 571.7 (35.) 783.7 (31.)
 Trefferlage 3.15 mm links, 0.20 mm hoch
 Streuwert 11.22, horizontal: 13.90, vertikal: 7.66


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **362** (381.2)
 Serien: 91 87 94 90
 Zähler: 9 26 4 0 1 0 0 0 0 0
 Innenzehner: 6
 weiteste: 3783 (13), 2074 (12), 1955 (11)
 beste Teiler 101.6 (29.) 282.7 (18.) 283.1 (28.)
 Trefferlage 2.34 mm links, 4.22 mm hoch
 Streuwert 8.60, horizontal: 9.33, vertikal: 7.81




Serie 1:
 9.5 ↖ 9.3 ↘ 9.9 ← 9.3 ↑ 8.8 ↗
 9.2 ↖ 9.2 ↑ 10.5 * 9.9 ↗ 10.2 ↖
 beste Teiler 339.6 (8.) 580.5 (10.) 873.0 (9.)
 Trefferlage 3.43 mm links, 5.65 mm hoch
 Streuwert 7.18, horizontal: 6.77, vertikal: 7.57



Serie 2:
 8.5 ↗ 8.4 ↗ 6.2 ↖ 9.0 ↓ 9.7 ↗
 10.1 → 9.0 ↖ 10.6 * 9.5 ↑ 9.4 ↖
 beste Teiler 282.7 (18.) 672.3 (16.) 992.4 (15.)
 Trefferlage 6.92 mm links, 7.13 mm hoch
 Streuwert 10.99, horizontal: 11.80, vertikal: 10.12



Serie 3:
 9.4 ↗ 9.4 ↖ 9.3 ↗ 10.5 * 9.6 ↗
 10.3 ↖ 9.6 ← 10.6 * 10.8 * 9.9 ↖
 beste Teiler 101.6 (29.) 283.1 (28.) 333.6 (24.)
 Trefferlage 1.06 mm links, 4.80 mm hoch
 Streuwert 5.66, horizontal: 6.31, vertikal: 4.93



Serie 4:
 9.4 ← 10.5 * 9.7 → 9.6 ← 9.5 ↗
 9.2 ↖ 9.5 → 9.8 ↗ 8.9 → 9.5 ↓
 beste Teiler 350.3 (32.) 955.3 (38.) 981.5 (33.)
 Trefferlage 2.04 mm rechts, 0.71 mm tief
 Streuwert 8.53, horizontal: 10.23, vertikal: 6.39

Unterschrift des Schützen

Meyton Elektronik