





Ergebnis: **359** (375.9)
 Serien: 93 87 87 92
 Zähler: 9 21 10 0 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 2385 (24), 2380 (25), 2173 (20)
 beste Teiler 324.8 (32.) 332.1 (7.) 349.5 (10.)
 Trefferlage 0.00 mm , 4.44 mm tief
 Streuwert 9.28, horizontal: 9.70, vertikal: 8.83




Serie 1:
 9.7 ↙ 10.2 ↓ 9.5 ↘ 8.7 ↖ 10.3 →
 9.3 ← 10.5 * 9.8 ↗ 9.3 → 10.5 *
 beste Teiler 332.1 (7.) 349.5 (10.) 543.3 (5.)
 Trefferlage 2.93 mm links, 0.57 mm hoch
 Streuwert 7.45, horizontal: 8.47, vertikal: 6.26



Serie 2:
 9.0 ↖ 9.2 ← 9.0 ← 9.8 → 8.3 →
 9.5 ↓ 9.5 ↑ 9.4 ↓ 8.7 ↘ 8.2 ↓
 beste Teiler 897.1 (14.) 1154.2 (16.) 1195.2 (17.)
 Trefferlage 1.32 mm links, 4.39 mm tief
 Streuwert 11.16, horizontal: 11.94, vertikal: 10.32





Serie 3:
 8.6 ↘ 9.7 → 10.2 ↘ 8.0 ↓ 8.0 ↘
 8.8 ↘ 9.8 ↓ 9.8 ↑ 10.2 → 8.7 ↘
 beste Teiler 586.8 (29.) 604.0 (23.) 881.3 (28.)
 Trefferlage 6.16 mm rechts, 8.85 mm tief
 Streuwert 8.50, horizontal: 6.99, vertikal: 9.78



Serie 4:
 9.6 ← 10.5 * 8.3 ↘ 10.5 * 9.2 ↓
 10.1 → 9.3 ↘ 9.9 ↗ 9.0 ← 9.3 ↘
 beste Teiler 324.8 (32.) 388.3 (34.) 660.9 (36.)
 Trefferlage 1.88 mm links, 5.08 mm tief
 Streuwert 8.17, horizontal: 9.34, vertikal: 6.81

Unterschrift des Schützen


Ergebnis: **367** (381.8)
 Serien: 91 95 91 90
 Zähler: 16 16 7 1 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3188 (15), 2221 (31), 2167 (4)
 beste Teiler 237.4 (17.) 265.2 (5.) 327.4 (13.)
 Trefferlage 1.83 mm links, 4.81 mm tief
 Streuwert 8.47, horizontal: 8.18, vertikal: 8.74



Serie 1:

8.9 ↙ 9.9 ↖ 9.8 ↖ 8.2 ↓ 10.6 *
 9.9 ↘ 10.1 → 9.5 → 9.0 ↖ 10.2 ↓


beste Teiler 265.2 (5.) 626.4 (10.) 646.1 (7.)
 Trefferlage 1.88 mm links, 4.81 mm tief
 Streuwert 8.02, horizontal: 8.46, vertikal: 7.54



Serie 2:

9.3 ↘ 10.1 ↘ 10.5 * 10.1 ↑ 7.0 ↙
 10.4 * 10.7 * 10.2 ↘ 10.3 ↘ 9.0 ↙


beste Teiler 237.4 (17.) 327.4 (13.) 443.4 (16.)
 Trefferlage 0.54 mm rechts, 5.97 mm tief
 Streuwert 8.41, horizontal: 6.90, vertikal: 9.69



Serie 3:

9.1 ↙ 10.2 ↖ 9.6 ↘ 8.5 ↙ 10.1 ↓
 10.1 ↖ 9.8 ↓ 8.4 ↓ 9.3 ↓ 9.4 ↓

beste Teiler 629.8 (22.) 665.3 (25.) 673.5 (26.)
 Trefferlage 1.50 mm links, 8.98 mm tief
 Streuwert 7.03, horizontal: 5.38, vertikal: 8.36



Serie 4:



8.2 ↖ 9.1 ↘ 9.2 ↖ 10.1 ↖ 8.7 ↖
 10.1 ↓ 8.8 ↗ 9.4 ↖ 10.2 ↖ 9.8 ↑

beste Teiler 610.0 (39.) 645.0 (36.) 658.2 (34.)
 Trefferlage 4.46 mm links, 0.51 mm hoch
 Streuwert 9.64, horizontal: 11.31, vertikal: 7.61

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (370.7)
 Serien: 88 89 86 88
 Zähler: 8 18 11 3 0 0 0 0 0 0
 Innenzehner: 1
 weiteste: 2934 (36), 2920 (31), 2539 (27)
 beste Teiler 434.5 (32.) 663.1 (30.) 669.4 (13.)
 Trefferlage 1.43 mm rechts, 2.04 mm hoch
 Streuwert 10.38, horizontal: 9.99, vertikal: 10.76



Serie 1:

8.9 → 9.7 ← 9.5 ↗ 10.0 ↖ 8.7 ↗
 8.8 → 9.8 → 10.0 ↘ 9.6 ↓ 8.9 →


beste Teiler 727.6 (4.) 780.6 (8.) 902.7 (7.)
 Trefferlage 7.03 mm rechts, 1.15 mm tief
 Streuwert 8.14, horizontal: 8.91, vertikal: 7.30



Serie 2:

9.2 ↑ 8.9 ↖ 10.1 ↖ 8.4 ↗ 9.8 ↖
 10.1 ↓ 9.5 → 9.1 ↖ 8.8 ↑ 9.3 ↑


beste Teiler 669.4 (13.) 678.1 (16.) 901.4 (15.)
 Trefferlage 0.37 mm rechts, 8.35 mm hoch
 Streuwert 8.05, horizontal: 8.71, vertikal: 7.32



Serie 3:

9.3 ↘ 9.9 ← 9.7 ↑ 8.9 ↘ 9.3 ↖
 9.5 ↗ 7.8 ↖ 8.1 ← 8.8 ↘ 10.1 ↖

beste Teiler 663.1 (30.) 863.0 (22.) 999.8 (23.)
 Trefferlage 2.64 mm links, 0.57 mm hoch
 Streuwert 11.40, horizontal: 11.22, vertikal: 11.57



Serie 4:



7.3 ↖ 10.4 * 9.3 ↖ 10.1 ↖ 8.6 →
 7.3 ↓ 9.3 → 9.9 ↓ 10.1 ↗ 9.9 ↖

beste Teiler 434.5 (32.) 693.8 (39.) 706.6 (34.)
 Trefferlage 0.97 mm rechts, 0.42 mm hoch
 Streuwert 12.18, horizontal: 9.84, vertikal: 14.13


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **356** (377.1)
 Serien: 89 90 89 88
 Zähler: 11 19 6 3 1 0 0 0 0 0
 Innenzehner: 7
 weiteste: 3265 (38), 3069 (9), 2715 (28)
 beste Teiler 165.9 (8.) 243.5 (7.) 318.9 (15.)
 Trefferlage 1.47 mm links, 0.86 mm hoch
 Streuwert 10.22, horizontal: 9.16, vertikal: 11.18




Serie 1:
 8.1 ↙ 8.8 ↘ 9.5 ← 8.8 ↘ 9.9 ↓
 10.3 ↘ 10.6 * 10.7 * 7.1 ↓ 10.4 *
 beste Teiler 165.9 (8.) 243.5 (7.) 401.0 (10.)
 Trefferlage 5.20 mm links, 5.55 mm tief
 Streuwert 9.86, horizontal: 5.93, vertikal: 12.62



Serie 2:
 9.4 ↑ 9.3 ↗ 9.1 ↘ 9.9 ↓ 10.6 *
 10.5 * 9.8 ↘ 9.5 ↘ 7.6 ↘ 9.8 ↗
 beste Teiler 318.9 (15.) 379.7 (16.) 843.1 (14.)
 Trefferlage 1.95 mm links, 2.40 mm hoch
 Streuwert 9.31, horizontal: 8.86, vertikal: 9.73



Serie 3:
 9.7 ↓ 9.8 ← 10.1 ↗ 10.0 → 10.4 *
 8.4 ↑ 9.9 ↘ 7.6 ↘ 9.4 ↘ 8.5 ↗
 beste Teiler 460.1 (25.) 692.2 (23.) 758.0 (24.)
 Trefferlage 0.53 mm rechts, 4.03 mm hoch
 Streuwert 10.32, horizontal: 11.53, vertikal: 8.94





Serie 4:
 9.7 ← 9.4 ↑ 9.9 ↘ 8.9 → 9.8 ←
 9.3 → 10.2 ↗ 6.9 ↑ 10.4 * 9.1 ↓
 beste Teiler 424.4 (39.) 634.6 (37.) 859.4 (33.)
 Trefferlage 0.73 mm rechts, 2.58 mm hoch
 Streuwert 10.87, horizontal: 9.58, vertikal: 12.03


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (375.4)
 Serien: 87 90 90 92
 Zähler: 11 19 8 2 0 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3055 (22), 2465 (31), 2339 (19)
 beste Teiler 293.3 (36.) 329.8 (39.) 389.1 (33.)
 Trefferlage 0.72 mm rechts, 5.98 mm tief
 Streuwert 9.08, horizontal: 9.05, vertikal: 9.11




Serie 1:
 8.5 ↘ 9.6 ↓ 9.1 ↘ 9.1 ↖ 9.4 ↘
 8.7 ← 9.7 → 8.6 → 9.9 ↙ 9.0 ←
 beste Teiler 863.1 (9.) 979.2 (7.) 1044.7 (2.)
 Trefferlage 1.96 mm rechts, 4.08 mm tief
 Streuwert 10.53, horizontal: 12.87, vertikal: 7.48



Serie 2:
 10.2 ↘ 9.7 ↖ 9.7 ↘ 8.4 ↓ 10.1 ↙
 9.6 → 10.3 ↘ 9.2 ↓ 8.0 ↓ 8.8 ←
 beste Teiler 518.6 (17.) 630.4 (11.) 676.5 (15.)
 Trefferlage 0.47 mm links, 8.01 mm tief
 Streuwert 8.21, horizontal: 8.47, vertikal: 7.95



Serie 3:
 10.3 ↙ 7.1 ↓ 8.1 → 10.2 ↖ 10.1 ↖
 9.9 ↗ 9.0 ↓ 9.1 ↓ 9.7 ↓ 9.2 ↖
 beste Teiler 507.9 (21.) 594.7 (24.) 648.1 (25.)
 Trefferlage 1.36 mm rechts, 8.10 mm tief
 Streuwert 9.69, horizontal: 8.97, vertikal: 10.36





Serie 4:
 7.9 ↓ 9.1 ↖ 10.5 * 8.9 ↑ 10.4 *
 10.6 * 9.6 ↘ 10.3 ↖ 10.5 * 9.3 ↘
 beste Teiler 293.3 (36.) 329.8 (39.) 389.1 (33.)
 Trefferlage 0.03 mm rechts, 3.72 mm tief
 Streuwert 8.56, horizontal: 5.68, vertikal: 10.69


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **264** (278.6)
 Serien: 82 92 90
 Zähler: 7 15 5 1 2 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3395 (4), 3279 (9), 2492 (6)
 beste Teiler 185.5 (19.) 239.1 (28.) 293.2 (1.)
 Trefferlage 4.93 mm rechts, 1.26 mm hoch
 Streuwert 10.52, horizontal: 9.92, vertikal: 11.09



Serie 1:
 10.6 * 8.6 ↓ 9.3 ↗ 6.7 ↑ 9.1 ↗
 7.8 ↓ 9.7 ↑ 9.0 ↗ 6.9 ↗ 9.2 →
 beste Teiler 293.2 (1.) 1037.2 (7.) 1304.3 (3.)
 Trefferlage 9.75 mm rechts, 4.16 mm hoch
 Streuwert 12.94, horizontal: 9.39, vertikal: 15.71





Serie 2:
 8.4 ↙ 9.7 → 9.6 → 9.4 ↑ 10.5 *
 9.8 ↘ 9.2 ↑ 10.2 ← 10.7 * 9.5 ↓
 beste Teiler 185.5 (19.) 366.1 (15.) 585.9 (18.)
 Trefferlage 1.01 mm rechts, 1.59 mm tief
 Streuwert 8.14, horizontal: 7.46, vertikal: 8.77




Serie 3:
 9.6 ↓ 8.9 ↙ 9.2 ↘ 9.5 → 10.4 *
 8.0 → 9.4 ↗ 10.7 * 10.3 ↘ 8.7 →
 beste Teiler 239.1 (28.) 401.1 (25.) 547.1 (29.)
 Trefferlage 4.05 mm rechts, 1.23 mm hoch
 Streuwert 9.58, horizontal: 11.39, vertikal: 7.35

Unterschrift des Schützen


Ergebnis: **347** (367.4)
 Serien: 86 90 84 87
 Zähler: 10 16 7 6 0 1 0 0 0 0
 Innenzehner: 5
 weiteste: 4592 (32), 2882 (3), 2830 (28)
 beste Teiler 212.5 (26.) 266.3 (35.) 277.9 (12.)
 Trefferlage 1.28 mm rechts, 0.12 mm tief
 Streuwert 12.02, horizontal: 12.61, vertikal: 11.40




Serie 1:
 10.5 * 9.7 ↓ 7.3 ↘ 9.5 ↙ 9.7 ↘
 9.1 ↓ 9.0 ↙ 9.9 → 7.8 ↙ 8.2 ←
 beste Teiler 322.5 (1.) 835.7 (8.) 964.4 (5.)
 Trefferlage 7.49 mm links, 3.70 mm tief
 Streuwert 10.91, horizontal: 11.26, vertikal: 10.55



Serie 2:
 8.5 ↘ 10.6 * 7.9 ↗ 10.2 ↑ 10.0 ↓
 9.1 ↘ 9.4 ↓ 9.9 → 8.9 → 10.3 ←
 beste Teiler 277.9 (12.) 517.8 (20.) 612.6 (14.)
 Trefferlage 1.75 mm rechts, 3.77 mm hoch
 Streuwert 9.62, horizontal: 9.96, vertikal: 9.28



Serie 3:
 7.6 → 8.3 ↙ 9.8 ↓ 8.4 → 9.3 ↓
 10.7 * 9.6 → 7.4 ↓ 10.2 → 7.7 ↙
 beste Teiler 212.5 (26.) 589.4 (29.) 945.7 (23.)
 Trefferlage 3.12 mm rechts, 7.11 mm tief
 Streuwert 12.61, horizontal: 13.70, vertikal: 11.42





Serie 4:
 8.6 → 5.2 ↗ 9.9 → 9.8 ↑ 10.6 *
 9.9 → 10.0 ↑ 10.5 * 9.7 ↙ 8.7 ↗
 beste Teiler 266.3 (35.) 348.9 (38.) 770.4 (37.)
 Trefferlage 7.74 mm rechts, 6.55 mm hoch
 Streuwert 10.97, horizontal: 11.82, vertikal: 10.04


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **337** (353.1)
 Serien: 84 83 88 82
 Zähler: 4 21 8 3 3 1 0 0 0 0
 Innenzehner: 1
 weiteste: 4234 (1), 3378 (32), 3221 (38)
 beste Teiler 456.0 (35.) 718.1 (6.) 752.3 (3.)
 Trefferlage 2.02 mm links, 0.40 mm tief
 Streuwert 13.55, horizontal: 13.86, vertikal: 13.22




Serie 1:
 5.7 ↑ 9.4 ↙ 10.0 ↘ 9.5 ↓ 7.6 ↗
 10.1 → 9.3 ↙ 8.0 ↘ 8.4 ↙ 9.8 ←
 beste Teiler 718.1 (6.) 752.3 (3.) 929.2 (10.)
 Trefferlage 3.58 mm links, 2.61 mm hoch
 Streuwert 14.83, horizontal: 11.49, vertikal: 17.54



Serie 2:
 9.0 ↗ 6.9 ← 8.8 ← 8.5 → 9.1 ↗
 7.3 ↑ 9.3 → 9.4 ↙ 9.6 ↓ 9.1 ↘
 beste Teiler 1107.0 (19.) 1243.5 (18.) 1300.3 (17.)
 Trefferlage 0.57 mm links, 3.03 mm hoch
 Streuwert 14.20, horizontal: 15.57, vertikal: 12.68



Serie 3:
 9.3 ↘ 9.1 ↘ 9.1 ← 9.1 ↓ 7.3 ←
 9.7 ↓ 10.0 ↑ 9.7 ↘ 8.1 ↙ 9.9 ↘
 beste Teiler 772.4 (27.) 829.2 (30.) 986.7 (28.)
 Trefferlage 1.19 mm links, 6.57 mm tief
 Streuwert 10.73, horizontal: 12.84, vertikal: 8.09



Serie 4:
 9.5 ↘ 6.7 ← 8.0 ↙ 9.5 ↘ 10.4 *
 8.5 ↘ 9.9 → 6.9 ↗ 8.6 ← 9.0 ↘
 beste Teiler 456.0 (35.) 814.7 (37.) 1130.3 (34.)
 Trefferlage 2.73 mm links, 0.70 mm tief
 Streuwert 14.91, horizontal: 16.93, vertikal: 12.57

Unterschrift des Schützen

Meyton Elektronik