




Ergebnis: **381** (396.5)  
 Serien: 94 95 95 97  
 Zähler: 23 15 2 0 0 0 0 0 0 0  
 Innenzehner: 8  
 weiteste: 2022 (2), 1899 (15), 1490 (23)  
 beste Teiler 280.3 (11.) 285.6 (29.) 324.2 (36.)  
 Trefferlage 1.77 mm links, 2.15 mm hoch  
 Streuwert 6.39, horizontal: 6.92, vertikal: 5.81



Serie 1:

10.2 ↗ 8.4 ← 10.3 ← 9.4 ↘ 10.3 ↖  
 10.1 ↖ 9.7 ← 9.2 ↗ 9.8 ↘ 10.0 ↗


beste Teiler 488.0 (3.) 555.1 (5.) 624.5 (1.)  
 Trefferlage 5.79 mm links, 0.30 mm tief  
 Streuwert 6.74, horizontal: 7.86, vertikal: 5.39



Serie 2:

10.6 \* 9.8 ↓ 9.9 ↑ 10.2 → 8.6 ↗  
 10.3 ↗ 10.1 → 10.5 \* 9.9 ↑ 10.0 ←


beste Teiler 280.3 (11.) 380.1 (18.) 558.3 (16.)  
 Trefferlage 2.76 mm rechts, 2.86 mm hoch  
 Streuwert 5.86, horizontal: 4.31, vertikal: 7.08



Serie 3:

10.1 ↗ 10.0 ← 9.1 ↖ 10.1 ↗ 10.5 \*  
 9.2 ↗ 9.9 ↑ 9.2 ↘ 10.6 \* 9.9 ↑

beste Teiler 285.6 (29.) 373.0 (25.) 662.9 (24.)  
 Trefferlage 0.26 mm links, 3.89 mm hoch  
 Streuwert 6.60, horizontal: 7.46, vertikal: 5.62



Serie 4:



10.0 ↑ 10.4 \* 10.5 \* 10.1 ↖ 10.5 \*  
 10.5 \* 9.8 ← 9.2 ↘ 9.6 ← 10.0 ↖

beste Teiler 324.2 (36.) 339.5 (35.) 372.4 (33.)  
 Trefferlage 3.78 mm links, 2.16 mm hoch  
 Streuwert 4.93, horizontal: 4.88, vertikal: 4.97

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (391.0)  
 Serien: 94 91 93 94  
 Zähler: 17 18 5 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2366 (23), 2040 (16), 1796 (34)  
 beste Teiler 96.6 (24.) 320.2 (9.) 337.4 (7.)  
 Trefferlage 3.15 mm links, 1.31 mm hoch  
 Streuwert 7.29, horizontal: 7.77, vertikal: 6.77



Serie 1:

9.4 ↑ 10.3 → 9.3 ↘ 9.7 ← 10.4 \*  
 9.8 → 10.5 \* 9.9 ↙ 10.6 \* 9.9 ↑


beste Teiler 320.2 (9.) 337.4 (7.) 404.1 (5.)  
 Trefferlage 0.97 mm links, 2.67 mm hoch  
 Streuwert 6.00, horizontal: 6.38, vertikal: 5.60



Serie 2:

9.0 ↙ 10.5 \* 10.1 ↘ 9.9 → 9.5 ↘  
 8.4 ↑ 9.2 ← 9.4 ← 8.9 ← 10.5 \*


beste Teiler 367.3 (12.) 385.4 (20.) 692.2 (13.)  
 Trefferlage 6.39 mm links, 1.71 mm hoch  
 Streuwert 7.90, horizontal: 7.14, vertikal: 8.59



Serie 3:

10.3 ↗ 10.3 ↗ 8.0 ↘ 10.8 \* 9.2 →  
 10.4 \* 9.7 ↙ 8.9 ↙ 9.7 ↑ 10.0 ←

beste Teiler 96.6 (24.) 428.7 (26.) 504.0 (22.)  
 Trefferlage 2.12 mm links, 0.75 mm hoch  
 Streuwert 8.53, horizontal: 9.47, vertikal: 7.47



Serie 4:



10.4 \* 9.9 ↘ 9.2 ← 8.7 ↙ 10.0 ↗  
 9.7 ← 10.5 \* 9.6 ↘ 10.3 ↘ 10.2 →

beste Teiler 387.8 (37.) 420.0 (31.) 482.9 (39.)  
 Trefferlage 3.12 mm links, 0.10 mm hoch  
 Streuwert 6.92, horizontal: 7.90, vertikal: 5.77


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **370** (385.6)  
 Serien: 92 94 94 90  
 Zähler: 15 21 3 1 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2401 (34), 1944 (38), 1785 (40)  
 beste Teiler 313.0 (18.) 318.4 (19.) 337.5 (27.)  
 Trefferlage 2.45 mm links, 1.15 mm tief  
 Streuwert 8.01, horizontal: 8.35, vertikal: 7.66




Serie 1:  
 9.7 ← 9.4 ↘ 9.7 ↘ 9.3 ↗ 10.2 ↗  
 10.3 ← 9.6 ↘ 8.9 ↗ 10.2 ↗ 9.8 ↘  
 beste Teiler 511.1 (6.) 587.8 (5.) 606.4 (9.)  
 Trefferlage 5.21 mm links, 0.54 mm tief  
 Streuwert 6.81, horizontal: 7.15, vertikal: 6.45



Serie 2:  
 9.2 ← 9.3 ↓ 10.3 ↗ 9.3 ↘ 9.2 ←  
 9.2 ↘ 9.4 ↗ 10.6 \* 10.6 \* 10.0 ↓  
 beste Teiler 313.0 (18.) 318.4 (19.) 545.2 (13.)  
 Trefferlage 6.08 mm links, 0.94 mm tief  
 Streuwert 6.75, horizontal: 6.35, vertikal: 7.11



Serie 3:  
 9.5 ↘ 9.0 ↘ 10.2 ↘ 9.8 ↓ 10.0 ↓  
 10.0 ↗ 10.5 \* 9.7 ↓ 9.1 ↘ 9.3 ↘  
 beste Teiler 337.5 (27.) 621.7 (23.) 776.4 (26.)  
 Trefferlage 0.95 mm links, 1.35 mm tief  
 Streuwert 7.88, horizontal: 7.87, vertikal: 7.89





Serie 4:  
 10.0 ↗ 9.2 → 10.2 ↗ 7.9 ↗ 9.4 ↗  
 9.9 ↗ 10.5 \* 8.5 ↓ 10.0 ↘ 8.7 ↘  
 beste Teiler 361.4 (37.) 579.6 (33.) 748.6 (31.)  
 Trefferlage 2.43 mm rechts, 1.75 mm tief  
 Streuwert 9.89, horizontal: 9.83, vertikal: 9.94

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **372** (389.5)  
 Serien: 88 94 97 93  
 Zähler: 18 16 6 0 0 0 0 0 0 0  
 Innenzehner: 9  
 weiteste: 2015 (4), 1934 (3), 1790 (15)  
 beste Teiler 171.5 (22.) 272.2 (30.) 282.6 (7.)  
 Trefferlage 2.13 mm rechts, 1.69 mm tief  
 Streuwert 7.62, horizontal: 8.42, vertikal: 6.73



Serie 1:

9.2 ↘ 9.4 ↘ 8.5 ↗ 8.4 ↘ 8.9 ↘  
 9.4 ↘ 10.6 \* 9.6 ↘ 8.9 ↗ 10.4 \*


beste Teiler 282.6 (7.) 419.1 (10.) 1070.0 (8.)  
 Trefferlage 6.99 mm rechts, 3.11 mm tief  
 Streuwert 8.76, horizontal: 6.68, vertikal: 10.44



Serie 2:

9.5 ↘ 10.0 ↗ 10.3 ↗ 10.3 ↑ 8.7 ↗  
 9.2 ↗ 10.4 \* 9.2 ↗ 10.6 \* 9.4 ↘


beste Teiler 284.4 (19.) 426.2 (17.) 532.1 (13.)  
 Trefferlage 1.92 mm links, 1.79 mm tief  
 Streuwert 7.74, horizontal: 9.17, vertikal: 5.97



Serie 3:

9.7 ↗ 10.7 \* 10.0 ↗ 9.5 ↘ 10.5 \*  
 10.4 \* 9.8 ↗ 10.6 \* 10.0 ↘ 10.6 \*

beste Teiler 171.5 (22.) 272.2 (30.) 319.9 (28.)  
 Trefferlage 0.79 mm rechts, 0.34 mm tief  
 Streuwert 5.11, horizontal: 6.13, vertikal: 3.82



Serie 4:



9.8 ↗ 9.0 ↗ 10.1 ↗ 8.7 ↘ 10.3 ↗  
 9.0 ↗ 10.3 ↘ 9.7 ↗ 10.3 ↘ 9.6 ↘

beste Teiler 495.9 (37.) 524.9 (35.) 535.1 (39.)  
 Trefferlage 2.68 mm rechts, 1.51 mm tief  
 Streuwert 7.96, horizontal: 9.68, vertikal: 5.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **376** (391.8)  
 Serien: 95 98 91 92  
 Zähler: 25 9 3 3 0 0 0 0 0 0  
 Innenzehner: 13  
 weiteste: 3199 (25), 2905 (30), 2556 (34)  
 beste Teiler 236.9 (33.) 279.6 (28.) 280.5 (36.)  
 Trefferlage 0.97 mm rechts, 2.92 mm tief  
 Streuwert 8.07, horizontal: 7.88, vertikal: 8.26




Serie 1:  
 9.4 ← 8.7 ↓ 10.3 ↑ 10.0 ← 9.6 →  
 10.0 ↓ 10.5 \* 10.2 ← 10.5 \* 9.2 ↙  
 beste Teiler 326.9 (7.) 341.7 (9.) 501.5 (3.)  
 Trefferlage 1.46 mm links, 3.66 mm tief  
 Streuwert 6.81, horizontal: 7.20, vertikal: 6.39



Serie 2:  
 9.3 ↙ 10.5 \* 10.0 ↑ 10.2 ↗ 10.5 \*  
 10.0 ↓ 10.5 \* 9.5 ↘ 10.0 ← 10.1 ↘  
 beste Teiler 340.3 (15.) 346.0 (17.) 386.2 (12.)  
 Trefferlage 0.73 mm links, 0.98 mm tief  
 Streuwert 5.65, horizontal: 5.66, vertikal: 5.63



Serie 3:  
 9.7 ↘ 10.6 \* 10.4 \* 10.6 \* 7.0 →  
 10.6 \* 9.9 ↑ 10.6 \* 9.0 ↓ 7.3 ↓  
 beste Teiler 279.6 (28.) 281.3 (22.) 309.0 (26.)  
 Trefferlage 3.50 mm rechts, 2.79 mm tief  
 Streuwert 10.89, horizontal: 9.59, vertikal: 12.05





Serie 4:  
 8.9 ↙ 10.1 → 10.7 \* 7.8 ↓ 8.6 →  
 10.6 \* 9.6 ↙ 10.0 → 10.6 \* 10.2 ↘  
 beste Teiler 236.9 (33.) 280.5 (36.) 297.4 (39.)  
 Trefferlage 2.60 mm rechts, 4.27 mm tief  
 Streuwert 8.50, horizontal: 8.57, vertikal: 8.42


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **365** (383.8)  
 Serien: 92 90 91 92  
 Zähler: 13 21 4 2 0 0 0 0 0 0  
 Innenzehner: 4  
 weiteste: 2710 (17), 2533 (4), 2081 (25)  
 beste Teiler 249.3 (30.) 289.1 (27.) 425.0 (9.)  
 Trefferlage 0.63 mm rechts, 2.12 mm tief  
 Streuwert 8.59, horizontal: 7.66, vertikal: 9.43




Serie 1:  
 10.3 ↓ 9.7 ↗ 9.3 ↓ 7.8 ↙ 9.8 ↗  
 9.8 ↗ 9.2 → 10.2 ↑ 10.4 \* 10.2 ←  
 beste Teiler 425.0 (9.) 500.7 (1.) 582.4 (10.)  
 Trefferlage 0.92 mm rechts, 1.16 mm tief  
 Streuwert 8.74, horizontal: 9.78, vertikal: 7.56



Serie 2:  
 9.9 ↖ 9.2 ↓ 9.7 ← 10.3 → 9.5 ↗  
 8.8 ↙ 7.6 ↑ 10.3 ↓ 10.4 \* 9.7 ↘  
 beste Teiler 426.6 (19.) 484.7 (14.) 536.0 (18.)  
 Trefferlage 0.36 mm links, 0.45 mm tief  
 Streuwert 9.77, horizontal: 7.79, vertikal: 11.42



Serie 3:  
 9.6 ↓ 9.1 ↘ 9.3 ↓ 9.8 ↗ 8.3 ↑  
 9.6 ↑ 10.6 \* 8.5 ↓ 10.3 ↗ 10.6 \*  
 beste Teiler 249.3 (30.) 289.1 (27.) 485.3 (29.)  
 Trefferlage 2.97 mm rechts, 1.37 mm tief  
 Streuwert 9.00, horizontal: 3.92, vertikal: 12.11





Serie 4:  
 9.0 ↓ 10.0 ↘ 10.1 ↑ 10.1 ↓ 8.8 ↙  
 9.2 ← 9.6 ↘ 9.8 ↘ 9.9 ↘ 9.5 ←  
 beste Teiler 652.8 (34.) 686.5 (33.) 739.7 (32.)  
 Trefferlage 0.99 mm links, 5.49 mm tief  
 Streuwert 7.26, horizontal: 8.49, vertikal: 5.78

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (373.1)  
 Serien: 87 87 90 91  
 Zähler: 11 14 14 1 0 0 0 0 0 0  
 Innenzehner: 3  
 weiteste: 2674 (2), 2223 (24), 2140 (32)  
 beste Teiler 205.6 (35.) 254.5 (39.) 383.2 (22.)  
 Trefferlage 5.43 mm links, 2.04 mm hoch  
 Streuwert 9.41, horizontal: 8.26, vertikal: 10.43



Serie 1:

8.8 ↖ 7.6 ↓ 9.9 ↖ 8.3 ↖ 10.1 ↗  
 8.9 ↑ 9.2 ↑ 10.3 ← 10.1 ↗ 8.7 ↓


beste Teiler 518.0 (8.) 669.1 (5.) 700.7 (9.)  
 Trefferlage 4.74 mm links, 0.09 mm tief  
 Streuwert 11.14, horizontal: 8.47, vertikal: 13.28



Serie 2:

9.7 ↖ 9.3 ← 8.7 ← 9.0 ← 9.3 ←  
 8.5 ↓ 10.3 ↗ 8.6 ↖ 8.8 ↖ 9.5 ↗


beste Teiler 529.8 (17.) 971.4 (11.) 1181.7 (20.)  
 Trefferlage 8.56 mm links, 1.42 mm hoch  
 Streuwert 9.05, horizontal: 9.69, vertikal: 8.36



Serie 3:

9.7 → 10.5 \* 9.6 ↓ 8.2 ↑ 10.0 →  
 8.8 ← 10.2 ← 10.0 ↖ 8.7 ↑ 8.5 ↑

beste Teiler 383.2 (22.) 585.5 (27.) 724.1 (25.)  
 Trefferlage 1.19 mm links, 4.82 mm hoch  
 Streuwert 9.53, horizontal: 7.91, vertikal: 10.91



Serie 4:



8.6 ↖ 8.3 ↑ 9.2 ↖ 9.5 ↖ 10.7 \*  
 9.1 ↖ 9.9 ↖ 9.2 ↖ 10.6 \* 10.2 ↖

beste Teiler 205.6 (35.) 254.5 (39.) 582.1 (40.)  
 Trefferlage 7.25 mm links, 2.04 mm hoch  
 Streuwert 7.88, horizontal: 5.68, vertikal: 9.58

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **363** (379.2)  
 Serien: 92 92 85 94  
 Zähler: 15 15 8 2 0 0 0 0 0 0  
 Innenzehner: 7  
 weiteste: 2927 (16), 2787 (22), 2209 (10)  
 beste Teiler 183.3 (2.) 290.2 (35.) 377.8 (11.)  
 Trefferlage 4.37 mm rechts, 0.26 mm tief  
 Streuwert 9.24, horizontal: 9.41, vertikal: 9.06



Serie 1:

10.3 ↘ 10.7 \* 10.5 \* 9.4 ↗ 9.5 ↘  
 9.8 ↘ 10.1 → 8.5 ↙ 9.4 ↗ 8.2 ↗


beste Teiler 183.3 (2.) 385.0 (3.) 510.7 (1.)  
 Trefferlage 1.45 mm rechts, 3.14 mm hoch  
 Streuwert 8.78, horizontal: 9.17, vertikal: 8.37



Serie 2:

10.5 \* 9.3 ↑ 9.9 ↗ 10.2 ↘ 10.4 \*  
 7.3 ↗ 10.1 ← 8.4 → 10.0 ↘ 9.0 →


beste Teiler 377.8 (11.) 414.6 (15.) 580.6 (14.)  
 Trefferlage 6.99 mm rechts, 3.02 mm hoch  
 Streuwert 8.59, horizontal: 8.09, vertikal: 9.07



Serie 3:

9.8 ↗ 7.5 → 8.8 ↙ 10.4 \* 8.8 ↗  
 9.8 ↘ 9.3 ↓ 9.0 ↙ 8.6 ↓ 8.4 ↗

beste Teiler 449.6 (24.) 889.9 (21.) 945.8 (26.)  
 Trefferlage 4.86 mm rechts, 3.99 mm tief  
 Streuwert 11.47, horizontal: 13.10, vertikal: 9.56



Serie 4:

9.5 ↑ 9.6 ↓ 9.0 ↓ 10.1 → 10.6 \*  
 10.2 ↘ 10.0 → 9.6 ↓ 8.3 → 10.4 \*

beste Teiler 290.2 (35.) 413.4 (40.) 605.2 (36.)  
 Trefferlage 4.19 mm rechts, 3.23 mm tief  
 Streuwert 7.31, horizontal: 6.72, vertikal: 7.86

Unterschrift des Schützen

Meyton Elektronik