





Ergebnis: **381** (398.9)
 Serien: 96 97 92 96
 Zähler: 23 16 0 1 0 0 0 0 0 0
 Innenzehner: 16
 weiteste: 765 (23), 448 (10), 438 (3)
 beste Teiler 64.1 (14.) 67.3 (28.) 85.2 (39.)
 Trefferlage 0.77 mm links, 0.96 mm hoch
 Streuwert 1.79, horizontal: 1.98, vertikal: 1.57




Serie 1:
 9.6 ↖ 10.3 * 9.2 ↗ 10.0 ↑ 10.0 ↑
 9.3 ↖ 10.6 * 10.0 ↑ 10.3 * 9.2 ↖
 beste Teiler 99.3 (7.) 157.7 (9.) 166.0 (2.)
 Trefferlage 0.97 mm links, 2.11 mm hoch
 Streuwert 1.42, horizontal: 1.69, vertikal: 1.08



Serie 2:
 10.4 * 10.5 * 9.8 ↗ 10.7 * 10.0 ↑
 10.5 * 9.7 ↖ 9.8 ↑ 10.0 ↖ 10.6 *
 beste Teiler 64.1 (14.) 92.3 (20.) 105.0 (16.)
 Trefferlage 0.10 mm links, 0.41 mm hoch
 Streuwert 1.49, horizontal: 1.58, vertikal: 1.39



Serie 3:
 10.3 * 9.6 ↖ 7.9 ↖ 9.9 ↑ 9.9 ↖
 9.8 ↖ 10.4 * 10.7 * 10.2 * 9.9 ↓
 beste Teiler 67.3 (28.) 147.1 (27.) 163.1 (21.)
 Trefferlage 1.99 mm links, 0.40 mm hoch
 Streuwert 1.92, horizontal: 2.11, vertikal: 1.70





Serie 4:
 9.6 ↖ 9.3 ↗ 10.2 * 10.1 ↖ 9.7 →
 10.0 ↖ 10.4 * 9.6 ↖ 10.6 * 10.3 *
 beste Teiler 85.2 (39.) 147.8 (37.) 163.9 (40.)
 Trefferlage 0.03 mm links, 0.92 mm hoch
 Streuwert 1.86, horizontal: 2.09, vertikal: 1.59


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **375** (393.8)
 Serien: 96 91 94 94
 Zähler: 18 19 3 0 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 698 (31), 529 (15), 509 (22)
 beste Teiler 61.2 (8.) 74.9 (40.) 86.7 (26.)
 Trefferlage 0.18 mm rechts, 0.49 mm hoch
 Streuwert 2.20, horizontal: 2.39, vertikal: 1.98




Serie 1:
 10.3 * 10.0 ↘ 10.4 * 9.7 ↘ 9.5 ↘
 9.7 ↘ 10.1 ↓ 10.7 * 9.8 ↑ 10.4 *
 beste Teiler 61.2 (8.) 128.1 (3.) 132.5 (10.)
 Trefferlage 0.46 mm rechts, 0.02 mm tief
 Streuwert 1.76, horizontal: 1.93, vertikal: 1.56



Serie 2:
 9.7 ↑ 9.0 ↖ 9.9 ↘ 9.3 ↘ 8.8 ↗
 9.9 ↑ 10.3 * 9.1 ↗ 10.4 * 9.6 →
 beste Teiler 126.1 (19.) 163.6 (17.) 264.8 (16.)
 Trefferlage 0.32 mm rechts, 1.59 mm hoch
 Streuwert 2.39, horizontal: 2.54, vertikal: 2.23





Serie 3:
 9.5 ↑ 8.9 ↗ 9.2 ↘ 9.8 ↓ 10.4 *
 10.6 * 10.2 * 10.5 * 9.8 ↘ 10.6 *
 beste Teiler 86.7 (26.) 94.2 (30.) 109.4 (28.)
 Trefferlage 0.14 mm rechts, 0.39 mm hoch
 Streuwert 2.13, horizontal: 1.77, vertikal: 2.44



Serie 4:
 8.2 → 9.4 → 9.9 ↙ 10.0 ↖ 9.6 ↙
 10.2 * 10.1 ↑ 9.3 ← 10.3 * 10.7 *
 beste Teiler 74.9 (40.) 174.1 (39.) 178.6 (36.)
 Trefferlage 0.18 mm links, 0.00 mm
 Streuwert 2.54, horizontal: 3.34, vertikal: 1.33


Unterschrift des Schützen

Ergebnis: 372 (387.5)
Serien: 93 90 97 92
Zähler: 16 20 4 0 0 0 0 0 0 0
Innenzehner: 12
weiteste: 584 (12), 559 (31), 534 (15)
beste Teiler 90.2 (4.) 100.8 (36.) 105.1 (21.)
Trefferlage 0.16 mm links, 0.97 mm hoch
Streuwert 2.37, horizontal: 2.69, vertikal: 2.01


Serie 1:


10.0 ↘ 9.6 ↗ 9.0 ↗ 10.6 * 9.7 ↗
 9.4 → 10.0 → 9.4 ↙ 9.1 ↓ 9.1 ↗

beste Teiler 90.2 (4.) 228.4 (1.) 232.6 (7.)
Trefferlage 0.87 mm rechts, 0.91 mm hoch
Streuwert 2.51, horizontal: 2.38, vertikal: 2.64


Serie 2:


9.7 → 8.6 ↘ 10.4 * 9.2 ← 8.8 ↘
 10.2 * 9.6 ← 9.2 ↘ 9.7 → 9.7 ↑

beste Teiler 128.0 (13.) 185.4 (16.) 312.0 (20.)
Trefferlage 0.92 mm links, 1.68 mm hoch
Streuwert 2.50, horizontal: 2.96, vertikal: 1.93


Serie 3:

10.5 * 9.2 → 10.2 * 10.3 * 9.5 ←
 10.3 * 10.3 * 10.1 ↘ 10.3 * 9.5 ↘

beste Teiler 105.1 (21.) 151.8 (26.) 155.8 (27.)
Trefferlage 0.22 mm links, 0.23 mm hoch
Streuwert 1.90, horizontal: 2.28, vertikal: 1.42


Serie 4:



8.7 ← 9.1 ↘ 10.3 * 10.2 * 9.9 ↑
 10.6 * 8.8 ↗ 9.3 → 9.3 ↑ 10.1 ←

beste Teiler 100.8 (36.) 165.0 (33.) 179.0 (34.)
Trefferlage 0.39 mm links, 1.08 mm hoch
Streuwert 2.59, horizontal: 3.13, vertikal: 1.90


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **359** (380.3)
 Serien: 93 89 88 89
 Zähler: 14 14 9 3 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 895 (13), 833 (29), 765 (28)
 beste Teiler 75.0 (40.) 81.4 (32.) 95.2 (26.)
 Trefferlage 0.40 mm rechts, 0.31 mm hoch
 Streuwert 2.95, horizontal: 3.36, vertikal: 2.48




Serie 1:
 8.9 ↙ 10.5 * 10.0 ↗ 9.0 → 9.9 ↗
 10.4 * 9.9 ↘ 10.1 ↙ 8.8 ↘ 10.2 *
 beste Teiler 115.2 (2.) 138.8 (6.) 187.0 (10.)
 Trefferlage 0.28 mm rechts, 0.28 mm tief
 Streuwert 2.43, horizontal: 2.66, vertikal: 2.16



Serie 2:
 10.3 * 9.6 → 7.4 ↘ 9.1 ↗ 8.7 ↗
 9.5 ↘ 9.9 ↘ 9.9 ↙ 9.9 ↘ 10.3 *
 beste Teiler 154.1 (20.) 165.4 (11.) 251.7 (17.)
 Trefferlage 1.22 mm rechts, 1.18 mm hoch
 Streuwert 2.94, horizontal: 3.40, vertikal: 2.39



Serie 3:
 10.3 * 9.5 ↘ 9.8 ↘ 10.2 * 9.2 ↘
 10.6 * 9.3 ↘ 7.9 ↘ 7.6 ↘ 8.9 ↘
 beste Teiler 95.2 (26.) 171.8 (21.) 199.2 (24.)
 Trefferlage 1.55 mm links, 1.14 mm hoch
 Streuwert 3.17, horizontal: 3.54, vertikal: 2.77





Serie 4:
 10.2 * 10.6 * 8.7 ↘ 8.9 → 9.2 ↘
 8.7 → 8.4 ↙ 8.9 → 10.4 * 10.7 *
 beste Teiler 75.0 (40.) 81.4 (32.) 127.6 (39.)
 Trefferlage 1.66 mm rechts, 0.78 mm tief
 Streuwert 2.85, horizontal: 3.32, vertikal: 2.28


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 385 (403.0)
Serien: 97 95 99 94
Zähler: 27 11 2 0 0 0 0 0 0 0
Innenzehner: 25
weiteste: 542 (14), 505 (36), 427 (16)
beste Teiler 20.8 (24.) 71.3 (26.) 77.7 (20.)
Trefferlage 0.55 mm links, 0.49 mm tief
Streuwert 1.68, horizontal: 1.99, vertikal: 1.31




Serie 1:
 10.2 * 10.2 * 9.9 ↘ 10.3 * 9.6 ↙
 10.6 * 10.2 * 10.2 * 10.4 * 9.9 ←
beste Teiler 89.8 (6.) 127.8 (9.) 167.7 (4.)
Trefferlage 0.38 mm links, 0.62 mm tief
Streuwert 1.52, horizontal: 1.66, vertikal: 1.37



Serie 2:
 10.1 ↑ 9.9 ↘ 10.2 * 8.8 ← 9.5 →
 9.2 ← 10.2 * 10.2 * 10.4 * 10.6 *
beste Teiler 77.7 (20.) 129.6 (19.) 186.5 (13.)
Trefferlage 0.02 mm links, 0.65 mm tief
Streuwert 2.12, horizontal: 2.80, vertikal: 1.08





Serie 3:
 10.5 * 10.3 * 10.2 * 10.9 * 10.3 *
 10.7 * 10.3 * 9.6 ↙ 10.3 * 10.4 *
beste Teiler 20.8 (24.) 71.3 (26.) 115.2 (21.)
Trefferlage 0.35 mm links, 0.23 mm tief
Streuwert 1.23, horizontal: 1.22, vertikal: 1.24




Serie 4:
 10.2 * 9.4 ↙ 10.2 * 10.4 * 10.1 ←
 8.9 ← 9.7 ↑ 9.9 ↙ 9.7 ↙ 10.4 *
beste Teiler 133.3 (34.) 143.0 (40.) 186.5 (31.)
Trefferlage 1.45 mm links, 0.47 mm tief
Streuwert 1.80, horizontal: 1.92, vertikal: 1.68

Unterschrift des Schützen


Ergebnis: 355 (376.0)
Serien: 90 87 88 90
Zähler: 11 17 9 2 1 0 0 0 0 0
Innenzehner: 10
weiteste: 1012 (4), 815 (32), 764 (30)
beste Teiler 2.0 (2.) 129.8 (23.) 135.6 (38.)
Trefferlage 0.25 mm links, 0.53 mm tief
Streuwert 3.17, horizontal: 3.47, vertikal: 2.83




Serie 1:
 10.3 * 10.9 * 9.8 ↓ 6.9 ← 9.2 ↘
 9.5 ↗ 9.3 ↖ 10.4 * 9.5 ↗ 9.2 →
beste Teiler 2.0 (2.) 150.2 (8.) 169.1 (1.)
Trefferlage 0.56 mm links, 1.05 mm tief
Streuwert 3.23, horizontal: 4.14, vertikal: 1.93



Serie 2:
 9.4 ← 8.9 → 9.9 ↑ 8.6 ↑ 9.5 ↑
 9.5 → 10.2 * 9.6 → 8.4 ↓ 8.7 ↓
beste Teiler 192.6 (17.) 261.7 (13.) 349.2 (18.)
Trefferlage 1.09 mm rechts, 0.20 mm hoch
Streuwert 3.24, horizontal: 2.73, vertikal: 3.69





Serie 3:
 10.4 * 9.9 ↘ 10.4 * 9.0 ↙ 9.7 ←
 9.7 ↓ 8.7 ↓ 9.1 ↑ 8.7 → 7.9 ←
beste Teiler 129.8 (23.) 137.3 (21.) 275.5 (22.)
Trefferlage 0.00 mm, 0.95 mm tief
Streuwert 3.23, horizontal: 3.50, vertikal: 2.94



Serie 4:
 9.9 ↙ 7.7 ↖ 10.1 ↗ 8.4 ← 10.4 *
 10.2 * 8.5 ↓ 10.4 * 8.9 ↖ 10.3 *
beste Teiler 135.6 (38.) 139.6 (35.) 162.3 (40.)
Trefferlage 1.54 mm links, 0.32 mm tief
Streuwert 3.07, horizontal: 3.35, vertikal: 2.76

Unterschrift des Schützen


Ergebnis: **367** (386.7)
 Serien: 91 93 90 93
 Zähler: 12 23 5 0 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 712 (35), 597 (22), 541 (10)
 beste Teiler 44.9 (31.) 46.3 (18.) 92.9 (28.)
 Trefferlage 0.29 mm rechts, 0.18 mm hoch
 Streuwert 2.52, horizontal: 3.05, vertikal: 1.85



Serie 1:

10.0 → 9.8 ↑ 10.1 ↘ 9.2 → 9.1 →
 9.9 ↗ 9.8 ↙ 9.8 ← 9.9 ← 8.8 ↘


beste Teiler 213.0 (3.) 233.0 (1.) 263.7 (6.)
 Trefferlage 0.32 mm rechts, 0.63 mm hoch
 Streuwert 2.51, horizontal: 3.11, vertikal: 1.73



Serie 2:

9.1 ↘ 10.0 ← 9.9 ↘ 9.4 ↗ 10.0 ↘
 8.8 → 9.6 → 10.8 * 10.5 * 9.7 →


beste Teiler 46.3 (18.) 122.2 (19.) 241.9 (15.)
 Trefferlage 0.81 mm rechts, 0.45 mm hoch
 Streuwert 2.33, horizontal: 2.88, vertikal: 1.61



Serie 3:

9.6 ↑ 8.6 → 9.5 ↘ 9.8 → 9.6 ↓
 10.0 ← 9.8 ← 10.6 * 8.8 ← 9.5 ↘

beste Teiler 92.9 (28.) 249.8 (26.) 279.0 (24.)
 Trefferlage 0.49 mm rechts, 0.60 mm tief
 Streuwert 2.70, horizontal: 3.36, vertikal: 1.83



Serie 4:



10.8 * 10.3 * 9.6 ← 9.8 ↘ 8.1 ↘
 9.4 ↘ 10.1 ↘ 10.3 * 9.1 ↘ 9.2 ←

beste Teiler 44.9 (31.) 159.5 (38.) 166.9 (32.)
 Trefferlage 0.44 mm links, 0.23 mm hoch
 Streuwert 2.74, horizontal: 3.18, vertikal: 2.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **360** (375.7)
 Serien: 90 87 88 95
 Zähler: 14 17 5 3 1 0 0 0 0 0
 Innenzehner: 11
 weiteste: 1050 (23), 852 (13), 824 (12)
 beste Teiler 63.3 (36.) 106.5 (28.) 108.4 (38.)
 Trefferlage 0.76 mm rechts, 0.71 mm hoch
 Streuwert 3.17, horizontal: 3.81, vertikal: 2.37




Serie 1:
 10.3 * 9.0 ← 8.5 → 8.1 ↖ 9.6 ↗
 7.7 ↑ 9.1 ↗ 10.2 * 10.1 ↖ 10.2 *
 beste Teiler 153.0 (1.) 182.4 (10.) 197.3 (8.)
 Trefferlage 0.63 mm links, 1.56 mm hoch
 Streuwert 3.29, horizontal: 3.78, vertikal: 2.70



Serie 2:
 10.3 * 7.7 → 7.5 → 9.9 ↓ 10.3 *
 9.3 ↖ 9.1 → 9.2 ↗ 9.9 ↖ 8.7 →
 beste Teiler 166.2 (15.) 173.6 (11.) 256.0 (19.)
 Trefferlage 2.21 mm rechts, 0.70 mm hoch
 Streuwert 3.27, horizontal: 4.14, vertikal: 2.06



Serie 3:
 9.7 ← 9.4 → 6.8 → 10.2 * 8.0 ↑
 9.1 → 9.7 ↓ 10.5 * 9.7 ↑ 9.5 ←
 beste Teiler 106.5 (28.) 184.8 (24.) 301.2 (21.)
 Trefferlage 1.25 mm rechts, 0.55 mm hoch
 Streuwert 3.59, horizontal: 4.14, vertikal: 2.93



Serie 4:
 9.5 ↗ 8.2 ← 10.1 ↖ 10.3 * 10.2 *
 10.7 * 10.1 ↓ 10.5 * 9.1 → 9.7 ↗
 beste Teiler 63.3 (36.) 108.4 (38.) 163.8 (34.)
 Trefferlage 0.21 mm rechts, 0.05 mm hoch
 Streuwert 2.45, horizontal: 3.03, vertikal: 1.69

Unterschrift des Schützen

Meyton Elektronik