





Ergebnis: **358** (376.4)
 Serien: 89 90 88 91
 Zähler: 11 19 7 3 0 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3119 (19), 2891 (1), 2558 (4)
 beste Teiler 72.0 (3.) 313.6 (39.) 388.2 (5.)
 Trefferlage 1.27 mm links, 0.40 mm tief
 Streuwert 10.14, horizontal: 8.77, vertikal: 11.34




Serie 1:
 7.3 ↘ 10.1 ↘ 10.9 * 7.8 ↘ 10.5 *
 8.6 ← 9.5 ↙ 10.3 ← 9.4 ← 9.1 →
 beste Teiler 72.0 (3.) 388.2 (5.) 494.5 (8.)
 Trefferlage 3.40 mm links, 5.75 mm tief
 Streuwert 10.45, horizontal: 9.64, vertikal: 11.21



Serie 2:
 10.3 ↙ 9.7 ↘ 9.6 ↘ 10.0 ↙ 8.7 ↙
 10.0 ↑ 9.9 ↗ 9.9 ↗ 7.1 ↑ 9.9 ←
 beste Teiler 541.1 (11.) 723.8 (14.) 742.2 (16.)
 Trefferlage 3.22 mm links, 4.20 mm hoch
 Streuwert 9.44, horizontal: 8.14, vertikal: 10.58



Serie 3:
 10.2 ↗ 9.5 → 9.9 → 9.1 ↙ 8.2 ↙
 9.9 → 9.5 ↑ 8.1 ↘ 8.7 ↑ 9.3 ↗
 beste Teiler 564.5 (21.) 835.7 (26.) 840.0 (23.)
 Trefferlage 3.00 mm rechts, 0.34 mm tief
 Streuwert 10.78, horizontal: 9.46, vertikal: 11.95





Serie 4:
 9.1 ↑ 9.9 ↘ 9.1 ← 8.8 ↑ 9.7 ↘
 9.7 ↘ 10.0 ↑ 10.3 ↘ 10.6 * 8.2 ↙
 beste Teiler 313.6 (39.) 488.3 (38.) 790.0 (37.)
 Trefferlage 1.46 mm links, 0.28 mm hoch
 Streuwert 9.38, horizontal: 7.40, vertikal: 11.01


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **367** (386.5)
 Serien: 90 94 92 91
 Zähler: 13 21 6 0 0 0 0 0 0 0
 Innenzehner: 7
 weiteste: 2264 (30), 1934 (32), 1888 (21)
 beste Teiler 117.0 (35.) 153.5 (11.) 308.8 (7.)
 Trefferlage 0.98 mm rechts, 2.34 mm tief
 Streuwert 8.03, horizontal: 6.91, vertikal: 9.02




Serie 1:
 10.4 * 8.8 ↓ 8.8 ↓ 9.4 ← 10.5 *
 9.8 ↓ 10.6 * 9.7 ↓ 8.7 → 9.6 →
 beste Teiler 308.8 (7.) 364.6 (5.) 429.9 (1.)
 Trefferlage 1.04 mm rechts, 5.34 mm tief
 Streuwert 7.79, horizontal: 8.21, vertikal: 7.34



Serie 2:
 10.8 * 9.9 ↘ 9.8 ↘ 9.9 ↗ 10.0 ←
 9.4 → 9.4 → 10.0 ↗ 9.1 ↘ 10.0 ↑
 beste Teiler 153.5 (11.) 733.0 (18.) 737.8 (20.)
 Trefferlage 3.25 mm rechts, 2.29 mm tief
 Streuwert 6.55, horizontal: 7.42, vertikal: 5.55



Serie 3:
 8.6 ↗ 10.5 * 9.9 ↓ 10.0 ↘ 10.4 *
 9.0 ↓ 9.4 ↗ 9.9 ↘ 10.1 ↘ 8.1 ↓
 beste Teiler 330.8 (22.) 428.3 (25.) 675.8 (29.)
 Trefferlage 1.89 mm rechts, 0.67 mm tief
 Streuwert 9.11, horizontal: 4.97, vertikal: 11.88





Serie 4:
 9.0 ↑ 8.5 ↑ 9.7 ↓ 9.7 ↓ 10.8 *
 9.0 ← 9.7 ↗ 9.5 ↗ 10.3 → 9.8 ↘
 beste Teiler 117.0 (35.) 558.9 (39.) 954.4 (40.)
 Trefferlage 2.26 mm links, 1.08 mm tief
 Streuwert 8.75, horizontal: 6.45, vertikal: 10.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **368** (387.6)
 Serien: 94 92 91 91
 Zähler: 13 22 5 0 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2052 (4), 2007 (28), 1958 (21)
 beste Teiler 96.9 (31.) 252.5 (20.) 293.2 (3.)
 Trefferlage 2.71 mm links, 0.00 mm
 Streuwert 7.78, horizontal: 8.05, vertikal: 7.50




Serie 1:
 9.5 ↖ 9.5 ↖ 10.6 * 8.4 ← 9.3 ↗
 10.5 * 10.1 → 10.0 → 9.8 ← 10.6 *
 beste Teiler 293.2 (3.) 315.5 (10.) 376.9 (6.)
 Trefferlage 3.49 mm links, 1.28 mm hoch
 Streuwert 7.25, horizontal: 8.46, vertikal: 5.78



Serie 2:
 10.4 * 9.6 ↘ 10.4 * 8.7 ↗ 9.7 ↓
 9.9 ↗ 9.6 ↘ 9.4 ↗ 9.3 ↑ 10.6 *
 beste Teiler 252.5 (20.) 460.9 (13.) 461.5 (11.)
 Trefferlage 0.47 mm links, 2.61 mm tief
 Streuwert 7.54, horizontal: 7.19, vertikal: 7.88



Serie 3:
 8.5 ← 10.5 * 9.5 ← 9.6 ↘ 9.8 ↑
 10.3 → 9.3 ↖ 8.4 ← 9.9 ↑ 10.0 ↑
 beste Teiler 354.6 (22.) 489.0 (26.) 787.3 (30.)
 Trefferlage 4.70 mm links, 1.73 mm hoch
 Streuwert 8.24, horizontal: 9.84, vertikal: 6.23





Serie 4:
 10.8 * 9.6 ↑ 9.1 ← 8.9 ↗ 9.3 ←
 10.0 ↑ 9.6 ↘ 9.6 ↓ 9.1 ↓ 9.9 ↗
 beste Teiler 96.9 (31.) 750.4 (36.) 803.0 (40.)
 Trefferlage 2.18 mm links, 0.44 mm tief
 Streuwert 8.55, horizontal: 7.07, vertikal: 9.81


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **352** (370.1)
 Serien: 87 84 88 93
 Zähler: 11 16 8 4 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3245 (16), 2707 (26), 2486 (27)
 beste Teiler 338.4 (39.) 439.8 (38.) 456.1 (18.)
 Trefferlage 5.42 mm links, 2.31 mm hoch
 Streuwert 10.21, horizontal: 9.56, vertikal: 10.82




Serie 1:
 10.0 ↘ 9.8 ↑ 10.2 ↘ 9.1 ↑ 7.9 ↘
 9.6 ↑ 9.8 ↓ 7.9 ↙ 9.3 ↘ 8.4 ↙
 beste Teiler 575.3 (3.) 762.1 (1.) 918.5 (2.)
 Trefferlage 7.53 mm links, 6.52 mm hoch
 Streuwert 8.75, horizontal: 9.71, vertikal: 7.67



Serie 2:
 9.0 ← 8.2 ↑ 8.4 ← 9.2 ↑ 9.7 ↑
 6.9 ↓ 8.1 ↘ 10.4 * 9.2 ← 8.7 ↑
 beste Teiler 456.1 (18.) 992.9 (15.) 1399.1 (19.)
 Trefferlage 8.03 mm links, 4.81 mm hoch
 Streuwert 12.26, horizontal: 8.33, vertikal: 15.20



Serie 3:
 9.5 ↑ 9.9 ← 10.1 ↙ 10.2 ↑ 9.8 ↑
 7.6 ↙ 7.8 → 10.3 ↓ 8.7 ↘ 9.1 ↘
 beste Teiler 512.0 (28.) 620.0 (24.) 704.0 (23.)
 Trefferlage 0.55 mm rechts, 0.47 mm tief
 Streuwert 11.31, horizontal: 11.52, vertikal: 11.09





Serie 4:
 10.0 ↙ 8.4 ↙ 9.2 ↘ 8.8 ← 10.3 ←
 9.9 ↗ 10.4 * 10.4 * 10.5 * 9.4 ↙
 beste Teiler 338.4 (39.) 439.8 (38.) 457.8 (37.)
 Trefferlage 6.70 mm links, 1.59 mm tief
 Streuwert 6.59, horizontal: 6.74, vertikal: 6.45


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **339** (355.7)
 Serien: 79 88 83 89
 Zähler: 5 19 7 8 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3619 (5), 3159 (10), 3056 (30)
 beste Teiler 309.3 (15.) 452.9 (2.) 491.5 (39.)
 Trefferlage 2.75 mm rechts, 9.24 mm tief
 Streuwert 11.04, horizontal: 9.76, vertikal: 12.19




Serie 1:
 9.3 ↓ 10.4 * 7.7 ↘ 9.6 ↘ 6.4 ↓
 9.2 ↘ 7.6 ↓ 7.6 ↘ 8.8 ↘ 7.0 ↓
 beste Teiler 452.9 (2.) 1116.8 (4.) 1281.4 (1.)
 Trefferlage 9.28 mm rechts, 17.12 mm tief
 Streuwert 8.82, horizontal: 6.76, vertikal: 10.49



Serie 2:
 9.5 → 10.0 ↘ 9.4 ↘ 9.9 ↘ 10.6 *
 7.8 → 9.2 ↓ 9.1 ← 8.4 ↑ 8.4 ↓
 beste Teiler 309.3 (15.) 741.6 (12.) 818.1 (14.)
 Trefferlage 3.28 mm rechts, 3.59 mm tief
 Streuwert 10.60, horizontal: 10.34, vertikal: 10.85



Serie 3:
 9.6 ↑ 8.4 ↙ 7.7 ↓ 9.7 → 9.1 ↙
 9.4 ↙ 7.4 ↘ 9.4 ↓ 9.1 ↓ 7.1 ↓
 beste Teiler 992.6 (24.) 1100.2 (21.) 1221.0 (26.)
 Trefferlage 2.56 mm links, 12.59 mm tief
 Streuwert 10.90, horizontal: 8.65, vertikal: 12.75





Serie 4:
 8.4 ↙ 9.7 ↘ 8.6 → 9.4 ↘ 9.3 ↓
 9.2 ← 10.2 ← 8.6 ↑ 10.3 ↘ 9.2 ↘
 beste Teiler 491.5 (39.) 594.1 (37.) 1007.6 (32.)
 Trefferlage 1.01 mm rechts, 3.66 mm tief
 Streuwert 10.13, horizontal: 10.17, vertikal: 10.10

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **351** (368.1)
 Serien: 88 88 87 88
 Zähler: 8 19 10 2 1 0 0 0 0 0
 Innenzehner: 2
 weiteste: 3355 (36), 2990 (25), 2742 (27)
 beste Teiler 236.6 (7.) 250.4 (3.) 504.7 (24.)
 Trefferlage 4.07 mm rechts, 4.22 mm hoch
 Streuwert 10.37, horizontal: 10.28, vertikal: 10.47



Serie 1:

9.6 ↙ 9.5 ↓ 10.6 * 8.6 → 9.4 ↓
 8.7 → 10.7 * 9.7 ↑ 8.8 ↑ 8.7 ↗


beste Teiler 236.6 (7.) 250.4 (3.) 1019.1 (8.)
 Trefferlage 3.45 mm rechts, 0.99 mm hoch
 Streuwert 9.73, horizontal: 9.68, vertikal: 9.77



Serie 2:

10.1 ↗ 8.2 ↙ 9.4 ← 9.2 ↑ 9.8 ↑
 8.7 ↗ 8.4 → 9.7 ↘ 9.7 ↘ 9.7 ←


beste Teiler 646.0 (11.) 909.6 (15.) 1000.3 (18.)
 Trefferlage 0.34 mm rechts, 2.93 mm hoch
 Streuwert 10.33, horizontal: 11.73, vertikal: 8.71



Serie 3:

9.6 ↑ 10.1 ← 9.8 → 10.3 ↖ 7.2 ↗
 8.0 ↗ 7.5 ↑ 9.4 ↓ 9.5 → 9.1 ↗

beste Teiler 504.7 (24.) 680.7 (22.) 906.0 (23.)
 Trefferlage 6.61 mm rechts, 7.01 mm hoch
 Streuwert 10.71, horizontal: 9.91, vertikal: 11.46





Serie 4:

9.1 ↗ 10.0 ↓ 9.1 ↙ 10.0 ↘ 9.0 ↘
 6.8 ↗ 8.0 ↑ 9.5 → 10.0 ↑ 8.9 ↗


beste Teiler 739.0 (32.) 783.8 (34.) 786.4 (39.)
 Trefferlage 5.88 mm rechts, 5.96 mm hoch
 Streuwert 11.14, horizontal: 10.08, vertikal: 12.11

Unterschrift des Schützen


Ergebnis: **339** (357.5)
 Serien: 83 81 87 88
 Zähler: 8 14 8 9 1 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3689 (5), 3051 (19), 2886 (26)
 beste Teiler 366.6 (32.) 369.2 (39.) 437.3 (18.)
 Trefferlage 2.09 mm rechts, 2.06 mm hoch
 Streuwert 12.92, horizontal: 12.68, vertikal: 13.16




Serie 1:
 10.0 → 8.8 ↘ 7.5 ↘ 9.9 ↓ 6.3 ↙
 9.3 ↗ 7.5 ↓ 9.3 ↘ 9.8 ↓ 9.4 →
 beste Teiler 782.0 (1.) 856.1 (4.) 924.8 (9.)
 Trefferlage 2.18 mm rechts, 6.89 mm tief
 Streuwert 13.66, horizontal: 15.30, vertikal: 11.79



Serie 2:
 8.7 ↗ 9.7 → 8.2 ↗ 8.8 ← 9.4 →
 7.8 ↗ 8.0 ↑ 10.4 * 7.1 ↑ 7.9 ↙
 beste Teiler 437.3 (18.) 999.8 (12.) 1246.4 (15.)
 Trefferlage 3.53 mm rechts, 8.23 mm hoch
 Streuwert 13.64, horizontal: 14.11, vertikal: 13.16



Serie 3:
 10.3 ← 8.8 ↑ 10.1 ↘ 8.2 ↙ 9.8 ↖
 7.3 ↗ 10.1 ↑ 9.5 ↓ 9.0 → 7.5 ↖
 beste Teiler 489.0 (21.) 660.8 (23.) 688.0 (27.)
 Trefferlage 0.99 mm rechts, 4.61 mm hoch
 Streuwert 12.35, horizontal: 12.12, vertikal: 12.58





Serie 4:
 8.5 ↓ 10.5 * 9.9 ↘ 9.0 ↗ 9.4 ↘
 7.6 ↑ 9.6 ↗ 7.9 ← 10.5 * 10.2 ↖
 beste Teiler 366.6 (32.) 369.2 (39.) 563.9 (40.)
 Trefferlage 1.68 mm rechts, 2.32 mm hoch
 Streuwert 11.26, horizontal: 10.61, vertikal: 11.88


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **328** (346.5)
 Serien: 84 81 80 83
 Zähler: 4 16 12 2 4 2 0 0 0 0
 Innenzehner: 3
 weiteste: 4254 (15), 4013 (34), 3965 (22)
 beste Teiler 198.0 (11.) 228.6 (7.) 442.7 (31.)
 Trefferlage 0.19 mm rechts, 3.95 mm tief
 Streuwert 14.75, horizontal: 12.30, vertikal: 16.85




Serie 1:
 9.1 ↓ 8.7 ↘ 6.2 ↙ 8.0 ↓ 8.7 ↘
 9.3 ↑ 10.7 * 8.7 ↑ 10.3 ↗ 8.8 ↘
 beste Teiler 228.6 (7.) 507.3 (9.) 1327.4 (6.)
 Trefferlage 3.34 mm rechts, 6.84 mm tief
 Streuwert 13.14, horizontal: 9.97, vertikal: 15.67



Serie 2:
 10.7 * 9.3 → 7.1 ↘ 9.5 ↙ 5.6 ↙
 9.3 ↑ 9.9 → 8.1 ↓ 9.1 ↘ 6.6 ↙
 beste Teiler 198.0 (11.) 848.8 (17.) 1196.6 (14.)
 Trefferlage 1.16 mm rechts, 9.65 mm tief
 Streuwert 15.57, horizontal: 16.15, vertikal: 14.97



Serie 3:
 8.1 ← 6.0 ↓ 8.4 ↘ 9.1 ↘ 9.7 ↑
 6.9 ↑ 8.9 ↙ 9.2 ↖ 8.7 ↑ 9.4 ↑
 beste Teiler 1024.1 (25.) 1214.4 (30.) 1431.2 (28.)
 Trefferlage 2.07 mm links, 0.02 mm tief
 Streuwert 16.32, horizontal: 9.12, vertikal: 21.21





Serie 4:
 10.4 * 7.6 → 9.0 ↙ 5.9 ↘ 9.2 ↓
 9.4 ↗ 9.9 ↙ 9.4 ↑ 8.7 ↘ 8.9 ↙
 beste Teiler 442.7 (31.) 807.3 (37.) 1210.1 (36.)
 Trefferlage 1.66 mm links, 0.69 mm hoch
 Streuwert 14.40, horizontal: 13.81, vertikal: 14.96


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **347** (366.7)
 Serien: 88 86 88 85
 Zähler: 7 18 11 3 1 0 0 0 0 0
 Innenzehner: 5
 weiteste: 3364 (13), 2831 (34), 2556 (2)
 beste Teiler 243.6 (4.) 247.1 (3.) 325.6 (10.)
 Trefferlage 6.30 mm links, 1.95 mm tief
 Streuwert 10.42, horizontal: 11.13, vertikal: 9.65




Serie 1:
 9.6 ↙ 7.8 ↙ 10.6 * 10.6 * 9.9 ↘
 8.5 ← 8.6 ← 9.0 ↘ 8.6 ↙ 10.5 *
 beste Teiler 243.6 (4.) 247.1 (3.) 325.6 (10.)
 Trefferlage 10.20 mm links, 0.50 mm tief
 Streuwert 8.07, horizontal: 7.91, vertikal: 8.23



Serie 2:
 9.2 ↑ 8.7 ← 6.7 ↘ 9.0 ↙ 8.3 ↙
 9.2 ↙ 10.0 ↓ 9.6 ↙ 9.4 ← 9.4 ↘
 beste Teiler 746.7 (17.) 1068.2 (18.) 1218.1 (20.)
 Trefferlage 4.91 mm links, 4.42 mm tief
 Streuwert 11.97, horizontal: 13.16, vertikal: 10.66



Serie 3:
 8.1 ← 8.3 ↓ 8.6 ← 9.2 ↙ 9.8 →
 8.2 → 9.8 ↙ 10.1 ↘ 10.5 * 9.6 ↓
 beste Teiler 366.1 (29.) 652.8 (28.) 910.5 (25.)
 Trefferlage 3.54 mm links, 3.89 mm tief
 Streuwert 10.79, horizontal: 12.95, vertikal: 8.06





Serie 4:
 9.4 ↙ 7.8 ↙ 9.5 ↗ 7.4 ↘ 9.9 ↓
 9.9 ↙ 10.4 * 8.9 ↙ 8.7 ↘ 9.4 ↑
 beste Teiler 412.4 (37.) 825.6 (35.) 829.2 (36.)
 Trefferlage 6.57 mm links, 1.01 mm hoch
 Streuwert 10.96, horizontal: 10.30, vertikal: 11.58


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **355** (373.8)
 Serien: 91 86 89 89
 Zähler: 9 21 7 2 1 0 0 0 0 0
 Innenzehner: 4
 weiteste: 3956 (20), 2647 (35), 2603 (1)
 beste Teiler 279.2 (24.) 323.6 (32.) 341.5 (6.)
 Trefferlage 2.23 mm links, 3.58 mm tief
 Streuwert 10.12, horizontal: 10.67, vertikal: 9.54




Serie 1:
 7.7 ↙ 9.7 ↘ 9.0 ↑ 9.2 ↘ 9.4 ↙
 10.5 * 8.7 ↙ 10.3 → 10.2 ↓ 10.2 →
 beste Teiler 341.5 (6.) 540.0 (8.) 567.4 (10.)
 Trefferlage 2.24 mm links, 3.87 mm tief
 Streuwert 9.36, horizontal: 8.26, vertikal: 10.34



Serie 2:
 10.0 ↘ 8.9 ↙ 8.5 ↓ 9.9 ↑ 9.1 ↑
 9.8 → 9.9 ↓ 9.5 ↓ 9.7 → 6.0 ←
 beste Teiler 775.6 (11.) 861.0 (17.) 868.5 (14.)
 Trefferlage 4.74 mm links, 3.63 mm tief
 Streuwert 12.13, horizontal: 13.65, vertikal: 10.38



Serie 3:
 9.7 ↗ 9.7 → 8.9 ↘ 10.6 * 8.2 ↙
 8.0 ↙ 10.4 * 10.0 ↘ 9.7 ↓ 8.9 ←
 beste Teiler 279.2 (24.) 419.7 (27.) 777.7 (28.)
 Trefferlage 3.70 mm links, 3.71 mm tief
 Streuwert 9.67, horizontal: 11.85, vertikal: 6.81





Serie 4:
 9.7 ↘ 10.5 * 9.9 ↓ 9.0 ↘ 7.6 ↓
 9.7 ↓ 9.1 ← 9.2 ↑ 9.4 ↘ 9.4 →
 beste Teiler 323.6 (32.) 852.0 (33.) 985.4 (31.)
 Trefferlage 1.74 mm rechts, 3.09 mm tief
 Streuwert 10.10, horizontal: 8.46, vertikal: 11.52

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **334** (353.9)
 Serien: 78 88 83 85
 Zähler: 9 10 12 6 1 2 0 0 0 0
 Innenzehner: 4
 weiteste: 4302 (4), 4080 (10), 3524 (35)
 beste Teiler 143.2 (36.) 204.0 (22.) 362.3 (17.)
 Trefferlage 0.55 mm rechts, 2.79 mm hoch
 Streuwert 14.15, horizontal: 13.74, vertikal: 14.55



Serie 1:

9.9 ↗ 10.2 ↘ 7.4 → 5.6 ↑ 10.0 ↖
 7.2 ↓ 8.1 ↗ 9.8 ↘ 8.5 ↘ 5.9 ↗


beste Teiler 568.5 (2.) 793.4 (5.) 874.3 (1.)
 Trefferlage 5.14 mm rechts, 9.38 mm hoch
 Streuwert 17.06, horizontal: 13.97, vertikal: 19.66



Serie 2:

9.8 ↗ 8.2 ↗ 9.6 ↖ 10.3 ↘ 8.5 ↖
 8.6 → 10.5 * 9.9 ↘ 8.7 ↑ 9.6 ↗


beste Teiler 362.3 (17.) 525.9 (14.) 839.3 (18.)
 Trefferlage 2.19 mm rechts, 2.74 mm hoch
 Streuwert 10.20, horizontal: 10.24, vertikal: 10.17



Serie 3:

7.5 ↖ 10.7 * 7.4 ↑ 9.9 ↗ 7.2 ↖
 10.5 * 8.2 ↓ 8.8 ↘ 9.7 → 8.4 →

beste Teiler 204.0 (22.) 400.3 (26.) 852.7 (24.)
 Trefferlage 2.12 mm links, 0.62 mm tief
 Streuwert 14.53, horizontal: 12.29, vertikal: 16.46



Serie 4:



10.3 ↓ 7.1 ← 8.3 ↗ 9.7 → 6.5 ←
 10.8 * 8.3 → 8.6 ↑ 9.6 ↓ 10.1 ↖

beste Teiler 143.2 (36.) 532.2 (31.) 674.1 (40.)
 Trefferlage 2.99 mm links, 0.30 mm tief
 Streuwert 14.19, horizontal: 17.85, vertikal: 9.16


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **320** (337.2)
 Serien: 81 81 77 81
 Zähler: 5 11 12 9 1 0 0 2 0 0
 Innenzehner: 2
 weiteste: 5746 (25), 5609 (36), 3338 (18)
 beste Teiler 334.9 (37.) 362.5 (22.) 526.0 (16.)
 Trefferlage 7.20 mm links, 1.63 mm tief
 Streuwert 15.97, horizontal: 18.66, vertikal: 12.71




Serie 1:
 10.1 ↖ 7.7 ↙ 8.9 ← 9.0 ↗ 7.3 ↘
 7.0 ↘ 8.1 ← 9.7 ↑ 7.1 ← 9.9 ↗
 beste Teiler 641.7 (1.) 844.4 (10.) 985.7 (8.)
 Trefferlage 6.35 mm links, 3.96 mm tief
 Streuwert 15.23, horizontal: 16.05, vertikal: 14.36



Serie 2:
 9.1 ↗ 8.9 ↗ 9.6 ↙ 9.5 ↙ 7.0 ←
 10.3 ↓ 9.5 ↘ 6.8 ← 7.5 ← 7.1 ←
 beste Teiler 526.0 (16.) 1119.6 (13.) 1124.2 (17.)
 Trefferlage 11.93 mm links, 0.86 mm hoch
 Streuwert 13.63, horizontal: 17.82, vertikal: 7.36



Serie 3:
 8.5 ↖ 10.5 * 8.8 ↗ 9.6 ↘ 3.8 ←
 8.2 ↖ 7.0 ↗ 8.2 ← 8.8 ↓ 8.4 ↑
 beste Teiler 362.5 (22.) 1076.5 (24.) 1722.4 (23.)
 Trefferlage 7.44 mm links, 2.00 mm hoch
 Streuwert 18.58, horizontal: 22.25, vertikal: 13.97





Serie 4:
 8.1 ← 9.4 ↗ 10.3 ← 9.2 ↓ 8.1 ↑
 3.9 ↙ 10.5 * 7.9 ↘ 9.8 ↓ 8.1 ↓
 beste Teiler 334.9 (37.) 536.3 (33.) 904.4 (39.)
 Trefferlage 3.10 mm links, 5.42 mm tief
 Streuwert 17.26, horizontal: 19.87, vertikal: 14.17


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **343** (362.0)
 Serien: 84 92 84 83
 Zähler: 7 15 14 2 2 0 0 0 0 0
 Innenzehner: 3
 weiteste: 3510 (9), 3437 (32), 2644 (31)
 beste Teiler 182.5 (16.) 247.0 (18.) 370.7 (14.)
 Trefferlage 1.12 mm links, 2.96 mm hoch
 Streuwert 11.92, horizontal: 11.03, vertikal: 12.75




Serie 1:
 10.0 → 8.4 → 8.3 ↘ 8.8 ↗ 8.1 ↖
 10.1 → 8.8 ↗ 9.2 ↓ 6.6 ↗ 9.4 ↖
 beste Teiler 691.0 (6.) 792.8 (1.) 1203.6 (10.)
 Trefferlage 5.17 mm rechts, 7.95 mm hoch
 Streuwert 12.44, horizontal: 13.40, vertikal: 11.41



Serie 2:
 9.8 ↓ 9.0 ↖ 8.9 ↖ 10.5 * 9.9 ↖
 10.7 * 9.4 ↓ 10.6 * 9.7 ↘ 9.9 ↖
 beste Teiler 182.5 (16.) 247.0 (18.) 370.7 (14.)
 Trefferlage 3.52 mm links, 5.15 mm tief
 Streuwert 5.87, horizontal: 5.44, vertikal: 6.28



Serie 3:
 8.2 ↖ 8.6 → 9.3 ↗ 7.7 ↖ 9.3 ↗
 8.4 ↓ 9.7 ↖ 8.8 ↑ 10.0 → 8.2 ↗
 beste Teiler 777.3 (29.) 972.9 (27.) 1310.7 (23.)
 Trefferlage 1.29 mm rechts, 6.51 mm hoch
 Streuwert 12.41, horizontal: 12.75, vertikal: 12.06





Serie 4:
 7.6 ↖ 6.7 ↖ 8.7 ↖ 9.3 ↖ 9.5 ↖
 10.2 ↖ 9.2 ↖ 8.8 ↖ 9.0 ↖ 8.7 ↗
 beste Teiler 615.8 (36.) 1127.2 (35.) 1286.3 (34.)
 Trefferlage 7.44 mm links, 2.55 mm hoch
 Streuwert 12.82, horizontal: 7.37, vertikal: 16.56


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **364** (383.5)
 Serien: 91 90 93 90
 Zähler: 13 19 7 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 2443 (37), 2283 (29), 2025 (18)
 beste Teiler 7.8 (26.) 111.1 (33.) 173.9 (23.)
 Trefferlage 0.46 mm links, 4.80 mm tief
 Streuwert 8.27, horizontal: 7.78, vertikal: 8.72




Serie 1:
 9.4 ↘ 10.6 * 9.7 ↓ 9.3 → 8.8 ↙
 10.3 → 10.0 ↓ 9.1 ↓ 8.6 ↓ 9.9 ↘
 beste Teiler 291.4 (2.) 533.2 (6.) 755.5 (7.)
 Trefferlage 0.50 mm links, 6.42 mm tief
 Streuwert 7.66, horizontal: 6.56, vertikal: 8.61



Serie 2:
 10.5 * 8.6 ↗ 9.9 ↖ 10.3 ← 10.1 ↗
 9.6 ↙ 8.5 ↑ 8.4 ↖ 9.9 ↘ 9.1 ↑
 beste Teiler 377.4 (11.) 516.8 (14.) 710.7 (15.)
 Trefferlage 2.67 mm links, 1.02 mm hoch
 Streuwert 9.55, horizontal: 8.20, vertikal: 10.74



Serie 3:
 9.1 ↘ 9.1 ↖ 10.7 * 9.3 ↘ 10.4 *
 10.9 * 10.5 * 9.8 ↘ 8.1 → 9.0 ↘
 beste Teiler 7.8 (26.) 173.9 (23.) 394.4 (27.)
 Trefferlage 3.68 mm rechts, 5.10 mm tief
 Streuwert 7.78, horizontal: 9.40, vertikal: 5.73





Serie 4:
 9.3 ↗ 10.4 * 10.8 * 9.9 ↓ 9.8 ↗
 10.0 ↖ 7.9 ↓ 9.6 ↘ 8.5 ↓ 9.8 ↘
 beste Teiler 111.1 (33.) 435.1 (32.) 721.7 (36.)
 Trefferlage 2.36 mm links, 8.70 mm tief
 Streuwert 6.52, horizontal: 5.93, vertikal: 7.06

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **357** (377.7)
 Serien: 88 89 90 90
 Zähler: 11 18 8 3 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 2827 (9), 2419 (36), 2403 (38)
 beste Teiler 152.2 (33.) 257.3 (21.) 266.6 (23.)
 Trefferlage 2.66 mm rechts, 0.05 mm hoch
 Streuwert 9.62, horizontal: 9.49, vertikal: 9.74



Serie 1:

9.1 ↙ 8.8 ↗ 9.7 ↓ 9.8 → 9.5 ←
 10.5 * 9.6 ↑ 8.9 ↘ 7.4 ↖ 10.5 *


beste Teiler 322.4 (10.) 325.5 (6.) 897.4 (4.)
 Trefferlage 1.18 mm links, 2.89 mm tief
 Streuwert 10.39, horizontal: 9.78, vertikal: 10.96



Serie 2:

8.8 ↗ 9.7 → 8.4 ↘ 8.7 → 9.2 ↓
 10.5 * 9.6 ↓ 9.2 → 10.5 * 9.9 ↘


beste Teiler 363.0 (16.) 376.6 (19.) 841.1 (20.)
 Trefferlage 6.53 mm rechts, 1.52 mm tief
 Streuwert 8.36, horizontal: 9.04, vertikal: 7.63



Serie 3:

10.6 * 8.7 ↗ 10.6 * 9.2 ↘ 8.6 ↑
 9.4 ↓ 9.3 ↗ 9.4 ↘ 10.0 ↖ 8.4 →

beste Teiler 257.3 (21.) 266.6 (23.) 739.7 (29.)
 Trefferlage 4.33 mm rechts, 3.54 mm hoch
 Streuwert 9.22, horizontal: 9.25, vertikal: 9.18



Serie 4:



9.6 ↗ 9.6 ↓ 10.8 * 10.6 * 10.3 ←
 7.9 ↑ 9.1 ↘ 7.9 ↖ 9.0 ↗ 10.4 *

beste Teiler 152.2 (33.) 317.0 (34.) 475.0 (40.)
 Trefferlage 0.98 mm rechts, 1.08 mm hoch
 Streuwert 10.23, horizontal: 9.39, vertikal: 11.02


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **319** (336.5)
 Serien: 75 80 79 85
 Zähler: 4 12 11 7 5 0 1 0 0 0
 Innenzehner: 0
 weiteste: 5388 (6), 3603 (31), 3477 (5)
 beste Teiler 499.6 (40.) 722.3 (13.) 760.4 (19.)
 Trefferlage 2.10 mm links, 4.77 mm tief
 Streuwert 15.79, horizontal: 15.22, vertikal: 16.33




Serie 1:
 8.6 ↘ 8.7 ↘ 7.3 ↙ 10.0 ↑ 6.6 ↗
 4.2 ↙ 9.3 ↙ 8.4 ↓ 6.9 ↓ 9.5 ↙
 beste Teiler 800.0 (4.) 1150.7 (10.) 1304.3 (7.)
 Trefferlage 11.52 mm links, 12.96 mm tief
 Streuwert 15.84, horizontal: 16.15, vertikal: 15.52



Serie 2:
 8.7 ↘ 8.9 ↙ 10.0 ↖ 6.7 ↘ 9.0 ↗
 8.8 ↑ 6.7 ↓ 7.7 ↓ 10.0 ↙ 8.5 ↘
 beste Teiler 722.3 (13.) 760.4 (19.) 1583.4 (15.)
 Trefferlage 0.39 mm links, 2.18 mm tief
 Streuwert 15.87, horizontal: 13.70, vertikal: 17.79



Serie 3:
 7.0 ↓ 8.4 ↘ 8.8 ↓ 9.3 ↘ 9.5 ↗
 7.4 ↘ 7.1 ↑ 8.3 → 7.7 → 9.3 →
 beste Teiler 1179.4 (25.) 1326.2 (30.) 1353.6 (24.)
 Trefferlage 6.47 mm rechts, 1.75 mm hoch
 Streuwert 16.10, horizontal: 13.84, vertikal: 18.08



Serie 4:
 6.4 ↙ 7.9 → 9.7 ↙ 9.1 ↓ 9.4 ↗
 9.1 ↓ 9.3 ← 9.3 ← 8.7 ← 10.3 ↖
 beste Teiler 499.6 (40.) 1009.0 (33.) 1273.7 (35.)
 Trefferlage 2.97 mm links, 5.68 mm tief
 Streuwert 12.67, horizontal: 13.41, vertikal: 11.88

Unterschrift des Schützen