





Ergebnis: 387 (405.0)
Serien: 96 97 97 97
Zähler: 27 13 0 0 0 0 0 0 0 0
Innenzehner: 18
weiteste: 465 (32), 451 (11), 406 (40)
beste Teiler 7.2 (9.) 31.4 (12.) 38.0 (7.)
Trefferlage 0.02 mm rechts, 0.57 mm hoch
Streuwert 1.66, horizontal: 1.59, vertikal: 1.73




Serie 1:
 9.4 ↖ 9.5 ↑ 9.6 ↗ 10.5 * 10.7 *
 9.8 → 10.8 * 10.0 ↑ 10.9 * 10.5 *
beste Teiler 7.2 (9.) 38.0 (7.) 51.3 (5.)
Trefferlage 0.30 mm rechts, 1.07 mm hoch
Streuwert 1.59, horizontal: 1.41, vertikal: 1.75



Serie 2:
 9.1 ↗ 10.8 * 10.0 ↑ 9.9 ↖ 10.2 *
 10.0 ↓ 10.1 ↑ 10.1 ↙ 9.9 → 10.4 *
beste Teiler 31.4 (12.) 150.3 (20.) 189.9 (15.)
Trefferlage 0.11 mm rechts, 0.31 mm hoch
Streuwert 1.84, horizontal: 1.98, vertikal: 1.69



Serie 3:
 10.1 ↑ 9.8 ↓ 9.9 ↖ 10.2 * 10.7 *
 10.1 ↓ 10.5 * 10.5 * 9.6 ↖ 10.2 *
beste Teiler 67.2 (25.) 109.0 (28.) 123.9 (27.)
Trefferlage 0.19 mm links, 0.02 mm hoch
Streuwert 1.60, horizontal: 1.01, vertikal: 2.03





Serie 4:
 10.5 * 9.1 ↖ 10.8 * 10.4 * 10.1 ↗
 10.6 * 10.5 * 9.9 ↖ 10.0 ↗ 9.3 ↗
beste Teiler 46.8 (33.) 94.6 (36.) 119.5 (31.)
Trefferlage 0.12 mm links, 0.88 mm hoch
Streuwert 1.73, horizontal: 1.97, vertikal: 1.44


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 385 (404.7)
Serien: 98 95 98 94
Zähler: 25 15 0 0 0 0 0 0 0
Innenzehner: 22
weiteste: 459 (15), 419 (34), 366 (7)
beste Teiler 18.8 (10.) 39.6 (22.) 70.1 (20.)
Trefferlage 0.04 mm links, 0.08 mm tief
Streuwert 1.67, horizontal: 1.53, vertikal: 1.80




Serie 1:
 10.2 * 10.1 ↘ 10.5 * 10.4 * 9.9 ↗
 10.4 * 9.5 ↖ 10.2 * 10.2 * 10.9 *
beste Teiler 18.8 (10.) 115.1 (3.) 140.8 (4.)
Trefferlage 0.16 mm links, 0.00 mm
Streuwert 1.51, horizontal: 1.77, vertikal: 1.21



Serie 2:
 9.8 ↓ 10.6 * 9.7 ↑ 10.1 ↘ 9.1 ↘
 9.7 ↖ 10.4 * 9.8 ↑ 10.5 * 10.7 *
beste Teiler 70.1 (20.) 98.4 (12.) 101.9 (19.)
Trefferlage 0.45 mm rechts, 0.59 mm hoch
Streuwert 1.83, horizontal: 1.52, vertikal: 2.10





Serie 3:
 9.9 ↖ 10.8 * 10.3 * 10.3 * 10.4 *
 10.5 * 10.2 * 9.6 ↖ 10.6 * 10.0 ↓
beste Teiler 39.6 (22.) 84.5 (29.) 112.8 (26.)
Trefferlage 0.57 mm links, 0.50 mm hoch
Streuwert 1.32, horizontal: 1.30, vertikal: 1.35




Serie 4:
 9.7 → 9.5 ↓ 9.9 ↗ 9.3 ↓ 10.5 *
 10.2 * 10.5 * 9.5 ↗ 10.4 * 9.9 ↓
beste Teiler 105.8 (37.) 109.0 (35.) 139.5 (39.)
Trefferlage 0.08 mm rechts, 1.43 mm tief
Streuwert 1.72, horizontal: 1.57, vertikal: 1.86

Unterschrift des Schützen


Ergebnis: 380 (397.0)
Serien: 97 95 94 94
Zähler: 22 16 2 0 0 0 0 0 0 0
Innenzehner: 15
weiteste: 640 (40), 584 (6), 500 (24)
beste Teiler 24.7 (31.) 61.7 (7.) 75.7 (9.)
Trefferlage 0.39 mm links, 0.33 mm hoch
Streuwert 2.09, horizontal: 2.11, vertikal: 2.06




Serie 1:
 10.4 * 10.5 * 10.1 ↘ 10.2 * 10.1 ↑
 8.6 ← 10.7 * 9.2 ← 10.7 * 10.2 *
beste Teiler 61.7 (7.) 75.7 (9.) 117.1 (2.)
Trefferlage 1.20 mm links, 0.49 mm hoch
Streuwert 1.80, horizontal: 2.24, vertikal: 1.20



Serie 2:
 10.0 ↓ 10.4 * 10.5 * 9.2 ↘ 9.7 ↘
 10.6 * 9.5 ← 9.6 ↘ 10.6 * 9.8 ↘
beste Teiler 80.6 (16.) 91.7 (19.) 102.8 (13.)
Trefferlage 0.86 mm links, 0.13 mm hoch
Streuwert 1.88, horizontal: 1.69, vertikal: 2.06





Serie 3:
 9.6 ↗ 10.0 ↓ 9.9 ↗ 9.0 ↗ 10.3 *
 9.3 ← 10.1 ↗ 9.0 ↑ 10.5 * 9.6 ↘
beste Teiler 117.5 (29.) 162.2 (25.) 222.8 (27.)
Trefferlage 0.17 mm rechts, 1.56 mm hoch
Streuwert 2.19, horizontal: 2.51, vertikal: 1.80



Serie 4:
 10.9 * 10.0 ↘ 9.9 ↘ 10.1 ↗ 9.9 ←
 9.5 ↗ 10.5 * 9.7 ↘ 10.2 * 8.4 ↓
beste Teiler 24.7 (31.) 108.8 (37.) 190.2 (39.)
Trefferlage 0.32 mm rechts, 0.85 mm tief
Streuwert 2.16, horizontal: 1.77, vertikal: 2.50


Unterschrift des Schützen

Ergebnis: 374 (391.8)
Serien: 93 92 93 96
Zähler: 15 24 1 0 0 0 0 0 0 0
Innenzehner: 7
weiteste: 507 (2), 470 (17), 463 (11)
beste Teiler 123.7 (29.) 137.4 (15.) 143.0 (9.)
Trefferlage 0.19 mm links, 0.48 mm tief
Streuwert 2.17, horizontal: 2.46, vertikal: 1.82


Serie 1:


9.3 ↗ 8.9 ↘ 10.1 ↓ 9.9 ← 10.0 ↓
 10.1 ↗ 9.9 ↖ 9.4 → 10.4 * 9.9 ↓

beste Teiler 143.0 (9.) 213.0 (6.) 219.0 (3.)
Trefferlage 0.44 mm rechts, 0.56 mm tief
Streuwert 2.24, horizontal: 2.47, vertikal: 1.99


Serie 2:


9.1 ↗ 9.8 ← 9.7 ↘ 10.3 * 10.4 *
 9.8 ↘ 9.1 ↘ 9.8 → 9.9 ↘ 9.7 ↖

beste Teiler 137.4 (15.) 168.6 (14.) 269.3 (19.)
Trefferlage 0.36 mm rechts, 1.08 mm tief
Streuwert 2.20, horizontal: 2.48, vertikal: 1.87


Serie 3:

9.8 ← 9.4 ↖ 9.3 ↖ 10.3 * 9.3 ←
 10.1 ↓ 9.1 ← 9.3 → 10.5 * 9.9 ↘

beste Teiler 123.7 (29.) 152.0 (24.) 219.7 (26.)
Trefferlage 1.29 mm links, 0.00 mm
Streuwert 2.31, horizontal: 2.96, vertikal: 1.38




Serie 4:

10.3 * 9.4 ↓ 10.2 * 9.8 ← 10.0 ↓
 9.7 ↖ 10.1 ↓ 9.7 ↗ 10.0 → 10.1 ↑

beste Teiler 165.6 (31.) 191.6 (33.) 211.4 (40.)
Trefferlage 0.29 mm links, 0.29 mm tief
Streuwert 1.92, horizontal: 1.77, vertikal: 2.07


Unterschrift des Schützen

Ergebnis: 375 (391.3)
Serien: 92 93 95 95
Zähler: 20 15 5 0 0 0 0 0 0 0
Innenzehner: 14
weiteste: 651 (39), 621 (6), 532 (27)
beste Teiler 55.9 (29.) 76.0 (30.) 78.4 (10.)
Trefferlage 0.31 mm links, 0.15 mm hoch
Streuwert 2.35, horizontal: 2.63, vertikal: 2.04


Serie 1:


9.7 ↖ 9.5 → 9.1 ↗ 9.2 ↘ 9.7 ↖
 8.5 ← 9.6 ↗ 10.0 ↑ 10.2 * 10.6 *

beste Teiler 78.4 (10.) 180.8 (9.) 234.7 (8.)
Trefferlage 0.41 mm links, 1.74 mm hoch
Streuwert 2.40, horizontal: 3.11, vertikal: 1.36


Serie 2:


9.6 ↖ 9.9 ↖ 10.6 * 10.4 * 9.3 ←
 10.6 * 9.3 → 9.4 ↓ 9.4 ↓ 9.6 ↖

beste Teiler 79.6 (13.) 85.7 (16.) 134.7 (14.)
Trefferlage 0.19 mm links, 0.37 mm tief
Streuwert 2.31, horizontal: 2.47, vertikal: 2.15


Serie 3:

10.4 * 10.0 ↙ 10.4 * 10.3 * 10.0 →
 9.4 ↙ 8.8 ↘ 8.9 ↙ 10.7 * 10.6 *

beste Teiler 55.9 (29.) 76.0 (30.) 137.3 (21.)
Trefferlage 1.30 mm links, 0.42 mm tief
Streuwert 1.98, horizontal: 2.01, vertikal: 1.95




Serie 4:

10.0 ↓ 10.2 * 10.0 ↑ 10.2 * 10.3 *
 10.4 * 10.0 ↙ 9.4 ↗ 8.3 → 8.8 ↙


beste Teiler 143.5 (36.) 152.8 (35.) 176.1 (32.)
Trefferlage 0.66 mm rechts, 0.31 mm tief
Streuwert 2.45, horizontal: 2.82, vertikal: 2.01

Unterschrift des Schützen


Ergebnis: 380 (400.3)
Serien: 96 94 96 94
Zähler: 22 16 2 0 0 0 0 0 0 0
Innenzehner: 19
weiteste: 545 (1), 518 (13), 415 (20)
beste Teiler 12.2 (30.) 37.8 (24.) 54.7 (28.)
Trefferlage 0.67 mm rechts, 0.83 mm hoch
Streuwert 1.83, horizontal: 1.66, vertikal: 1.98




Serie 1:
 8.8 → 9.5 → 10.7 * 10.2 * 10.2 *
 9.4 ↑ 10.0 → 10.0 → 10.3 * 10.7 *
beste Teiler 63.5 (10.) 65.7 (3.) 155.4 (9.)
Trefferlage 1.77 mm rechts, 0.39 mm hoch
Streuwert 1.63, horizontal: 1.71, vertikal: 1.55



Serie 2:
 10.3 * 9.4 ↘ 8.9 ↗ 9.9 ↑ 10.6 *
 10.7 * 9.4 ↑ 10.5 * 10.6 * 9.3 ↗
beste Teiler 55.2 (16.) 86.7 (19.) 98.4 (15.)
Trefferlage 0.39 mm rechts, 1.97 mm hoch
Streuwert 1.64, horizontal: 1.45, vertikal: 1.80





Serie 3:
 10.3 * 9.4 ↘ 9.5 ↑ 10.8 * 9.5 ↑
 9.4 ↘ 10.5 * 10.7 * 10.3 * 10.9 *
beste Teiler 12.2 (30.) 37.8 (24.) 54.7 (28.)
Trefferlage 0.76 mm links, 1.43 mm hoch
Streuwert 1.44, horizontal: 1.07, vertikal: 1.74



Serie 4:
 9.9 ↘ 9.6 ↘ 10.4 * 10.1 ↗ 10.6 *
 9.4 ↘ 9.7 → 9.8 ↘ 9.5 ↘ 10.6 *
beste Teiler 90.1 (35.) 99.3 (40.) 127.7 (33.)
Trefferlage 1.29 mm rechts, 0.45 mm tief
Streuwert 1.73, horizontal: 1.27, vertikal: 2.09

Unterschrift des Schützen


Ergebnis: **360** (377.7)
 Serien: 92 91 81 96
 Zähler: 14 15 9 1 1 0 0 0 0 0
 Innenzehner: 9
 weiteste: 1096 (27), 763 (25), 617 (26)
 beste Teiler 53.8 (15.) 104.7 (31.) 139.1 (6.)
 Trefferlage 1.41 mm rechts, 1.91 mm hoch
 Streuwert 2.56, horizontal: 3.02, vertikal: 1.99



Serie 1:

9.6 → 10.2 * 10.1 ↖ 9.6 ↗ 8.9 ↗
 10.4 * 10.0 → 8.5 ↗ 9.9 ↖ 9.6 ↖


beste Teiler 139.1 (6.) 190.5 (2.) 209.7 (3.)
 Trefferlage 1.27 mm rechts, 1.31 mm hoch
 Streuwert 2.23, horizontal: 2.82, vertikal: 1.41



Serie 2:

9.3 → 10.2 * 9.4 ↗ 8.6 ↑ 10.7 *
 9.6 ← 9.3 ↗ 10.3 * 8.9 ↑ 9.6 ↗


beste Teiler 53.8 (15.) 168.4 (18.) 180.2 (12.)
 Trefferlage 1.27 mm rechts, 1.93 mm hoch
 Streuwert 2.16, horizontal: 2.18, vertikal: 2.15



Serie 3:

8.5 ↖ 8.7 ↑ 10.0 ↑ 9.1 ↗ 7.9 →
 8.5 ↗ 6.6 ↗ 8.6 ↗ 9.2 ↖ 8.8 →

beste Teiler 246.7 (23.) 448.2 (29.) 454.1 (24.)
 Trefferlage 2.84 mm rechts, 3.29 mm hoch
 Streuwert 3.36, horizontal: 4.28, vertikal: 2.07





Serie 4:

10.5 * 9.4 ↗ 10.0 ↑ 10.4 * 10.2 *
 10.1 ↓ 9.1 ↗ 9.5 ↖ 10.4 * 9.5 ↑


beste Teiler 104.7 (31.) 141.1 (39.) 147.5 (34.)
 Trefferlage 0.25 mm rechts, 1.11 mm hoch
 Streuwert 1.96, horizontal: 2.15, vertikal: 1.75

Unterschrift des Schützen


Ergebnis: 377 (394.5)
Serien: 92 96 93 96
Zähler: 23 13 2 2 0 0 0 0 0 0
Innenzehner: 14
weiteste: 796 (16), 775 (29), 572 (6)
beste Teiler 36.1 (35.) 40.4 (13.) 66.4 (33.)
Trefferlage 0.51 mm links, 0.15 mm tief
Streuwert 2.28, horizontal: 2.77, vertikal: 1.65




Serie 1:
 10.1 ← 10.0 → 9.8 ↗ 10.2 * 8.9 ↘
 8.7 ↙ 9.9 ↖ 9.4 ↙ 10.0 ← 9.4 ↓
beste Teiler 180.7 (4.) 222.0 (1.) 234.7 (9.)
Trefferlage 1.29 mm links, 1.26 mm tief
Streuwert 2.24, horizontal: 2.67, vertikal: 1.71



Serie 2:
 10.5 * 10.1 → 10.8 * 10.2 * 10.3 *
 7.8 ↖ 10.0 ← 10.3 * 9.3 ← 10.5 *
beste Teiler 40.4 (13.) 108.0 (20.) 122.2 (11.)
Trefferlage 1.01 mm links, 0.09 mm tief
Streuwert 2.26, horizontal: 2.96, vertikal: 1.18





Serie 3:
 10.5 * 9.0 ↘ 9.5 ↘ 9.4 ↘ 10.0 ↑
 10.7 * 10.4 * 10.1 → 7.9 ↖ 9.5 ↖
beste Teiler 75.3 (26.) 121.4 (21.) 148.9 (27.)
Trefferlage 0.13 mm rechts, 0.40 mm hoch
Streuwert 2.76, horizontal: 3.32, vertikal: 2.05




Serie 4:
 10.4 * 10.1 ↘ 10.7 * 9.3 ↖ 10.8 *
 10.4 * 9.9 ↗ 9.9 → 10.1 ↗ 9.7 ←
beste Teiler 36.1 (35.) 66.4 (33.) 131.7 (31.)
Trefferlage 0.10 mm rechts, 0.33 mm hoch
Streuwert 1.71, horizontal: 2.11, vertikal: 1.18

Unterschrift des Schützen


Ergebnis: 371 (388.2)
Serien: 89 97 93 92
Zähler: 18 16 5 1 0 0 0 0 0 0
Innenzehner: 10
weiteste: 772 (5), 660 (2), 659 (38)
beste Teiler 90.2 (3.) 97.2 (22.) 103.8 (32.)
Trefferlage 0.70 mm rechts, 0.40 mm tief
Streuwert 2.47, horizontal: 2.96, vertikal: 1.85




Serie 1:
 8.9 ↖ 8.3 → 10.6 * 8.7 ↓ 7.9 →
 10.1 ↑ 9.7 ← 9.9 ↘ 10.5 * 10.2 *
beste Teiler 90.2 (3.) 112.0 (9.) 183.3 (10.)
Trefferlage 0.67 mm rechts, 0.15 mm tief
Streuwert 3.18, horizontal: 3.89, vertikal: 2.26



Serie 2:
 10.0 ↖ 9.1 ↗ 10.3 * 9.4 → 9.8 ←
 10.2 * 10.4 * 10.0 ↖ 10.1 ↘ 10.2 *
beste Teiler 141.8 (17.) 160.7 (13.) 192.3 (20.)
Trefferlage 0.43 mm links, 0.02 mm tief
Streuwert 2.00, horizontal: 2.46, vertikal: 1.40





Serie 3:
 10.1 ↑ 10.6 * 9.4 ↘ 9.0 → 9.5 ↘
 10.1 ↘ 9.8 ↘ 9.9 ↘ 9.2 ↗ 9.1 ↗
beste Teiler 97.2 (22.) 217.7 (21.) 224.5 (26.)
Trefferlage 1.34 mm rechts, 0.98 mm tief
Streuwert 2.27, horizontal: 2.29, vertikal: 2.26



Serie 4:
 9.8 ↘ 10.5 * 8.9 → 10.4 * 9.5 ←
 9.9 ↘ 10.1 → 8.3 → 9.8 ↘ 10.0 ↖
beste Teiler 103.8 (32.) 138.3 (34.) 224.8 (37.)
Trefferlage 1.24 mm rechts, 0.44 mm tief
Streuwert 2.38, horizontal: 3.04, vertikal: 1.44


Unterschrift des Schützen

Ergebnis: 379 (400.2)
Serien: 93 93 96 97
Zähler: 19 21 0 0 0 0 0 0 0 0
Innenzehner: 16
weiteste: 457 (39), 427 (14), 403 (6)
beste Teiler 29.1 (34.) 56.0 (30.) 57.2 (37.)
Trefferlage 0.48 mm rechts, 0.28 mm hoch
Streuwert 1.85, horizontal: 2.05, vertikal: 1.62


Serie 1:


10.0 ↘	10.5 *	10.2 *	9.9 ↓	9.9 ↙
9.3 ↙	9.7 ↗	9.4 ↘	9.8 →	9.5 →

beste Teiler 113.8 (2.) 199.9 (3.) 233.7 (1.)
Trefferlage 0.09 mm rechts, 0.03 mm hoch
Streuwert 2.20, horizontal: 2.60, vertikal: 1.70


Serie 2:


10.1 →	9.8 ↖	9.7 ↑	9.2 ↘	10.3 *
9.5 ↘	9.9 →	9.8 ↗	9.6 ↘	10.6 *

beste Teiler 99.5 (20.) 173.1 (15.) 216.1 (11.)
Trefferlage 0.47 mm rechts, 1.16 mm hoch
Streuwert 1.97, horizontal: 2.10, vertikal: 1.82


Serie 3:

10.5 *	9.5 ↓	9.9 ←	9.6 →	10.6 *
10.4 *	9.8 →	10.6 *	10.3 *	10.7 *

beste Teiler 56.0 (30.) 94.5 (28.) 97.8 (25.)
Trefferlage 0.64 mm rechts, 0.06 mm hoch
Streuwert 1.58, horizontal: 1.78, vertikal: 1.36




Serie 4:

10.2 *	9.7 ↘	10.6 *	10.8 *	10.6 *
9.6 ↑	10.7 *	10.0 ↙	9.1 ↘	10.3 *


beste Teiler 29.1 (34.) 57.2 (37.) 76.1 (35.)
Trefferlage 0.71 mm rechts, 0.12 mm tief
Streuwert 1.70, horizontal: 1.89, vertikal: 1.49

Unterschrift des Schützen


Ergebnis: 371 (387.9)
Serien: 94 93 95 89
Zähler: 18 16 5 1 0 0 0 0 0 0
Innenzehner: 14
weiteste: 823 (31), 644 (40), 639 (22)
beste Teiler 88.8 (21.) 90.9 (23.) 111.1 (16.)
Trefferlage 1.26 mm links, 0.24 mm hoch
Streuwert 2.39, horizontal: 2.68, vertikal: 2.07




Serie 1:
 10.2 * 9.2 → 8.8 ↖ 10.1 ✓ 10.2 *
 9.9 ↑ 10.2 * 9.5 ↖ 9.6 ↓ 10.1 ↗
beste Teiler 184.2 (5.) 187.3 (1.) 199.9 (7.)
Trefferlage 0.48 mm links, 0.27 mm hoch
Streuwert 2.33, horizontal: 2.66, vertikal: 1.94



Serie 2:
 9.1 ↖ 10.2 * 8.9 ↖ 9.8 ✓ 10.2 *
 10.5 * 9.1 ↖ 9.8 ↘ 9.1 ↖ 10.3 *
beste Teiler 111.1 (16.) 169.0 (20.) 188.6 (12.)
Trefferlage 1.81 mm links, 0.18 mm hoch
Streuwert 2.17, horizontal: 2.38, vertikal: 1.94





Serie 3:
 10.6 * 8.4 ↑ 10.6 * 10.4 * 9.9 ↓
 10.0 ↗ 10.2 * 10.4 * 9.9 ✓ 9.1 ↘
beste Teiler 88.8 (21.) 90.9 (23.) 133.4 (24.)
Trefferlage 0.15 mm rechts, 0.23 mm hoch
Streuwert 2.23, horizontal: 1.69, vertikal: 2.66




Serie 4:
 7.7 ← 9.9 ↓ 8.7 ↖ 10.1 ↖ 9.8 ↑
 9.0 ← 9.5 ← 10.3 * 10.2 * 8.4 ←
beste Teiler 152.4 (38.) 200.0 (39.) 208.3 (34.)
Trefferlage 2.91 mm links, 0.30 mm hoch
Streuwert 2.57, horizontal: 3.04, vertikal: 2.00

Unterschrift des Schützen


Ergebnis: 365 (382.8)
Serien: 91 91 89 94
Zähler: 11 24 4 1 0 0 0 0 0 0
Innenzehner: 9
weiteste: 835 (25), 608 (3), 602 (16)
beste Teiler 82.2 (10.) 106.0 (7.) 133.0 (22.)
Trefferlage 0.51 mm rechts, 0.62 mm hoch
Streuwert 2.63, horizontal: 3.12, vertikal: 2.03




Serie 1:
 9.3 ↑ 9.7 ↘ 8.5 ↘ 9.1 ← 9.6 ←
 9.4 ↑ 10.5 * 9.4 ↗ 9.6 ↘ 10.6 *
beste Teiler 82.2 (10.) 106.0 (7.) 320.2 (2.)
Trefferlage 0.03 mm rechts, 0.84 mm hoch
Streuwert 2.72, horizontal: 3.11, vertikal: 2.28



Serie 2:
 9.5 ↘ 9.7 ← 9.9 ← 9.6 ↗ 10.2 *
 8.5 → 9.3 ↑ 9.8 ↘ 10.2 * 9.3 ↘
beste Teiler 187.8 (19.) 194.2 (15.) 268.1 (13.)
Trefferlage 0.09 mm rechts, 0.82 mm hoch
Streuwert 2.57, horizontal: 3.04, vertikal: 1.98





Serie 3:
 9.2 → 10.4 * 8.9 ↗ 9.9 ↑ 7.6 →
 9.5 ↗ 10.2 * 9.6 ↗ 9.6 → 9.5 ↗
beste Teiler 133.0 (22.) 190.5 (27.) 253.5 (24.)
Trefferlage 2.88 mm rechts, 1.48 mm hoch
Streuwert 1.95, horizontal: 2.67, vertikal: 0.70



Serie 4:
 10.2 * 10.1 ↘ 10.1 ↘ 10.4 * 9.4 ↗
 8.7 ↗ 10.2 * 9.0 ↘ 9.6 ↑ 9.0 ←
beste Teiler 148.2 (34.) 180.2 (31.) 192.9 (37.)
Trefferlage 0.94 mm links, 0.65 mm tief
Streuwert 2.50, horizontal: 2.65, vertikal: 2.34


Unterschrift des Schützen

Ergebnis: 374 (393.0)
Serien: 96 90 93 95
Zähler: 20 15 4 1 0 0 0 0 0 0
Innenzehner: 13
weiteste: 915 (13), 651 (36), 645 (5)
beste Teiler 29.8 (20.) 34.4 (27.) 41.7 (9.)
Trefferlage 0.08 mm links, 0.27 mm tief
Streuwert 2.41, horizontal: 2.21, vertikal: 2.59


Serie 1:


9.8 ↗ 10.4 * 10.7 * 10.7 * 8.4 ↘
 9.2 ← 10.6 * 10.4 * 10.8 * 10.0 ↗

beste Teiler 41.7 (9.) 55.9 (3.) 72.4 (4.)
Trefferlage 0.31 mm links, 0.15 mm tief
Streuwert 2.12, horizontal: 1.91, vertikal: 2.30


Serie 2:


10.1 ↗ 10.0 ↓ 7.3 ↘ 8.8 ↖ 9.6 ↘
 10.7 * 9.6 ↘ 8.9 ↗ 9.8 ↗ 10.8 *

beste Teiler 29.8 (20.) 67.6 (16.) 209.0 (11.)
Trefferlage 0.57 mm rechts, 0.39 mm tief
Streuwert 3.13, horizontal: 2.44, vertikal: 3.70


Serie 3:

10.2 * 10.1 ↑ 9.4 ↓ 9.3 ↖ 9.8 ↗
 9.9 → 10.8 * 9.4 ↘ 9.5 ↗ 9.9 ←

beste Teiler 34.4 (27.) 186.9 (21.) 213.0 (22.)
Trefferlage 1.16 mm links, 0.14 mm tief
Streuwert 2.07, horizontal: 1.95, vertikal: 2.18


Serie 4:



10.3 * 10.2 * 10.0 → 9.7 ↘ 10.7 *
 8.3 ↘ 9.6 → 10.0 → 9.3 ↓ 10.0 ↓

beste Teiler 62.2 (35.) 152.0 (31.) 183.4 (32.)
Trefferlage 0.53 mm rechts, 0.42 mm tief
Streuwert 2.32, horizontal: 2.34, vertikal: 2.31


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 373 (391.1)
Serien: 96 96 96 85
Zähler: 22 17 0 0 0 0 0 0 0 0
Innenzehner: 18
weiteste: 484 (32), 446 (38), 414 (37)
beste Teiler 33.0 (4.) 94.1 (35.) 97.0 (11.)
Trefferlage 0.54 mm rechts, 0.24 mm tief
Streuwert 1.78, horizontal: 2.16, vertikal: 1.29




Serie 1:
 10.5 * 10.0 ↓ 10.3 * 10.8 * 10.1 ↓
 9.9 ↗ 9.7 ↗ 9.8 ← 10.5 * 9.9 ←
beste Teiler 33.0 (4.) 114.0 (9.) 119.1 (1.)
Trefferlage 0.34 mm links, 0.26 mm tief
Streuwert 1.57, horizontal: 1.79, vertikal: 1.31



Serie 2:
 10.6 * 9.3 → 10.4 * 9.6 ✓ 10.3 *
 9.6 ← 10.5 * 10.4 * 9.9 ✗ 10.2 *
beste Teiler 97.0 (11.) 124.0 (17.) 134.7 (18.)
Trefferlage 0.16 mm rechts, 0.39 mm tief
Streuwert 1.77, horizontal: 2.15, vertikal: 1.27



Serie 3:
 10.5 * 10.1 ↗ 10.3 * 9.3 ← 9.8 →
 10.3 * 10.3 * 9.7 ↗ 10.4 * 9.7 ✗
beste Teiler 123.3 (21.) 135.9 (29.) 152.3 (26.)
Trefferlage 1.18 mm rechts, 0.13 mm hoch
Streuwert 1.61, horizontal: 2.07, vertikal: 0.94





Serie 4:
 9.7 ↗ 9.0 → 10.1 ✓ 10.3 * 10.6 *
 0.0F MIS 9.3 ✗ 9.2 ✗ 9.8 ↓ 10.4 *
beste Teiler 94.1 (35.) 149.9 (40.) 163.7 (34.)
Trefferlage 1.22 mm rechts, 0.48 mm tief
Streuwert 2.15, horizontal: 2.52, vertikal: 1.71


MIS – Treffer wurde manuell eingefügt, da der Schütze die Scheibe verfehlt hat

Unterschrift des Schützen


Ergebnis: 369 (389.1)
Serien: 90 94 92 93
Zähler: 15 19 6 0 0 0 0 0 0 0
Innenzehner: 12
weiteste: 687 (35), 641 (25), 622 (7)
beste Teiler 75.9 (9.) 81.0 (1.) 84.0 (15.)
Trefferlage 0.12 mm links, 0.85 mm tief
Streuwert 2.41, horizontal: 3.03, vertikal: 1.56




Serie 1:
10.6 * 10.1 → 10.4 * 8.8 ← 9.6 ←
8.8 ↘ 8.5 ↙ 9.7 ↙ 10.7 * 8.7 ↘
beste Teiler 75.9 (9.) 81.0 (1.) 136.0 (3.)
Trefferlage 0.56 mm links, 1.24 mm tief
Streuwert 2.77, horizontal: 3.28, vertikal: 2.14



Serie 2:
9.8 → 9.2 ↙ 9.6 ↘ 10.0 ↓ 10.6 *
9.6 ↗ 10.5 * 9.2 → 10.4 * 9.6 ←
beste Teiler 84.0 (15.) 124.6 (17.) 147.8 (19.)
Trefferlage 1.03 mm rechts, 0.71 mm tief
Streuwert 2.07, horizontal: 2.37, vertikal: 1.71



Serie 3:
9.9 ↘ 10.3 * 9.7 ← 9.3 → 8.4 ←
10.1 ← 10.2 * 9.4 ← 9.7 → 9.3 ←
beste Teiler 173.1 (22.) 183.5 (27.) 224.2 (26.)
Trefferlage 0.62 mm links, 0.97 mm tief
Streuwert 2.52, horizontal: 3.47, vertikal: 0.84



Serie 4:
9.9 → 9.8 ↗ 10.2 * 9.9 ↙ 8.2 ←
9.9 ↙ 10.5 * 10.5 * 10.3 * 9.2 ↘
beste Teiler 105.5 (37.) 111.4 (38.) 157.6 (39.)
Trefferlage 0.36 mm links, 0.50 mm tief
Streuwert 2.36, horizontal: 3.04, vertikal: 1.38

Unterschrift des Schützen

Meyton Elektronik