




Ergebnis: 393 (411.5)
Serien: 98 100 99 96
Zähler: 33 7 0 0 0 0 0 0 0 0
Innenzehner: 24
weiteste: 401 (34), 385 (36), 350 (35)
beste Teiler 42.4 (40.) 44.7 (15.) 47.1 (13.)
Trefferlage 0.10 mm rechts, 0.22 mm hoch
Streuwert 1.37, horizontal: 1.20, vertikal: 1.53


Serie 1:


10.1 ← 10.6 * 9.9 ↘ 10.6 * 10.1 ↗
 10.0 ↓ 10.0 ↙ 9.8 ↖ 10.7 * 10.7 *

beste Teiler 54.4 (10.) 57.6 (9.) 89.0 (2.)
Trefferlage 0.34 mm links, 0.34 mm tief
Streuwert 1.42, horizontal: 1.24, vertikal: 1.57


Serie 2:


10.6 * 10.1 ↙ 10.8 * 10.5 * 10.8 *
 10.5 * 10.1 ↑ 10.5 * 10.6 * 10.0 ↗

beste Teiler 44.7 (15.) 47.1 (13.) 79.5 (19.)
Trefferlage 0.10 mm rechts, 0.08 mm hoch
Streuwert 1.04, horizontal: 0.76, vertikal: 1.26


Serie 3:

10.2 * 10.7 * 10.2 * 10.6 * 9.9 →
 10.7 * 10.7 * 10.3 * 10.6 * 10.3 *

beste Teiler 60.4 (26.) 71.6 (22.) 75.1 (27.)
Trefferlage 0.16 mm rechts, 0.41 mm hoch
Streuwert 1.05, horizontal: 1.03, vertikal: 1.08




Serie 4:

10.6 * 10.0 ↖ 10.1 → 9.3 ↖ 9.6 ↗
 9.4 ↗ 10.6 * 10.2 * 9.7 ↓ 10.8 *


beste Teiler 42.4 (40.) 97.2 (31.) 97.8 (37.)
Trefferlage 0.49 mm rechts, 0.74 mm hoch
Streuwert 1.84, horizontal: 1.62, vertikal: 2.04

Unterschrift des Schützen


Ergebnis: **397** (415.7)
 Serien: 99 99 100 99
 Zähler: 37 3 0 0 0 0 0 0 0 0
 Innenzehner: 33
 weiteste: 273 (9), 273 (20), 258 (34)
 beste Teiler 42.0 (32.) 60.6 (5.) 61.5 (1.)
 Trefferlage 0.51 mm links, 0.32 mm hoch
 Streuwert 1.02, horizontal: 1.13, vertikal: 0.89




Serie 1:
 10.7 * 10.7 * 10.7 * 10.5 * 10.7 *
 10.2 * 10.5 * 10.6 * 9.9 ↖ 10.6 *
 beste Teiler 60.6 (5.) 61.5 (1.) 65.8 (3.)
 Trefferlage 0.14 mm links, 0.41 mm hoch
 Streuwert 0.93, horizontal: 1.04, vertikal: 0.79



Serie 2:
 10.4 * 10.4 * 10.4 * 10.3 * 10.5 *
 10.4 * 10.4 * 10.5 * 10.0 ↖ 9.9 ↘
 beste Teiler 115.2 (15.) 115.8 (18.) 133.0 (16.)
 Trefferlage 0.95 mm links, 0.54 mm hoch
 Streuwert 0.92, horizontal: 0.97, vertikal: 0.88





Serie 3:
 10.6 * 10.3 * 10.3 * 10.6 * 10.1 ↖
 10.0 ↖ 10.6 * 10.5 * 10.5 * 10.7 *
 beste Teiler 74.3 (30.) 76.5 (21.) 88.8 (24.)
 Trefferlage 0.70 mm links, 0.34 mm hoch
 Streuwert 0.94, horizontal: 0.95, vertikal: 0.92




Serie 4:
 10.3 * 10.8 * 10.4 * 9.9 ↖ 10.5 *
 10.0 ↗ 10.2 * 10.4 * 10.3 * 10.4 *
 beste Teiler 42.0 (32.) 116.2 (35.) 134.4 (33.)
 Trefferlage 0.26 mm links, 0.00 mm
 Streuwert 1.26, horizontal: 1.46, vertikal: 1.02

Unterschrift des Schützen


Ergebnis: 388 (406.2)
Serien: 98 97 96 97
Zähler: 29 10 1 0 0 0 0 0 0 0
Innenzehner: 23
weiteste: 637 (30), 477 (12), 447 (2)
beste Teiler 23.7 (5.) 49.0 (35.) 60.0 (8.)
Trefferlage 0.38 mm links, 0.57 mm tief
Streuwert 1.62, horizontal: 1.97, vertikal: 1.18




Serie 1:
 10.2 * 9.2 ↙ 10.5 * 10.6 * 10.9 *
 9.6 ↓ 10.7 * 10.7 * 10.7 * 10.7 *
beste Teiler 23.7 (5.) 60.0 (8.) 62.2 (7.)
Trefferlage 0.88 mm links, 0.81 mm tief
Streuwert 1.16, horizontal: 1.25, vertikal: 1.07



Serie 2:
 10.0 ↓ 9.0 ↘ 10.3 * 10.1 ↗ 10.2 *
 10.7 * 10.5 * 9.9 ↓ 10.1 ← 9.9 ↓
beste Teiler 65.7 (16.) 125.7 (17.) 152.6 (13.)
Trefferlage 0.47 mm rechts, 0.90 mm tief
Streuwert 1.66, horizontal: 1.80, vertikal: 1.50



Serie 3:
 10.3 * 10.7 * 10.0 → 10.0 ← 10.6 *
 9.9 ↘ 9.8 → 10.2 * 10.4 * 8.4 ←
beste Teiler 70.4 (22.) 99.0 (25.) 138.7 (29.)
Trefferlage 0.18 mm links, 0.60 mm tief
Streuwert 2.00, horizontal: 2.68, vertikal: 0.90





Serie 4:
 10.3 * 9.7 ↙ 10.1 ↖ 9.7 ↘ 10.8 *
 10.3 * 9.5 ↖ 10.2 * 10.3 * 10.5 *
beste Teiler 49.0 (35.) 101.2 (40.) 157.8 (36.)
Trefferlage 0.95 mm links, 0.01 mm hoch
Streuwert 1.51, horizontal: 1.81, vertikal: 1.13

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **389** (405.0)
 Serien: 96 99 97 97
 Zähler: 30 9 1 0 0 0 0 0 0 0
 Innenzehner: 21
 weiteste: 593 (30), 452 (2), 437 (40)
 beste Teiler 54.2 (27.) 69.6 (1.) 73.6 (17.)
 Trefferlage 0.27 mm links, 0.28 mm hoch
 Streuwert 1.70, horizontal: 1.64, vertikal: 1.75



Serie 1:

10.7 * 9.1 ↘ 10.7 * 9.7 ← 9.5 ↘
 10.4 * 10.5 * 10.5 * 10.1 ↘ 9.9 ↙


beste Teiler 69.6 (1.) 74.9 (3.) 122.5 (8.)
 Trefferlage 0.11 mm rechts, 0.50 mm tief
 Streuwert 1.81, horizontal: 2.13, vertikal: 1.43



Serie 2:

10.5 * 10.1 ↗ 10.3 * 10.6 * 9.6 ←
 10.0 ↙ 10.7 * 10.4 * 10.0 ↓ 10.1 ↗


beste Teiler 73.6 (17.) 92.7 (14.) 118.1 (11.)
 Trefferlage 0.79 mm links, 0.27 mm tief
 Streuwert 1.33, horizontal: 1.30, vertikal: 1.36



Serie 3:

10.6 * 10.5 * 10.2 * 10.2 * 10.2 *
 10.4 * 10.7 * 9.5 ↙ 10.1 ↑ 8.6 ↗

beste Teiler 54.2 (27.) 81.6 (21.) 116.9 (22.)
 Trefferlage 0.93 mm links, 0.91 mm hoch
 Streuwert 1.70, horizontal: 1.22, vertikal: 2.07



Serie 4:



9.6 ↗ 10.6 * 10.1 ↘ 10.2 * 10.5 *
 10.1 ↘ 10.0 ↗ 9.9 ↑ 10.4 * 9.2 ↗

beste Teiler 90.8 (32.) 119.8 (35.) 144.2 (39.)
 Trefferlage 0.51 mm rechts, 1.02 mm hoch
 Streuwert 1.64, horizontal: 1.52, vertikal: 1.74


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **386** (403.5)
 Serien: 98 98 98 92
 Zähler: 28 10 2 0 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 567 (32), 513 (34), 417 (25)
 beste Teiler 28.7 (35.) 57.5 (4.) 59.0 (37.)
 Trefferlage 0.46 mm links, 0.87 mm hoch
 Streuwert 1.62, horizontal: 1.88, vertikal: 1.30




Serie 1:
 9.8 ↘ 10.3 * 10.1 ↗ 10.7 * 10.2 *
 10.4 * 10.1 ↘ 10.0 ↑ 9.6 ↗ 10.2 *
 beste Teiler 57.5 (4.) 143.9 (6.) 169.5 (2.)
 Trefferlage 0.16 mm rechts, 1.05 mm hoch
 Streuwert 1.43, horizontal: 1.56, vertikal: 1.28



Serie 2:
 10.5 * 9.9 ↘ 10.4 * 10.6 * 10.4 *
 9.5 ↘ 10.0 ↗ 10.4 * 10.0 ← 10.1 ↗
 beste Teiler 88.2 (14.) 118.5 (11.) 138.1 (15.)
 Trefferlage 0.54 mm links, 0.09 mm hoch
 Streuwert 1.52, horizontal: 1.74, vertikal: 1.25



Serie 3:
 10.4 * 10.2 * 10.2 * 10.1 ↘ 9.3 ↘
 10.2 * 10.6 * 10.2 * 10.3 * 9.5 ↘
 beste Teiler 85.4 (27.) 135.5 (21.) 174.1 (29.)
 Trefferlage 1.12 mm links, 0.99 mm hoch
 Streuwert 1.34, horizontal: 1.44, vertikal: 1.23





Serie 4:
 9.9 ↘ 8.7 ↘ 9.9 ↘ 8.9 ↗ 10.8 *
 9.8 ↘ 10.7 * 9.9 ↘ 10.1 ↑ 10.6 *
 beste Teiler 28.7 (35.) 59.0 (37.) 94.3 (40.)
 Trefferlage 0.34 mm links, 1.33 mm hoch
 Streuwert 2.05, horizontal: 2.62, vertikal: 1.26

Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **391** (408.3)
 Serien: 95 100 98 98
 Zähler: 31 9 0 0 0 0 0 0 0 0
 Innenzehner: 27
 weiteste: 377 (36), 333 (21), 330 (2)
 beste Teiler 28.2 (38.) 30.0 (20.) 68.7 (26.)
 Trefferlage 0.00 mm , 0.00 mm
 Streuwert 1.45, horizontal: 1.61, vertikal: 1.28



Serie 1:

9.7 ↗ 9.6 ← 9.7 ↘ 10.4 * 10.6 *
 9.8 ↙ 10.2 * 10.4 * 10.2 * 9.8 →


beste Teiler 97.8 (5.) 129.6 (8.) 138.9 (4.)
 Trefferlage 0.09 mm links, 0.22 mm tief
 Streuwert 1.78, horizontal: 2.10, vertikal: 1.38



Serie 2:

10.1 ↑ 10.6 * 10.3 * 10.5 * 10.6 *
 10.4 * 10.3 * 10.1 ↙ 10.1 → 10.8 *


beste Teiler 30.0 (20.) 91.7 (15.) 98.3 (12.)
 Trefferlage 0.10 mm rechts, 0.24 mm tief
 Streuwert 1.14, horizontal: 1.11, vertikal: 1.17



Serie 3:

9.6 ↗ 9.9 → 10.2 * 10.0 ↖ 10.3 *
 10.7 * 10.2 * 10.3 * 10.2 * 10.4 *

beste Teiler 68.7 (26.) 144.5 (30.) 158.0 (25.)
 Trefferlage 0.12 mm links, 0.33 mm hoch
 Streuwert 1.52, horizontal: 1.62, vertikal: 1.41



Serie 4:



9.9 ↖ 10.2 * 10.3 * 10.3 * 10.5 *
 9.4 → 10.5 * 10.8 * 10.2 * 10.2 *

beste Teiler 28.2 (38.) 103.2 (37.) 114.5 (35.)
 Trefferlage 0.13 mm rechts, 0.11 mm hoch
 Streuwert 1.49, horizontal: 1.68, vertikal: 1.27


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: 383 (400.2)
Serien: 96 95 94 98
Zähler: 24 15 1 0 0 0 0 0 0 0
Innenzehner: 17
weiteste: 564 (18), 492 (19), 471 (22)
beste Teiler 54.7 (23.) 64.3 (5.) 103.3 (2.)
Trefferlage 0.31 mm links, 0.45 mm hoch
Streuwert 1.86, horizontal: 2.23, vertikal: 1.39




Serie 1:
 9.8 ← 10.5 * 10.3 * 10.4 * 10.7 *
 10.5 * 9.3 → 9.8 ↗ 9.8 ↗ 10.2 *
beste Teiler 64.3 (5.) 103.3 (2.) 113.5 (6.)
Trefferlage 0.82 mm rechts, 0.06 mm tief
Streuwert 1.61, horizontal: 1.94, vertikal: 1.19



Serie 2:
 10.5 * 10.4 * 9.8 ↖ 10.0 ↑ 10.1 ↖
 10.5 * 10.5 * 8.7 ↖ 9.0 ↖ 9.6 ←
beste Teiler 109.5 (16.) 113.7 (11.) 117.3 (17.)
Trefferlage 1.70 mm links, 0.99 mm hoch
Streuwert 1.74, horizontal: 2.02, vertikal: 1.40



Serie 3:
 9.6 ↖ 9.1 → 10.7 * 9.9 ↑ 9.7 ←
 10.0 ← 9.8 ↑ 9.6 ↑ 10.5 * 10.1 →
beste Teiler 54.7 (23.) 108.8 (29.) 203.8 (30.)
Trefferlage 0.34 mm links, 0.64 mm hoch
Streuwert 2.03, horizontal: 2.35, vertikal: 1.66





Serie 4:
 9.5 → 10.4 * 9.4 ↖ 10.3 * 10.0 ↗
 10.5 * 10.3 * 10.1 ↖ 10.1 ↖ 10.2 *
beste Teiler 113.7 (36.) 134.8 (32.) 157.3 (34.)
Trefferlage 0.02 mm links, 0.24 mm hoch
Streuwert 1.74, horizontal: 2.13, vertikal: 1.22


Unterschrift des Schützen

Meyton Elektronik


Ergebnis: **378** (394.2)
 Serien: 94 92 95 97
ISSF 8.8.2.1a
 Zähler: 21 18 1 0 0 0 0 0 0 0
 Innenzehner: 10
 weiteste: 521 (14), 470 (11), 446 (7)
 beste Teiler 69.7 (12.) 85.7 (3.) 87.1 (8.)
 Trefferlage 0.08 mm links, 0.19 mm hoch
 Streuwert 2.06, horizontal: 2.32, vertikal: 1.76




Serie 1:
 9.2 → 10.3 * 10.6 * 9.6 ↗ 9.7 ↘
 10.1 ↘ 9.2 ↘ 10.6 * 10.1 ↘ 10.1 ↘
 beste Teiler 85.7 (3.) 87.1 (8.) 167.7 (2.)
 Trefferlage 0.64 mm rechts, 0.21 mm hoch
 Streuwert 2.04, horizontal: 2.41, vertikal: 1.58



Serie 2:
 9.1 ↗ 10.7 * 9.6 ↗ 8.9 ↙ 9.5 ↙
 9.7 → 9.4 → 9.8 ↙ 10.2 * 10.5 *
 beste Teiler 69.7 (12.) 120.1 (20.) 191.6 (19.)
 Trefferlage 0.30 mm rechts, 0.06 mm tief
 Streuwert 2.51, horizontal: 2.75, vertikal: 2.25



Serie 3:
 9.4 ↘ 9.8 → 10.5 * 9.6 ↑ 10.0 ←
 9.9 ↘ 10.5 * 9.6 ↙ 10.0 ↘ 10.1 ↑
 beste Teiler 102.4 (23.) 119.9 (27.) 214.7 (30.)
 Trefferlage 0.63 mm links, 0.49 mm hoch
 Streuwert 1.93, horizontal: 1.99, vertikal: 1.87



Serie 4:
 10.1 ↙ 9.9 ↗ 10.1 ↘ 10.0 → 10.2 *
 9.2 ↘ 10.5 * 10.0 ↘ 10.1 ← 9.8 ↙
 beste Teiler 124.0 (37.) 181.6 (35.) 215.7 (33.)
 Trefferlage 0.66 mm links, 0.12 mm hoch
 Streuwert 1.84, horizontal: 2.14, vertikal: 1.47

ISSF 8.8.2.1a – zu viele Wertungsschüsse abgegeben (–2)

Unterschrift des Schützen

Meyton Elektronik